

Spare parts list

(1.150-914.0) HD 6/15 CX Plus *EU

Table of contents

HD 6/15 CX Plus *EU (1.150-914.0)	3
Spare parts list high-pressure 6/15 CX P (5.974-117.0)	4
10 Housing	5
11 Housing	6
12 Hose reel	8
2 Set (4.515-104.0)	10
12 Hook (4.037-013.0)	12
14 Set (4.515-105.0)	13
20 Pump set	15
21 Cylinder head	16
8 Valve (3 Stück) (2.884-916.0)	19
11 Drain plug only for replacement (4.132-007.0)	21
22 Valve pin complete (4.584-022.0)	23
23 Nozzle insert (4.769-035.0)	25
26 Overflow valve for replacement (4.591-038.3)	27
31 Spindle complete (4.291-014.0)	29
100 Pump set HD 6/15 C (2.885-242.0)	31
10 Drain plug only for replacement (4.132-007.0)	33
20 Valve (3 Stück) (2.884-916.0)	35
22 Thrust guidance	37
30 Motor	39
40 Accessories	41
41 EASY!Force Advanced (4.118-005.0)	43
9000 Spare part set lever (2.885-483.0)	45
42 Hose assembly TR DN6 30MPa 15m (6.110-026.0)	47
43 Jet pipe TR 840 mm (4.112-006.0)	49
44 Triple jet nozzle TR 034 (4.117-029.0)	51
1 Triple jet nozzle TR 034	52
50 Electric box	54


POS	Article no.	Description	Quantity	Unit
0	5.974-117.0	Spare parts list high-pressure 6/15 CX P	1	PC

Spare parts list high-pressure 6/15 CX P (5.974-117.0)

POS	Description	Quantity	Unit
10	Housing	1	PC
20	Pump set	1	PC
30	Motor	1	PC
40	Accessories	1	PC
50	Electric box	1	PC


10 Housing

POS	Description	Quantity	Unit
11	Housing	1	PC
12	Hose reel	1	PC




11 Housing

POS	Article no.	Description	Quantity	Unit	Foot note text
11	4.063-778.0	Proportioning valve chemistry	1	PC	
15	4.515-347.0	Set wheel caps only for replacement	1	PC	SET OF 2 PIECES
5	5.032-554.0	Guide	2	PC	
21	5.032-555.0	Guide	2	PC	
9	5.032-648.0	Covering cap	1	PC	
16	5.044-216.0	Holder	1	PC	
4	5.050-206.3	Frame front part	1	PC	
7	5.050-207.3	Frame rear panel for replacement	1	PC	
22	5.057-062.0	Support	2	PC	
1	5.069-443.0	Device cover basalt grey only for replac	1	PC	
13	5.105-399.0	Axle	1	PC	
8	5.107-248.0	Bar shearing shackle	2	PC	
6	5.321-721.0	Hand grip	1	PC	
20	5.731-652.0	Filter with weight	1	PC	
2	6.304-099.0	Saucer-head screw M 6x 18-4.8-R2R	1	PC	
3	6.310-053.0	Putting nut	1	PC	
23	6.343-168.0	Lock washer	2	PC	
18	6.388-216.0	Hose DN 5 (PVC)	1	m	TO ORDER AS CUT GOODS
14	6.435-662.0	Wheel D200	2	PC	
24	7.303-046.0	Screw M6x12 -St-R3R (In6Rd)	2	PC	
17	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	10	PC	
25	7.303-156.0	Screw M6x40 -St-P3R (In6Rd)	2	PC	
23	9.761-044.0	Lock washer 6.343-168.0	2	PC	
Item text1: replaced by 6.343-168.0					



12 Hose reel

POS	Article no.	Description	Quantity	Unit	Foot note text
12	4.037-013.0	Hook	3	PC	
11	4.363-691.0	O-Ring seal kpl. -nur fuer Ersatz-	2	PC	
10	4.363-693.0	O-Ring seal kpl. -nur fuer Ersatz-	2	PC	
7	4.421-838.0	Pipelines complete	1	PC	
1	4.481-302.0	Crank complete	1	PC	
2	4.515-104.0	Set	1	PC	
14	4.515-105.0	Set	1	PC	
5	5.411-161.0	CLOSING SCREW M10X1	1	PC	
16	5.411-161.0	CLOSING SCREW M10X1	1	PC	VERSION 2
4	5.427-326.0	Manifold	1	PC	
6	5.427-328.3	Manifold for replacement	1	PC	
8	6.362-703.0	O-Ring seal 6,0x1,5-NBR 70	1	PC	
17	6.362-703.0	O-Ring seal 6,0x1,5-NBR 70	1	PC	VERSION 2
13	7.303-046.0	Screw M6x12 -St-R3R (In6Rd)	2	PC	
3	7.303-109.0	Screw 5x25-10.9-R2R (In6Rd)	3	PC	
9	7.343-018.0	Locking ring 18x1,2-Rf-St DIN 471	1	PC	VERSION 2
15	7.777-999.0	Stockpiling discontinued	1	PC	VERSION 1



2 Set (4.515-104.0)

POS	Article no.	Description	Quantity	Unit
2	7.303-109.0	Screw 5x25-10.9-R2R (In6Rd)	3	PC

12 Hook (4.037-013.0)

POS	Article no.	Description	Quantity	Unit
1	5.037-109.0	HOOK	1	PC




14 Set (4.515-105.0)

POS	Article no.	Description	Quantity	Unit
4	7.303-046.0	Screw M6x12 -St-R3R (In6Rd)	3	PC

20 Pump set

POS	Description	Quantity	Unit
21	Cylinder head	1	PC
22	Thrust guidance	1	PC




21 Cylinder head

POS	Article no.	Description	Quantity	Unit	Foot note text
15	2.884-501.0	Spare part set control piston	1	PC	
15	2.884-501.3	Spare part set control piston for replacement	1	PC	
8	2.884-916.0	Valve (3 Stück)	2	PC	
100	2.885-242.0	Pump set HD 6/15 C	1	PC	FOR PISTON CERAMIC COATED
11	4.132-007.0	Drain plug only for replacement	4	PC	
31	4.291-014.0	Spindle complete	1	PC	
22	4.584-022.0	Valve pin complete	1	PC	
26	4.591-038.3	Overflow valve for replacement	1	PC	
13	4.744-168.0	Switch complete	1	PC	
23	4.769-035.0	Nozzle insert	1	PC	
12	5.003-062.0	Plate	1	PC	
14	5.034-494.0	Retaining bracket	1	PC	
5	5.064-150.3	Inlett fitting for replacement	1	PC	
27	5.110-630.0	Sleeve	1	PC	
1	5.310-065.0	Nut	1	PC	
32	5.321-307.0	Handhold	1	PC	
20	5.332-258.0	Helical spring	1	PC	
24	5.411-171.0	Screw plug	1	PC	
2	5.443-229.0	Hose stem	1	PC	
16	5.443-624.0	Nipple	1	PC	
9	5.550-322.3	Cylinder head	1	PC	
29	5.583-147.0	Valve screw	1	PC	
3	6.362-078.0	O-Ring seal 13,3x2,4	1	PC	
17	6.362-113.0	O-Ring seal 6,0 x 2,0 NBR 70	1	PC	
6	6.362-384.0	O-Ring seal 9x1,5 - NBR 70	1	PC	
30	6.362-468.0	O-Ring seal complete 1ST.-R.	1	PC	
25	6.362-480.0	O-Ring seal 12,42x 1,78	1	PC	
7	6.362-533.0	O-Ring seal 14,0 X 1,5-NBR 70	3	PC	
34	6.362-989.0	O-Ring seal 18x2 - NBR 80	1	PC	
18	6.363-597.0	O-Ring seal 5,28 x 1,78	1	PC	
21	6.363-613.0	O-Ring seal 4 x 2 -NBR90	1	PC	
4	6.414-252.0	Strainer	1	PC	
10	6.421-349.3	Pressure gauge 0-30 MPa	1	PC	


21 Cylinder head

POS	Article no.	Description	Quantity	Unit	Foot note text
44	6.465-031.0	Connection cpl. 3/4	1	PC	
33	7.306-105.0	Screw M6x30 -8.8-R3R (In6Rd)	4	PC	
28	7.314-629.0	Grooved pin 2x10 -A1 ISO 8742	1	PC	
19	7.401-908.0	Sphere 7 G300 -1.4301 DIN 5401	1	PC	




8 Valve (3 Stück) (2.884-916.0)

POS	Article no.	Description	Quantity	Unit
15	6.362-077.0	O-Ring seal 10 x 2,2 NBR 70	3	PC




11 Drain plug only for replacement (4.132-007.0)

POS	Article no.	Description	Quantity	Unit
18	6.362-458.0	O-Ring seal 11,0x2,0-NBR 70	1	PC




22 Valve pin complete (4.584-022.0)

POS	Article no.	Description	Quantity	Unit
208	6.363-613.0	O-Ring seal 4 x 2 -NBR90	1	PC




23 Nozzle insert (4.769-035.0)

POS	Article no.	Description	Quantity	Unit
165	6.362-384.0	O-Ring seal 9x1,5 - NBR 70	2	PC




26 Overflow valve for replacement (4.591-038.3)

POS	Article no.	Description	Quantity	Unit
14	5.305-264.0	Shaped screw	1	PC
20	5.332-425.0	Helical spring	1	PC
26	5.553-390.0	Piston	1	PC
28	5.581-230.0	Valve seat	1	PC
44	6.362-169.0	O-Ring seal 12,0 X 2,0	1	PC
47	6.362-454.0	O-Ring seal complete 2ST.-R.	1	PC




31 Spindle complete (4.291-014.0)

POS	Article no.	Description	Quantity	Unit
2	6.362-468.0	O-Ring seal complete 1ST.-R.	1	PC





100 Pump set HD 6/15 C (2.885-242.0)

POS	Article no.	Description	Quantity	Unit
20	2.884-916.0	Valve (3 Stück)	2	PC
10	4.132-007.0	Drain plug only for replacement	4	PC
30	5.112-726.0	Bush	3	PC
40	5.115-721.0	Washer	3	PC
50	5.116-093.0	Washer	3	PC
60	6.288-072.0	Silicon grease	1	PC
70	6.362-376.0	O-Ring seal 24,0 X 1,5	3	PC
80	6.362-384.0	O-Ring seal 9x1,5 - NBR 70	1	PC
90	6.362-533.0	O-Ring seal 14,0 X 1,5-NBR 70	3	PC
100	6.365-393.0	Oil sealing 12x20x4/6	3	PC
110	6.365-563.0	Grooved ring	6	PC




10 Drain plug only for replacement (4.132-007.0)

POS	Article no.	Description	Quantity	Unit
18	6.362-458.0	O-Ring seal 11,0x2,0-NBR 70	1	PC




20 Valve (3 Stück) (2.884-916.0)

POS	Article no.	Description	Quantity	Unit
15	6.362-077.0	O-Ring seal 10 x 2,2 NBR 70	3	PC




22 Thrust guidance

POS	Article no.	Description	Quantity	Unit
1	4.553-306.0	Piston -nur fuer Ersatz-	3	PC
2	5.061-018.3	Thrust guidance	1	PC
6	5.112-726.0	Bush	3	PC
10	5.115-721.0	Washer	3	PC
7	5.116-093.0	Washer	3	PC
9	6.362-376.0	O-Ring seal 24,0 X 1,5	3	PC
5	6.363-077.0	O-Ring seal 75x3	1	PC
3	6.365-001.0	Grooved ring 12x20x4/6	3	PC
3	6.365-414.0	Grooved ring 12X20X5/6	3	PC
	Item text1: replaced by 6.365-001.0			
8	6.365-563.0	Grooved ring	3	PC
4	7.303-047.0	Screw M6x16 -St-R3R (In6Rd)	2	PC
21	7.306-106.0	Cylinder head screw M8x70 -8.8-A2E ISO4	4	PC




30 Motor

POS	Article no.	Description	Quantity	Unit
19	4.401-198.0	Ball bearing 6202-2RS -Wälzl.St DIN 625	1	PC
0	4.623-675.0	Motor complete	1	PC
0	4.623-675.3	Motor complete	1	PC
2	5.064-457.0	Cover plate qusty grey oil	1	PC
1	5.070-639.0	Tank oil	1	PC
4	5.094-148.0	Bearing cover B	1	PC
5	5.600-060.3	Blower wheel for replacement	1	PC
6	5.692-081.0	Air circulation	1	PC
18	5.767-005.0	Rubber buffer	4	PC
11	5.802-288.0	Mounting part	2	PC
17	6.288-050.0	Engine oil 1L	1	PC
3	6.303-153.0	Screw M5x15-ST-R2R (IN6RD)	1	PC
7	6.303-320.0	Screw M 5x 20-St-R2R	4	PC
8	6.362-161.0	O-Ring seal 19,3 X 2,4	1	PC
12	6.401-307.3	Wobble plate	1	PC
10	6.401-427.3	Angular contact ball bearing	1	PC
13	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	2	PC
9	7.367-001.0	Radial shaft seal ring A24x37x7 -NBR DI	1	PC
15	9.086-169.0	Wobble plate screw M8x16	1	PC




40 Accessories

POS	Article no.	Description	Quantity	Unit
43	4.112-006.0	Jet pipe TR 840 mm	1	PC
45	4.114-019.0	Dirt blaster TR 035 LowEnd	1	PC
44	4.117-029.0	Triple jet nozzle TR 034	1	PC
41	4.118-005.0	EASY!Force Advanced	1	PC
42	6.110-026.0	Hose assembly TR DN6 30MPa 15m	1	PC




41 EASY!Force Advanced (4.118-005.0)

POS	Article no.	Description	Quantity	Unit	Remark
9000	2.885-483.0	Spare part set lever	1	PC	
9001	4.427-014.0	Manifold TR EH 155 nur fuer Ersatz	1	PC	
7	5.132-001.0	Plug	1	PC	
8	5.321-136.3	Handhold few EH 155 only for replacement	1	PC	
9002	5.820-015.0	Screwing die kit TR	1	PC	orderable from 1st July 2025
22	7.303-096.0	Screw 4x22-ST-10.9-R2R (IN6RD)	7	PC	




9000 Spare part set lever (2.885-483.0)

POS	Article no.	Description	Quantity	Unit
4	5.332-178.0	Helical spring	2	PC



42 Hose assembly TR DN6 30MPa 15m (6.110-026.0)

POS	Article no.	Description	Quantity	Unit
7	2.880-154.0	O-Ring kit	1	PC
10	4.363-691.0	O-Ring seal kpl. -nur fuer Ersatz-	1	PC




43 Jet pipe TR 840 mm (4.112-006.0)

POS	Article no.	Description	Quantity	Unit
1	4.100-688.0	Spare part set seal TR	1	PC
3	4.112-011.0	Protection part TR only for replacement	1	PC
2	5.321-018.3	Handle bowl jet pipe only for replacemen	1	PC
11	7.303-129.0	Screw 4x16-10.9-R2R (K-In6Rd)	6	PC


44 Triple jet nozzle TR 034 (4.117-029.0)

POS	Description	Quantity	Unit
1	Triple jet nozzle TR 034	1	PC



1 Triple jet nozzle TR 034

POS	Article no.	Description	Quantity	Unit
4	5.311-225.0	Nut	1	PC
12	5.321-884.0	Clamp	1	PC
2	5.394-859.0	Protection part	1	PC
10	6.362-409.0	O-Ring seal 32,0 X 1,5	1	PC
7	6.362-460.0	O-Ring seal 14,0 X 2,5-NBR 70	1	PC
6	6.362-480.0	O-Ring seal 12,42x 1,78	1	PC
15	6.363-696.0	Brake ring 14x20x3	1	PC
11	7.401-902.0	Sphere 5 G20 -1.4034 DIN 5401	2	PC



50 Electric box

POS	Article no.	Description	Quantity	Unit
2	4.744-049.3	Switch completely 14 A	1	PC
2	4.744-266.0	Switch complete	1	PC
	Item text1: replaced by 4.744-049.3			
2	4.744-269.0	Switch complete	1	PC
	Item text1: replaced by 4.744-049.3			
4	5.061-000.0	Housing	1	PC
8	5.263-051.0	Tensioning part	1	PC
3	5.365-181.0	Profile gasket	1	PC
1	5.388-512.0	Label	1	PC
10	6.303-153.0	Screw M5x15-ST-R2R (In6RD)	3	PC
6	6.648-906.3	Cable with plug	1	PC
5	6.661-158.0	Capacitor 40μF	1	PC
7	7.303-031.0	Screw M4x10 -St-P2R (In6Rd)	1	PC
9	7.303-109.0	Screw 5x25-10.9-R2R (In6Rd)	1	PC