

ESB 28

Markt-Einführung

Market Launch



Available Versions

			<i>available from</i>
ESB 28	*EU (220-240 V/1~/50-60 Hz)	2.640-875	week 35

ESB 28

ESB 28



Technical Data

- | | |
|----------------------|---------------|
| • Motor rating max. | 30 W |
| • Brush speed | 3000 rpm |
| • Hose | 2.5 m |
| • Weight | 1.0 kg |
| • Working width | 280 mm |
| • Dimensions (LxWxH) | 280x120x60 mm |

Customer Benefits

- ✓ Suction hose with integrated power cord
- ✓ New ergonomical handle with closed shape
- ✓ Stainless steel telescopic tube
- ✓ Suction tube with integrated power cord
- ✓ Good reachable ON-/OFF-switch at the handle
- ✓ Carpet will be cleaned and freshened up through brush application

Product-Idea

Powerful, ergonomical electronic suction brush for dry vacuum cleaner T 12/1 and T 201

Order No.: 2.640-875

220-240 V / 50-60 Hz

Standard Equipment

ESB 28 - Highlights

Bend

- ⇒ Novel, ergonomical bend with step less suction-control
- ⇒ Guarantees fatigue-free working also during long cleaning tasks
- ⇒ Perfect ergonomics due closed shaped bend-geometry



Parking position

- ⇒ Parking position is integrated on the container and is also usable with the new ESB 28
- ⇒ Accessory is comfortably storable during working breaks
- ⇒ Good storage possibility in the cleaning-chamber



Suction tube

- ⇒ Infinitely adjustable telescopic suction tube can be optimally adjusted to different body heights
- ⇒ High-class quality in stainless steel version



Connection for ESB 28

- ⇒ Electronic suction brush ESB 28 is connectable on both dry vacuum cleaners T 12/1 and T 201
- ⇒ Therefore the cleaning effect of the machine can be increased once more and the carpet is deeply scoured



Power cord

- ⇒ Power cord supply line to electronic suction brush is completely integrated in the telescopic suction tube
- ⇒ Power cord is consequently protected against damage
- ⇒ Stumble traps will be avoided by pushing together the suction tube



Carpet- / hard surfaces application

- ⇒ Through integrated rubber lip on the base-plate the ESB 28 is also useable for hard surfaces cleaning.
- ⇒ Coarse dirt would not flung out of the nozzle
- ⇒ Therefore the ESB 28 is applicable as all-round machine for all surfaces



Application in the target group




Contract cleaners



Shops & boutiques



Hotels & restaurants



Application

Maintenance cleaning
from carpeted and
hard floors

Technical data

			ESB 28
Motor rating max.	W		30
Brush speed	U/min		3000
Hose	m		2.5
Working width	mm		280
Weight	kg		1.0
Dimensions	LxBxH	mm	280x120x60

