



IVC 60/30 Ap

The compact IVC 60/30 Ap industrial vacuum is ideal for manufacturing areas and production machinery. Its side channel blower is wear-resistant, making the vacuum ideal for continuous use.



1 Automatic Filter Cleaning System Tact²

- The two filters are cleaned with targeted, powerful blasts of air. The procedure is triggered automatically, the suction power remains constantly high, and the work can be continued without interruption.
- Filter designed to allow uninterrupted use with constant high suction power.

2 Wear-resistant side channel blower

- A side channel blower delivers high suction power with a very long lifetime of at least 20,000 hours. These machines are therefore ideal for multiple shift operation.

3 Waste container with set-down mechanism

- The waste container with set-down mechanism ensures ergonomic emptying, even when the vacuumed waste is heavy.

4 With compact flat pleated filter

- The compact flat pleated filter allows a large filter area with a small and clear design.



IVC 60/30 Ap

- Anti-static equipment
- Manual filter cleaning
- Integrated cyclone for pre-separation system

Technical data

Order no.	1.576-107.0	
EAN code	4039784539310	
Number of current phases	Ph / V / Hz	3 / 400 / 50
Accessories in scope of delivery	No	
Air flow rate	l/s / m³/h	68 / 244.8
Vacuum	mbar / kPa	286 / 28.6
Container capacity	l	60
Rated input power during operation	kW	3
Filter area	m²	1.9
Sound pressure level	dB(A)	77
Nominal diameter of connection	ID 72	
Nominal diameter of accessory	ID 72 / ID 52 / ID 42	
Weight	kg	95
Dimensions (L × W × H)	mm	970 × 690 × 1240

Equipment

Container material	stainless steel
Container emptying	Set-down trolley
Filters	Flat pleated filter
Accessories in scope of delivery	No
Container in scope of delivery	60 l
Filter cleaning	Manual
Flat pleated filter	Included in the scope of delivery

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



		Order no.	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter, paper									
Flat pleated filter, paper	1	6.904-283.0	1 piece(s)					Paper flat pleated filter (BIA-(U,S,G,C) dust class M) suitable for NT 65/2 Eco, NT 65/2 Eco Tc, NT 65/2 Eco Me.	■

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVC 60/30 AP

1.576-107.0

KÄRCHER



		Order no.	Quantity	ID	Length / width	Price	Description	
Suction container and swarf baskets								
Container, stainless steel, 60 l	1	4.070-837.0	1 piece(s)				60 litre stainless container for dry and wet pick up, without drain valve (ABS liquid)	■
UBS Longopac disposal system	2	2.013-050.0	1 piece(s)				One of the Longopac Disposal System's nifty features: Instead of the suction container, this attachment kit can also be used for intake of the disposal sack with part number 6.907-506.0.	□
Container, stainless steel, 60 l, with suction hose port	3	4.070-930.0	1 piece(s)				60 l stainless steel container with suction hose port, compatible with IVC and IV 60. For the use of paper filter bags (6.904-285.0) and safety filter bags (6.904-420.0).	□
Container, stainless steel, 100 l	4	4.070-838.0	1 piece(s)				100 litre stainless container for dry and wet pick up, without drain valve (ABS liquid)	□
Conversion kit liquid	5	2.882-695.0	1 piece(s)				Includes drain valve and coarse screen for IVC container	□
Swarf basket IVC	6	2.860-268.0	1 piece(s)				For separating liquid and coarse solid suction waste (e.g. swarf), suitable for 4.070-837.0, 4.070-838.0 and all IVC containers.	□
Chip sieve	7	5.731-645.0	1 piece(s)				Plastic, perforates with internal thread. Protection of the drain hose from rough splinters, chips etc.	□
Drum separator	8	9.982-081.0	1 piece(s)	ID 52			Filling device with ID 52 connections, screw connection, for filling of e.g. 200 l drums via the bunghole.	□
Pre-separator cover for 200 l drum	9	9.986-371.0	1 piece(s)	ID 52			Pre-separator cover for 200 l standard drum with ball float for overfill prevention. Screw connection DN 52.	□
	10	9.986-370.0	1 piece(s)	ID 52			Pre-separator cover for 200 l standard drum. Screw connection ID 52.	□
Pre-separator, 125 l, complete	11	9.986-372.0	1 piece(s)	ID 52			Pre-separator, coated, complete with cover, DN 52 connections, ball float for overfill prevention, 125 l container and tilting chassis.	□
Floor nozzles								
Brush strip	12	6.903-067.0	2 -part		500 mm		Brush strip for multi-purpose nozzle 500 mm 6.902-186.0.	□
Multi-purpose floor nozzle, wet/dry	13	6.902-185.0	1 piece(s)	ID 42	370 mm		Multi-purpose nozzle, width 370mm, DN 42	□
	14	6.902-184.0	1 piece(s)	ID 52	370 mm		Multi-purpose nozzle, width 370mm, DN 52	□
	15	6.902-186.0	1 piece(s)	ID 52	500 mm		Multi-purpose nozzle, width 500mm, DN 52	□
Multi-purpose nozzle, Ex approved	16	6.902-213.0	1 piece(s)	ID 42	370 mm		Multi-purpose nozzle for floor cleaning, electrically conductive, ATEX-approved, width 370 mm, DN 42.	□
EVA hoses								
Suction hose EVA, screw connection	17	9.988-092.0	1 piece(s)	ID 42	3 m		EVA material, electrically conductive, DN 72 machine connection with star screw, slit and DN 42 accessory end hinge, highly flexible, for fine and light suction waste.	□
	18	9.988-093.0	1 piece(s)	ID 42	5 m			□
	19	9.988-094.0	1 piece(s)	ID 52	3 m		EVA material, electrically conductive, DN 72 machine connection with star screw, slit and DN 52 accessory end hinge, highly flexible, for fine and light suction waste.	□
	20	9.988-095.0	1 piece(s)	ID 52	5 m			□
Connection hose EVA, screw connection	21	9.988-088.0	1 piece(s)	ID 42	3 m		EVA material, electrically conductive, ID 42 connection at both ends, slit and accessory end hinge, highly flexible, for fine and light suction waste. IVC only as an extension hose, IVR only with reduction.	□
	22	9.988-089.0	1 piece(s)	ID 42	5 m			□
	23	9.988-090.0	1 piece(s)	ID 52	3 m		EVA material, electrically conductive, DN 52 connection at both ends, slit and accessory end hinge, highly flexible, for fine and light suction waste. IVC only as an extension hose, IVR only with reduction.	□
	24	9.988-091.0	1 piece(s)	ID 52	5 m			□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0

KÄRCHER



		Order no.	Quantity	ID	Length / width	Price	Description	
Suction nozzles								
Crevice nozzle, zinc coated, flexible	25	9.981-423.0	1 piece(s)	ID 42	490 x 20 mm		Crevice nozzle, steel, zinc coated, flexible, slit width 20 mm.	<input type="checkbox"/>
	26	9.981-425.0	1 piece(s)	ID 52	490 x 20 mm			<input type="checkbox"/>
Nozzle, zinc coated, flexible, with rubber tip	27	9.981-420.0	1 piece(s)	ID 42	30 mm		Round nozzle, steel, zinc coated, flexible, with rubber tip DN 30.	<input type="checkbox"/>
	28	9.981-421.0	1 piece(s)	ID 52	30 mm			<input type="checkbox"/>
Suction and air nozzle, 90° angled	29	9.981-926.0	1 piece(s)	ID 42			DN 40 suction and air nozzle, 90° corner version. For convenient vacuuming of recesses and crevices of all kinds. Please note that a separate compressed air supply is required.	<input type="checkbox"/>
Vacuum brush	30	9.981-911.0	1 piece(s)	ID 42	300 mm		Vacuum brush, 300 mm, with 45° connection, with star screw, horsehair bristles.	<input type="checkbox"/>
	31	9.981-912.0	1 piece(s)	ID 52	300 mm			<input type="checkbox"/>
Bend, coated								
Bend, screw connection	32	6.902-202.0	1 piece(s)	ID 42			Bend, powder-coated steel, electrically conductive, with star screw.	<input type="checkbox"/>
	33	6.902-201.0	1 piece(s)	ID 52				<input type="checkbox"/>
	34	6.902-203.0	1 piece(s)	ID 72			Bend, coated, electrically conductive, ID 72; without tap adapters.	<input type="checkbox"/>
Suction tube, coated								
Suction tube, screw connection	35	6.902-182.0	1 piece(s)	ID 42	750 mm		For floor cleaning in combination with bend (6.902-202.0) and DN 42 floor nozzles.	<input type="checkbox"/>
	36	6.902-181.0	1 piece(s)	ID 52	850 mm			For floor cleaning in combination with bend (6.902-201.0) and DN 52 floor nozzles.
	37	9.981-910.0	1 piece(s)	ID 72	750 mm		Suction tube ID 72, tube length ID 750 mm. For connection with hose and bend ID 72 (6.902-203.0).	<input type="checkbox"/>
Other nozzles								
Flexible nozzle, plastic	38	6.902-197.0	1 piece(s)	ID 42	220 mm		Nozzle, elastic, rubber, DN 42	<input type="checkbox"/>
	39	6.902-196.0	1 piece(s)	ID 52	250 mm			<input type="checkbox"/>
	40	6.902-198.0	1 piece(s)	ID 72	260 mm			<input type="checkbox"/>
Elongated round nozzle, rubber	41	6.902-200.0	1 piece(s)	ID 42	315 mm		Suction nozzle, rubber, round, DN 42, length 315mm	<input type="checkbox"/>
	42	6.902-199.0	1 piece(s)	ID 52	315 mm			Suction nozzle, rubber, round, DN 52, length 315mm
Round brush, angled	43	6.902-193.0	1 piece(s)	ID 42			Suction brush, round 45°, DN 42	<input type="checkbox"/>
	44	6.902-192.0	1 piece(s)	ID 52				Suction brush, round 45°, DN 52
Straight suction and air nozzle	45	6.902-205.0	1 piece(s)	ID 42			DN 42 suction and air nozzle, straight version. For convenient vacuuming of recesses and crevices of all kinds. Please note that a separate compressed air supply is required.	<input type="checkbox"/>
Surface brushes	46	6.902-204.0	1 piece(s)	ID 42	120 mm		Surface brush, width 120mm, DN 42	<input type="checkbox"/>
Surface nozzle, aluminium	47	6.902-188.0	1 piece(s)	ID 42	150 mm		Surface nozzle, aluminium, width 150mm, DN 42	<input type="checkbox"/>
	48	6.902-187.0	1 piece(s)	ID 52	150 mm			Surface nozzle, aluminium, width 150mm, DN 52
Tube suction nozzle	49	6.902-207.0	1 piece(s)	ID 42			For cleaning tubes and other line systems with a diameter of up to 200 mm.	<input type="checkbox"/>
Crevice tools								
Crevice nozzle, lightweight plastic	50	9.988-116.0	1 piece(s)	ID 42			Multi-purpose crevice nozzle, plastic, DN 42.	<input type="checkbox"/>
	51	9.988-117.0	1 piece(s)	ID 52				Multi-purpose crevice nozzle, plastic, DN 52.
Crevice nozzle, plastic	52	6.902-195.0	1 piece(s)	ID 42	290 x 13 mm		Crevice nozzle, plastics, long, DN 42, width 13mm	<input type="checkbox"/>
	53	6.902-194.0	1 piece(s)	ID 52	340 x 13 mm			Crevice nozzle, plastics, long, DN 52, width 13mm

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVC 60/30 AP

1.576-107.0

KÄRCHER



		Order no.	Quantity	ID	Length / width	Price	Description	
Crevice nozzle, plastic, flexible	54	6.902-210.0	1 piece(s)	ID 42	340 × 20 mm		Bendable plastic crevice nozzle (ID 42) with a nozzle width of 20 mm. Ideal for flexible applications thanks to high manoeuvrability.	<input type="checkbox"/>
	55	6.902-211.0	1 piece(s)	ID 52	425 × 20 mm		Bendable crevice nozzle (ID 52) of plastic for flexible applications, with a nozzle width of 20 mm.	<input type="checkbox"/>
Crevice nozzle, galvanised	56	6.902-189.0	1 piece(s)	ID 52	350 × 17 mm		Crevice nozzle, zinc-plated, width 25mm, DN 52	<input type="checkbox"/>
	57	6.902-191.0	1 piece(s)	ID 72	350 × 30 mm		Crevice nozzle, zinc-plated, width 30mm, DN 72	<input type="checkbox"/>
Crevice nozzle, zinc coated, flexible	58	6.902-190.0	1 piece(s)	ID 42	490 × 17 mm		Crevice nozzle, flexible, width 17mm, DN 42	<input type="checkbox"/>
PVC hoses								
Suction hose, PVC, screw connection	59	6.907-292.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector	<input type="checkbox"/>
	60	6.907-293.0	1 piece(s)	ID 42	5 m			<input type="checkbox"/>
	61	6.907-294.0	1 piece(s)	ID 52	3 m			<input type="checkbox"/>
	62	6.907-295.0	1 piece(s)	ID 52	5 m		Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector (also suitable for use as an extension hose)	<input type="checkbox"/>
	63	6.907-296.0	1 piece(s)	ID 72	3 m			<input type="checkbox"/>
	64	6.907-297.0	1 piece(s)	ID 72	5 m			<input type="checkbox"/>
Connection hose, PVC, screw connection	65	6.907-310.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, hose with DN 42 connector at both ends	<input type="checkbox"/>
	66	6.907-311.0	1 piece(s)	ID 42	5 m			<input type="checkbox"/>
	67	6.907-312.0	1 piece(s)	ID 52	3 m		Electrically conductive, accessory end rotary coupling, hose with DN 52 connector at both ends	<input type="checkbox"/>
	68	6.907-313.0	1 piece(s)	ID 52	5 m			<input type="checkbox"/>
Suction hose, available by the metre, PVC, screw connection	69	9.980-645.0		ID 42			Suction hose available in bulk, PVC, ID 40; without tap adapters, max. 15 m.	<input type="checkbox"/>
	70	9.980-646.0		ID 52			Electrically conductive, without connections, whole metres up to max. 15 m, price per metre, max. temperature 85 °C, for fine and light suction waste.	<input type="checkbox"/>
	71	9.980-677.0		ID 72			Electrically conductive, without connections, whole metres up to max. 15 m, price per metre, max. temperature 85 °C, for fine and light suction waste.	<input type="checkbox"/>
PU hoses								
Suction hose, PU, screw connection	72	6.907-298.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector	<input type="checkbox"/>
	73	6.907-299.0	1 piece(s)	ID 42	5 m			<input type="checkbox"/>
	74	6.907-300.0	1 piece(s)	ID 52	3 m			<input type="checkbox"/>
	75	6.907-301.0	1 piece(s)	ID 52	5 m		Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector (also suitable for use as an extension hose)	<input type="checkbox"/>
	76	6.907-302.0	1 piece(s)	ID 72	3 m			<input type="checkbox"/>
	77	6.907-303.0	1 piece(s)	ID 72	5 m			<input type="checkbox"/>
Connection hose, PU, screw connection	78	6.907-314.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, hose with DN 42 connector at both ends	<input type="checkbox"/>
	79	6.907-315.0	1 piece(s)	ID 42	5 m			<input type="checkbox"/>
	80	6.907-316.0	1 piece(s)	ID 52	3 m		Electrically conductive, with accessory end rotary coupling, hose with DN 42 connector at both ends.	<input type="checkbox"/>
	81	6.907-317.0	1 piece(s)	ID 52	5 m			<input type="checkbox"/>
Suction hose, available by the metre, PU, screw connection	82	9.980-678.0		ID 42			Electrically conductive, without connections, whole metres up to max. 15 m, price per metre, max. temperature 80 °C, for liquids and abrasive solids.	<input type="checkbox"/>
	83	9.980-649.0		ID 52				<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0

KÄRCHER



		Order no.	Quantity	ID	Length / width	Price	Description	
Suction hose, available by the metre, light PU, screw connection	84	9.980-679.0		ID 42			Electrically conductive, without connections, whole metres up to max. 15 m, price per metre, max. temperature 80 °C, for liquids and solids.	<input type="checkbox"/>
	85	9.980-680.0		ID 52			Suction hose available in bulk, lightweight, PU (max. 15 m), ID 50, without tap adapters.	<input type="checkbox"/>
	86	9.980-681.0		ID 72			Electrically conductive, without connections, whole metres up to max. 15 m, price per metre, max. temperature 80 °C, for liquids and solids.	<input type="checkbox"/>
Metal hoses								
Suction hose, ME-PU, screw connection	87	6.907-304.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector	<input type="checkbox"/>
	88	6.907-305.0	1 piece(s)	ID 42	5 m			<input type="checkbox"/>
	89	6.907-306.0	1 piece(s)	ID 52	3 m			<input type="checkbox"/>
	90	6.907-307.0	1 piece(s)	ID 52	5 m		<input type="checkbox"/>	
	91	6.907-308.0	1 piece(s)	ID 72	3 m		Electrically conductive, accessory end rotary coupling, DN 72 vacuum connector (also suitable for use as an extension hose)	<input type="checkbox"/>
	92	6.907-309.0	1 piece(s)	ID 72	5 m			<input type="checkbox"/>
Connection hose, ME-PU, screw connection	93	6.907-318.0	1 piece(s)	ID 42	3 m		Electrically conductive, accessory end rotary coupling, hose with DN 42 connector at both ends	<input type="checkbox"/>
	94	6.907-319.0	1 piece(s)	ID 42	5 m			<input type="checkbox"/>
	95	6.907-320.0	1 piece(s)	ID 52	3 m		Electrically conductive, accessory end rotary coupling, hose with DN 52 connector at both ends	<input type="checkbox"/>
	96	6.907-321.0	1 piece(s)	ID 52	5 m			<input type="checkbox"/>
Suction hose, available by the metre, ME-PU, screw connection	97	9.980-647.0		ID 42			Electrically conductive, without connections, whole metres up to max. 15 m, price per metre, max. temperature 110 °C, for metal shavings with liquids.	<input type="checkbox"/>
	98	9.980-707.0		ID 52				<input type="checkbox"/>
Adapters and spare parts								
Adapter IVC/IVR to ID 61	99	6.902-001.0	1 piece(s)	ID 61			For using IV accessories on IVC and IVR.	<input type="checkbox"/>
Reducer ID 52 to ID 42	100	6.902-179.0	1 piece(s)	ID 52			Reducer from ID 52 to ID 42.	<input type="checkbox"/>
Reducer, ID 72 to ID 52	101	6.902-180.0	1 piece(s)	ID 72			Reduction piece from ID 72 to ID 52.	<input type="checkbox"/>
Vacuum connector, ID 72 to ID 42	102	6.902-178.0	1 piece(s)	ID 72			For attachment to suction nozzle and reduction to hoses DN 42	<input type="checkbox"/>
Vacuum connector, ID 72 to ID 52.	103	6.902-177.0	1 piece(s)	ID 72			For attachment to suction nozzle and reduction to hoses DN 52	<input type="checkbox"/>
Hose connection	104	6.902-170.0	1 piece(s)	ID 42			For attachment to hose DN 42	<input type="checkbox"/>
	105	6.902-168.0	1 piece(s)	ID 52			For attachment to hose DN 52	<input type="checkbox"/>
	106	6.902-173.0	1 piece(s)	ID 72			For attachment to hose DN 72	<input type="checkbox"/>
Hose connection, rotatable	107	6.902-172.0	1 piece(s)	ID 42			Rotatable, for attachment to hose DN 42	<input type="checkbox"/>
	108	6.902-169.0	1 piece(s)	ID 52			Rotatable, for attachment to hose DN 52	<input type="checkbox"/>
	109	6.902-175.0	1 piece(s)	ID 72			For attachment to hose DN 72	<input type="checkbox"/>
Hose clamp	110	6.902-167.0	1 piece(s)	ID 42			For attaching hose to accessory connection DN 42/52	<input type="checkbox"/>
	111	6.902-176.0	1 piece(s)	ID 72			For attaching accessory connection to hose DN 72	<input type="checkbox"/>
Hose sleeve	112	6.902-171.0	1 piece(s)	ID 42			For attaching hose to accessory connection DN 42	<input type="checkbox"/>
	113	6.902-166.0	1 piece(s)	ID 52			For attaching hose to accessory connection DN 52	<input type="checkbox"/>
	114	6.902-174.0	1 piece(s)	ID 72			For attaching accessory connection to hose DN 72	<input type="checkbox"/>
Star grip M 6	115	6.303-555.0	1 piece(s)	ID 42			M 6 star knob, replacement for all bends and connectors ID 42.	<input type="checkbox"/>
Star grip M 8	116	6.303-554.0	1 piece(s)	ID 52			Star grip M 8 as replacement for all bends and DN 52/72 tap adaptors.	<input type="checkbox"/>
Y connector DN 72 to 2 × DN 52	117	6.902-206.0	1 piece(s)	ID 72			Junction for machine connection DN 72 to two DN 52 connections.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0

KÄRCHER



		Order no.	Quantity	ID	Length / width	Price	Description	
Filters and waste disposal bags								
Longopac disposal bag Mini	118	6.907-506.0	4 piece(s)				Longopac disposal sack for use with the special attachment kit (part number 2.013-050) from the Longopac disposal system range.	<input type="checkbox"/>
Disposal bags, paper	119	6.904-346.0	10 piece(s)				Disposal sack, paper, 60 l for dust-free disposal	<input type="checkbox"/>
	120	6.904-347.0	10 piece(s)				Disposal sack, paper, 100 l for dust-free disposal	<input type="checkbox"/>
Disposal bags, PE	121	6.904-348.0	20 piece(s)				Disposal sack PE 20 pcs 60/100 l for dust-free disposal	<input type="checkbox"/>
	122	6.907-336.0	5 piece(s)				Disposal bag, PE, 5 pcs, 100 l, for low-dust disposal of suction waste.	<input type="checkbox"/>
	123	6.907-347.0	5 piece(s)				Disposal bag, PE, 5 pcs, 50 l, for low-dust disposal of suction waste.	<input type="checkbox"/>
Miscellaneous								
Crane and forklift emptying device	124	2.642-842.0	1 piece(s)				For container emptying of all IV and IVC containers with a crane or forklift truck. Empty using a crank mechanism. Max. 260 kg.	<input type="checkbox"/>
IVC wide nozzle	125	2.642-864.0	1 piece(s)	ID 42	877 mm		For cleaning large areas. Height adjustable +/- 4 mm, 877 mm working width.	<input type="checkbox"/>
Cable drum with 25 m cable	126	9.982-080.0	1 piece(s)				AC cable drum with 25 m cable, for fixing in accessories holder 6.645-412.0.	<input type="checkbox"/>
Power cable storage compartment	127	5.037-240.0	1 piece(s)				The power cord is stored on a hook attached to the tubular frame. The practical cord hook is suitable for a pipe diameter of 30 to 32 mm.	<input type="checkbox"/>
IVC accessories holder	128	4.645-412.0	1 piece(s)				For attaching IVC accessories with nominal widths ID 42 and ID 52. Attaches to IVC frame.	<input type="checkbox"/>
IVC drip tray	129	5.039-065.0	1 piece(s)				For collecting dirt residues from the floor nozzle.	<input type="checkbox"/>
Accessory kits IVC, IVS, IVR (3 phases)								
Dry vacuuming kit for fine dust, screw connection	130	2.869-106.0	6 -part	ID 42			PVC suction hose 3 m DN 42 (6.907-292.0), bend DN 42 (6.902-202.0), suction tube 750 mm DN 42 (6.902-182.0), floor nozzle 370 mm DN 42 (6.902-185.0), plastic crevice nozzle 13 mm DN 42 (6.902-195.0), round brush, angled DN 42 (6.902-193.0).	<input type="checkbox"/>
Vacuuming kit for liquids with solids, screw connection	131	2.869-107.0	6 -part	ID 42			3 m ME-PU suction hose ID 42 (6.907-304.0), bend ID 42 (6.902-202.0), 750 mm suction tube ID 42 (6.902-182.0), 370 mm floor tool ID 42 (6.902-185.0), nozzle, flexible ID 42 (6.902-197.0), round suction nozzle, rubber ID 42 (6.902-200.0).	<input type="checkbox"/>
Vacuuming kit for solids/small quantities of liquids, screw connection	132	2.869-108.0	6 -part	ID 52			3 m ME-PU suction hose ID 52 (6.907-306.0), bend ID 52 (6.902-201.0), 850 mm suction tube ID 52 (6.902-181.0), 370 mm floor tool ID 52 (6.902-184.0), nozzle, flexible ID 52 (6.902-196.0), 150 mm aluminium surface nozzle ID 52 (6.902-187.0).	<input type="checkbox"/>
Vacuuming kit for dry/coarse particles, screw connection	133	2.869-109.0	6 -part	ID 52			3 m PU suction hose ID 52 (6.907-300.0), bend ID 52 (6.902-201.0), 850 mm suction tube ID 52 (6.902-181.0), 370 mm floor tool ID 52 (6.902-184.0), nozzle, flexible ID 52 (6.902-196.0), 150 mm aluminium surface nozzle ID 52 (6.902-187.0).	<input type="checkbox"/>
Bend								
Bend with hook, screw connection	134	9.981-327.0	1 piece(s)	ID 42			Bend, powder-coated steel, electrically conductive, with star grip and hook for hanging hose.	<input type="checkbox"/>
	135	9.981-320.0	1 piece(s)	ID 52				<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVC 60/30 AP 1.576-107.0



		Order no.	Quantity	ID	Length / width	Price	Description	
Accessories for Ringler machines								
Pre-separator station RI 300	136	9.982-235.0					Pre-separation system RI 300; with cover, with or without float ball as overfill protection, emptying hose filling level indicator, moveable and tilting, forklift transport for liquids and shavings.	<input type="checkbox"/>
Adapters and spare parts								
Hose connection	137	9.981-260.0	1 piece(s)	ID 42			For attachment to hose ID 42, with slit and hook for hose attachment.	<input type="checkbox"/>
	138	9.981-261.0	1 piece(s)	ID 52			For attachment to hose ID 52, with slit and hook for hose attachment.	<input type="checkbox"/>
	139	9.981-145.0	1 piece(s)	ID 72			Hose connection piece with hooks and internal cone ID 70.	<input type="checkbox"/>
Accessories connection	140	9.981-325.0	1 piece(s)	ID 52			Rotatable, for attachment to hose ID 52, inner taper for attaching accessories.	<input type="checkbox"/>
	141	9.981-326.0	1 piece(s)	ID 72			Rotatable, for attachment to hose ID 72, inner taper for attaching accessories.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.