


Spare parts list


(1.783-460.0) BR 45/22 C *EU

Table of contents

BR 45/22 C *EU (1.783-460.0)	3
10 Waste water tank complete	5
60 Cover waste water tank complete	7
30 Filter housing and float (4.037-095.0)	9
20 Chassis complete	11
60 Key switch (6.630-106.0)	18
80 Fresh water tank top part mit Dichtung (5.037-414.0)	20
910 Cable harness BR 45/22 C	21
991 KAERCHER Fleet services BR45/22C EU	24
30 Steering pillar complete	26
40 Brush-head complete (4.037-072.0)	29
10 Brush housing complete (4.037-077.0)	31
20 Cover brush housing complete	34
30 Gear case PU-Sternmitnehmer	36
10 Gear case replacement (4.037-116.0)	38
10 Gear case replacement (4.037-117.0)	40
40 Carriage complete	42
50 Suction bar complete (4.037-076.0)	44
180 Set wheel suction bar (4.037-057.0)	46
60 Roller brush complete red BR 45/40 (4.762-392.0)	48




POS	Article no.	Description	Quantity	Unit
40	4.037-072.0	Brush-head complete	1.000	ST
20		Chassis complete	1.000	ST
9000	6.680-124.0	Hose fresh water complete	1.000	ST
30		Steering pillar complete	1.000	ST
10		Waste water tank complete	1.000	ST




10 Waste water tank complete

POS	Article no.	Description	Quantity	Unit
70	5.037-402.0	Cover fresh water tank filling	1.000	ST
60		Cover waste water tank complete	1.000	ST
20	6.392-483.0	Drain hose with cover BR 45/22 C	1.000	ST
30	5.037-442.0	Fastening element cover	2.000	ST
50	5.050-415.0	Joint ring	1.000	ST
170	5.396-379.0	Label logo Professional L 95x40.3	2.000	ST
80	5.394-089.0	Label signet gel 42 x 46	1.000	ST
40	5.037-452.0	Loss prevention device	1.000	ST
45	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	3.000	ST
10	5.037-440.0	Waste water tank	1.000	ST




60 Cover waste water tank complete


POS	Article no.	Description	Quantity	Unit
90	5.037-403.0	Closure SWT	1.000	ST
10	5.037-441.0	Cover waste water tank	1.000	ST
30	4.037-095.0	Filter housing and float	1.000	ST
9001	6.414-631.0	Intermediate filter DS	1.000	ST
60	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	2.000	ST
20	6.366-058.0	Sealing profile	1.000	M





30 Filter housing and float (4.037-095.0)

POS	Article no.	Description	Quantity	Unit
55	5.037-421.0	Cover float cage	1.000	ST
30	5.037-401.0	Filter housing	1.000	ST
40	5.037-453.0	Float foamed	1.000	ST
50	5.037-297.0	Float retainer	1.000	ST
70	5.050-415.0	Joint ring	1.000	ST
60	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	4.000	ST
100	6.273-037.0	Seal string cellular rubber 3	0.280	M
80	6.273-070.0	Seal string cellular rubber 4	0.554	M









20 Chassis complete


POS	Article no.	Description	Quantity	Unit	Foot note text
503	6.640-751.0	Adapter plug at the Y CAN	1.000	ST	
500	6.330-111.0	Adapter RJ45 Y-Splitter	1.000	ST	
120	5.034-032.0	Air circulation turbine bottom	1.000	ST	
240	6.388-428.0	Angle bushing	1.000	ST	
660	5.050-411.0	Angle bushing water distribution	2.000	ST	
210	5.037-379.0	Axle wheels	2.000	ST	
160	6.654-345.0	Battery charger 300W EU	1.000	ST	
100	5.037-285.0	Bearing brush-head	1.000	ST	
20	5.050-408.0	Bearing pump	2.000	ST	
910		Cable harness BR 45/22 C	1.000	ST	
992	4.822-971.0	Cable harness fleet management module BR	1.000	ST	
996	6.641-458.0	Cable tape	1.000	ST	
920	6.882-001.0	Cable yellow Patch 0,5m	1.000	ST	
450	5.032-326.0	Cap	1.000	ST	
370	5.044-661.0	Catch for cable yellow	2.000	ST	
900	4.683-052.0	Control system BR45/22 C	1.000	ST	
90	5.037-377.0	Covering cap appliance	1.000	ST	
110	5.037-010.0	Covering cap battery charger	1.000	ST	
280	5.037-011.0	Covering cap battery charger rear	1.000	ST	
145	5.037-015.0	Covering cap joint	1.000	ST	
130	5.035-206.0	Covering cap turbine	1.000	ST	
310	5.037-307.0	Cover pump	1.000	ST	
30	5.064-048.0	Cover water filter	1.000	ST	
740	5.037-451.0	Distance holder battery	1.000	ST	
150	6.654-294.0	Drive battery Li-Ionen 25,2V/21 Ah	2.000	ST	
680	6.391-913.0	Elbow nipple	1.000	ST	
760	6.386-575.0	Elbow screw connector	1.000	ST	
995	6.640-225.0	Ferrite ring	1.000	ST	
530	5.731-664.0	Filter with weight	1.000	ST	
212	5.037-415.0	Fixing axle	2.000	ST	
940	5.037-465.0	Form seal	1.000	ST	
930	5.037-464.0	Form seal	1.000	ST	
70	5.037-375.0	Fresh water tank bottom part	1.000	ST	

20 Chassis complete

POS	Article no.	Description	Quantity	Unit	Foot note text
80	5.037-414.0	Fresh water tank top part mit Dichtung	1.000	ST	
140	5.037-289.0	Half shell bearing operating unit	3.000	ST	
630	7.311-001.0	Hexagon nut M4 -8-A2E ISO 4032	2.000	ST	
635	7.311-002.0	Hexagon nut M5 -8-A2E ISO 4032	2.000	ST	
250	7.311-079.0	Hexagon nut M10x1 -A4-035 ISO 8675	1.000	ST	
610	6.388-958.0	Hose	1.000	M	TO ORDER AS CUT GOODS
690	6.373-877.0	Hose clip	2.000	ST	
520	6.388-216.0	Hose DN 5	3.000	M	TO ORDER AS CUT GOODS
770	6.388-216.0	Hose DN 5	1.000	M	TO ORDER AS CUT GOODS
525	6.388-216.0	Hose DN 5	1.000	M	TO ORDER AS CUT GOODS
670	6.390-509.0	Hose PVC	1.000	M	TO ORDER AS CUT GOODS
710	6.390-509.0	Hose PVC	1.000	M	TO ORDER AS CUT GOODS
200	5.363-344.0	Joint ring	1.000	ST	
190	5.050-415.0	Joint ring	1.000	ST	
180	5.035-332.0	Joint ring turbine	1.000	ST	
991		KAERCHER Fleet services BR45/22C EU	1.000	ST	
60	6.630-106.0	Key switch	1.000	ST	
510	5.037-351.0	Label	1.000	ST	
390	7.343-015.0	Locking ring 15x1-FST-RF DIN 471	4.000	ST	
170	9.079-050.0	Motor sealing	1.000	ST	
780	6.037-003.0	Mounting clip	1.000	ST	
260	7.362-501.0	O-Ring seal 10x2 EPDM 70 DIN 3770	1.000	ST	
790	6.373-670.0	Pipe clamp	2.000	ST	
650	5.033-928.0	Plug fixing RAL 1018	1.000	ST	
430	6.473-011.0	Pump 24V BR45/22	1.000	ST	
215	6.343-189.0	Quick-fastener	2.000	ST	
998	5.035-228.0	Rating plate GPRS Modul TCU NA	1.000	ST	
420	5.035-437.0	Rotary controller	1.000	ST	
505	5.033-829.0	Rubber stopper control panel	1.000	ST	
330	7.303-095.0	Screw 4x 12-ST-10.9-R2R (In6RD)	6.000	ST	
490	7.303-026.0	Screw 4x16 -A2-70 (In6Rd)	2.000	ST	
230	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	59.000	ST	
700	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	2.000	ST	

20 Chassis complete

POS	Article no.	Description	Quantity	Unit	Foot note text
220	7.303-086.0	Screw 5x30 -10.9-R2R (K-In6Rd)	10.000	ST	
185	5.363-034.0	Seal	1.000	ST	
980	5.037-469.0	Seal	1.000	ST	QUANTITY ACCORDING TO DEMAND
960	6.273-268.0	Seal cellular rubber	1.000	M	TO ORDER AS CUT GOODS
970	6.273-268.0	Seal cellular rubber	1.000	M	TO ORDER AS CUT GOODS
1000	5.037-489.0	Seal Chassis	1.000	ST	
950	6.273-044.0	Sealing profile	1.000	M	TO ORDER AS CUT GOODS
750	6.273-037.0	Seal string cellular rubber 3	1.000	M	
990	6.273-070.0	Seal string cellular rubber 4	1.000	M	
1010	6.273-070.0	Seal string cellular rubber 4	1.000	M	TO ORDER AS CUT GOODS
40	5.363-003.0	Seal water filter	1.000	ST	
620	7.312-230.0	Serrated lock washer A4,3-FSt-A3E DIN67	1.000	ST	
625	7.312-041.0	Serrated lock washer A5,3-1.4310 DIN 67	1.000	ST	
400	5.010-977.0	Sheet metal ring	4.000	ST	
675	6.035-072.0	Sphere level indicator D6	1.000	ST	
480	6.647-513.0	Strain relief	1.000	ZST	
290	4.037-098.0	Suction hose complete	1.000	ST	
600	6.373-862.0	U-Fastening	4.000	ST	
380	6.490-312.0	Vac motor 24V	1.000	ST	
440	6.435-860.0	Wheel cap neutrally BR/BD 40/25 C	2.000	ST	
10	6.435-356.0	Wheel D200	2.000	ST	
720	6.641-874.0	Wire protecting sleeve D7	1.000	ST	




60 Key switch (6.630-106.0)


POS	Article no.	Description	Quantity	Unit
9000	6.600-210.0	Key only for replacement	1.000	ST

80 Fresh water tank top part mit Dichtung (5.037-414.0)


POS	Article no.	Description	Quantity	Unit
20	5.037-465.0	Form seal	1.000	ST




20




80




30




40



50




60



70


910 Cable harness BR 45/22 C


POS	Article no.	Description	Quantity	Unit
80	6.683-853.0	Cable	1.000	ST
40	6.683-669.0	Cable battery 1	1.000	ST
50	6.683-670.0	Cable battery 2	1.000	ST
20	6.683-819.0	Cable brush motor	1.000	ST
30	6.683-668.0	Cable key switch	1.000	ST
60	6.683-671.0	Cable operating element	1.000	ST
70	6.683-672.0	Cable operating element switch	1.000	ST



991 KAERCHER Fleet services BR45/22C EU


POS	Article no.	Description	Quantity	Unit
20	4.682-006.0	Antenna fleet management module replacem	1.000	ST
10	4.683-027.0	Fleet management module WLAN + Glonass	1.000	ST
40	7.306-206.0	Screw M4x10 -A2-70 ISO 14583	3.000	ST






30 Steering pillar complete


POS	Article no.	Description	Quantity	Unit
70	5.037-318.0	Bolt steering pillar	1.000	ST
260	7.303-296.0	Countersunk screw M5x16 -St-A2E (In6Rd)	9.000	ST
60	5.037-295.0	Covering cap joint	1.000	ST
130	5.037-324.0	Covering cap joint cable gland	1.000	ST
80	6.683-114.0	Diode board BR 35/12	1.000	ST
250	5.037-374.0	Foil control panel BR 45/22C	1.000	ST
140	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	1.000	ST
230	5.037-337.0	Joint part steering pillar	1.000	ST
20	5.037-292.0	Joint steering pillar	2.000	ST
240	7.343-014.0	Locking ring 8x0,8-FST-PHR DIN 471	1.000	ST
220	6.373-343.0	Pipe clamp D 6	1.000	ST
280	5.332-981.0	Pressure spring	1.000	ST
200	5.050-654.0	Retainer micro switch	1.000	ST
110	5.037-319.0	Retaining bracket switch	1.000	ST
30	7.303-291.0	Saucer-head screw M8x70 -St-P2R DIN 603	1.000	ST
170	7.303-107.0	Screw 5x16 -10.9-P2R (K-In6Rd)	4.000	ST
120	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	11.000	ST
150	6.321-179.0	Star grip	1.000	ST
50	5.037-373.0	Steering pillar above	1.000	ST
10	5.037-372.0	Steering pillar bottom	1.000	ST
100	5.037-293.0	Steering wheel bottom part	1.000	ST
90	5.037-294.0	Steering wheel top part	1.000	ST
210	6.631-818.0	Switch	1.000	ST
190	6.632-543.0	Switch ECO	1.000	ST
160	6.632-542.0	Switch pump	1.000	ST
180	6.321-177.0	Turning knob yellow D55mm	1.000	ST
270	7.312-004.0	Washer 8 -200HV-A3E ISO 7090	1.000	ST



40 Brush-head complete (4.037-072.0)


POS	Article no.	Description	Quantity	Unit
10	4.037-077.0	Brush housing complete	1.000	ST
40		Carriage complete	1.000	ST
20		Cover brush housing complete	1.000	ST
80	5.037-275.0	Cover gear case	1.000	ST
30		Gear case PU-Sternmitnehmer	1.000	ST
60	4.037-093.0	Microfibre roller BR 45/22	1.000	ST
60	4.037-093.0	Microfibre roller BR 45/22	1.000	ST
60	6.367-106.0	Pad green with sleeve BR 45/40	1.000	ZSA
60	6.367-107.0	Pad red with sleeve BR 45/40	1.000	ZSA
60	6.367-105.0	Pad yellow with sleeve BR 45/40	1.000	ZSA
60	4.762-407.0	Roller brush complete green BR 45/40	1.000	ST
60	4.762-406.0	Roller brush complete orange BR 45/40	1.000	ST
60	4.762-392.0	Roller brush complete red BR 45/40	1.000	ST
60	4.762-405.0	Roller brush complete white BR 45/40	1.000	ST
60	4.762-413.0	Roll Pad BR45	1.000	ST
70	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	4.000	ST
110	7.303-212.0	Screw 5x20 -A2-70 (In6Rd)	10.000	ST
90	7.303-039.0	Screw M5x16 -St-P2R (In6Rd)	4.000	ST
100	6.273-037.0	Seal string cellular rubber 3	1.000	M
50	4.037-076.0	Suction bar complete	1.000	ST






10 Brush housing complete (4.037-077.0)

POS	Article no.	Description	Quantity	Unit
240	5.314-129.0	Axle	2.000	ST
220	5.037-340.0	Baffle plate brush-head	1.000	ST
10	5.037-386.0	Brush housing	1.000	ST
270	6.650-335.0	Cable tie with fixing 150,46	1.000	ST
100	5.037-262.0	Deflector roll	4.000	ST
320	5.037-435.0	Handhold adjustment transport roll	1.000	ST
120	5.332-207.0	Helical spring	1.000	ST
170	7.311-003.0	Hexagon nut M6 -8-A2E ISO 4032	1.000	ST
330	5.037-434.0	Holder-up axle	2.000	ST
310	5.037-429.0	Lever transport wheel	1.000	ST
70	7.343-300.0	Lock washer 7-A2 DIN 6799	1.000	ST
90	6.630-438.0	Micro switch	1.000	ST
210	5.037-325.0	Pedal fixing axle	1.000	ST
190	5.037-354.0	Plate	1.000	ST
20	5.037-425.0	Plate brush holder	1.000	ST
280	5.037-008.0	Plate stop	2.000	ST
80	5.050-654.0	Retainer micro switch	1.000	ST
130	5.037-396.0	Retaining bracket suction bar	1.000	ST
230	5.515-277.3	Roller	2.000	ST
140	7.303-092.0	Screw 3x12 -10.9-R2R (K-In6Rd)	2.000	ST
250	7.303-026.0	Screw 4x16 -A2-70 (In6Rd)	2.000	ST
60	7.303-108.0	Screw 5x20 -10.9-R2R (In6Rd)	4.000	ST
30	7.303-212.0	Screw 5x20 -A2-70 (In6Rd)	9.000	ST
180	7.312-232.0	Serrated lock washer A6,4-FSt-A3E DIN 6	1.000	ST
300	5.037-018.0	Sleeve	2.000	ST
160	5.037-303.0	Slide part height adjustment	1.000	ST
200	6.330-410.0	Spring clip X130-8L	2.000	ST
110	5.037-387.0	Sweep drawer	1.000	ST
40	5.037-260.0	Swivel joint suction beam retraction	1.000	ST
150	5.037-302.0	Threaded part	1.000	ST
50	7.312-292.0	Washer 6 -A2 ISO 7093-1	1.000	ST
260	7.312-004.0	Washer 8 -200HV-A3E ISO 7090	1.000	ST




20 Cover brush housing complete

POS	Article no.	Description	Quantity	Unit
70	4.037-004.0	Bearing set	1.000	ST
100	5.037-301.0	Button height adjustment	1.000	ST
110	5.037-416.0	Cover brush-head	1.000	ST
10	5.037-381.0	Cover brush housing	1.000	ST
40	5.037-268.0	Cover refrigeration motor	1.000	ST
60	5.037-405.0	Cover water distribution BR45/22C	1.000	ST
20	5.037-267.0	Fixing brush-head	1.000	ST
130	7.343-019.0	Locking ring 45x1,75-FST-RF DIN 471	1.000	ST
50	7.303-212.0	Screw 5x20 -A2-70 (In6Rd)	8.000	ST
51	7.312-231.0	Serrated lock washer A5,3 -FSt-A3E DIN6	4.000	ST
30	7.401-917.0	Sphere 10,0 G100-1.4301 DIN 5401	1.000	ST




30 Gear case PU-Sternmitnehmer

POS	Article no.	Description	Quantity	Unit	Foot note text
170	6.037-005.0	Coupler	1.000	ST	VERSION B
170	5.037-313.0	Coupler	1.000	ST	VERSION A
10	4.037-116.0	Gear case replacement	1.000	ST	VERSION A
10	4.037-117.0	Gear case replacement	1.000	ST	VERSION B
200	6.613-506.0	Motor Rotomag	1.000	ST	VERSION B
200	6.613-282.0	Motor Rotomag	1.000	ST	VERSION A
150	7.306-090.0	Screw M6x16 -8.8-R3R (In6Rd)	4.000	ST	
90	7.312-232.0	Serrated lock washer A6,4-FSt-A3E DIN 6	4.000	ST	




10 Gear case replacement (4.037-116.0)

POS	Article no.	Description	Quantity	Unit
20	7.401-115.0	Ball bearing 6002-2RS -WAEZLAGST DIN 62	4.000	ST
90	5.625-357.0	Belt pulley 56Z HTD 3M	1.000	ST
110	5.037-276.0	Belt pulley Z28	1.000	ST
50	6.363-292.0	Joint ring NILOS 6002	1.000	ST
30	7.343-231.0	Locking ring 32x1,2 -St-ph DIN 472	2.000	ST
80	6.304-180.0	Screw M6X12-A2/70-ISO7045 (IN6RD)	2.000	ST
70	5.037-274.0	Shaft gear	1.000	ST
40	5.110-686.0	Spacer sleeve	1.000	ST
60	5.037-497.0	Star carrier PU	1.000	ST
120	6.348-480.0	Toothed belt	1.000	ST
100	7.312-292.0	Washer 6 -A2 ISO 7093-1	2.000	ST




10 Gear case replacement (4.037-117.0)

POS	Article no.	Description	Quantity	Unit
20	7.401-115.0	Ball bearing 6002-2RS -WAEZLAGST DIN 62	4.000	ST
90	5.625-357.0	Belt pulley 56Z HTD 3M	1.000	ST
110	5.037-276.0	Belt pulley Z28	1.000	ST
50	6.363-292.0	Joint ring NILOS 6002	1.000	ST
30	7.343-231.0	Locking ring 32x1,2 -St-ph DIN 472	2.000	ST
80	6.304-180.0	Screw M6X12-A2/70-ISO7045 (IN6RD)	2.000	ST
70	6.037-006.0	Shaft brushes drive	1.000	ST
40	5.110-686.0	Spacer sleeve	1.000	ST
60	5.037-497.0	Star carrier PU	1.000	ST
120	6.348-480.0	Toothed belt	1.000	ST
100	7.312-292.0	Washer 6 -A2 ISO 7093-1	2.000	ST




40 Carriage complete

POS	Article no.	Description	Quantity	Unit	Remark
100	5.037-426.0	Axle transport wheel	1.000	ST	
60	5.037-314.0	Axle wheel height adjustment	2.000	ST	
80	5.037-346.0	Leg spring	1.000	ST	
90	5.037-428.0	Lever transport	1.000	ST	L=47,2mm
110	6.343-119.0	Lock washer	2.000	ST	
50	7.343-300.0	Lock washer 7-A2 DIN 6799	2.000	ST	
70	5.037-410.0	Retaining bracket contact pressure	1.000	ST	
30	7.303-212.0	Screw 5x20 -A2-70 (In6Rd)	2.000	ST	
120	4.037-121.0	Set holder rollers only for replacement	1.000	ST	L=22,5mm
90	4.037-121.0	Set holder rollers only for replacement	1.000	ST	L=46mm
10	5.031-519.0	Stand foot	2.000	ST	
20	7.312-278.0	Washer 5-200HV-A2E ISO7093-1	2.000	ST	
120	6.435-211.0	Wheel D 50mm (Fa. Blickle)	2.000	ST	L=23,3mm
40	6.435-309.0	Wheel oil resistant D50	2.000	ST	




50 Suction bar complete (4.037-076.0)

POS	Article no.	Description	Quantity	Unit
60	5.332-216.0	Helical spring	2.000	ST
80	5.037-483.0	Retainer suction bar	1.000	ST
20	4.037-097.0	Set suction lip	1.000	ST
180	4.037-057.0	Set wheel suction bar	2.000	ST
10	5.037-382.0	Suction bar internal part	1.000	ST
40	5.037-385.0	Suction bar top part	1.000	ST
20	4.037-126.0	Suction lip set replacement Linatex Turn	1.000	ST



180 Set wheel suction bar (4.037-057.0)

POS	Article no.	Description	Quantity	Unit
50	7.311-431.0	Hexagon nut M 5-1.4305 DIN 985	1.000	ST
30	7.306-079.0	Screw M5x25 -8.8-P2R (In6Rd)	1.000	ST
60	7.312-041.0	Serrated lock washer A5,3-1.4310 DIN 67	1.000	ST
20	5.037-018.0	Sleeve	1.000	ST
40	5.033-079.0	Washer 5,5/13	1.000	ST



60 Roller brush complete red BR 45/40 (4.762-392.0)

POS	Description	Quantity	Unit
10	Thread deflector	1.000	ST
