Printing date 11.01.2019

Γ

Version number 7



Revision: 03.12.2018

undertakin	
1.1 Product id	lentifier
1.2 Relevant	<u>RM 811 Classic</u> dentified uses of the substance or mixture and uses advised against evant information available.
Application o	f the substance / the mixture Car shampoo
1.3 Details of	the supplier of the safety data sheet
Manufacture	/Supplier:
Alfred Kärche	r SE & Co. KG
Alfred-Kärche	
D - 71364 Wi	
Postfach 160	
D - 71349 Wi	ınenden
Tel.: +49-719	5-14-0
Fax : +49-71	95-14-2212
www.karcher.	com
Distributor:	
Kärcher (UK)	Ltd.
Kärcher Hous	e
Brookhill Way	,
Banbury	
Oxon OX16 3	ED
Great Britain	
Tel.: +44-129	5-752-000
Fax: +44-122	95-752-103
Further infor	mation obtainable from:
Department P	
Tel.: +49-719	
Fax : +49-71	95-14-3164
safetydata@k	
	y telephone number:
	s Materials [or Dangerous Goods] Incidents
	ire, Exposure, or Accident
	REC Day or Night
Within USA a	nd Canada: 1-800-424-9300

(Contd. on page 2)



Printing date 11.01.2019

Version number 7

Revision: 03.12.2018

Trade name: RM 811 Classic

(Contd. of page 1)

	fication	
• 2.1 Classification of the substance		
Classification according to Regula		
Eye Dam. 1 H318 Causes serious	eye damage.	
2.2 Label elements		
Labelling according to Regulation	(EC) No 1272/2008	
The product is classified and labell	ed according to the CLP regulation.	
· Hazard pictograms		
\wedge		
L I		
マブ		
CUSOF		
GHS05		
· Signal word Danger		
-		
· Hazard-determining components of	of labelling:	
amphoteric surfactants		
· Hazard statements		
H318 Causes serious eye damage.		
• Precautionary statements	ation / face protection	
	ction / face protection.	
	inse cautiously with water for several minutes. Remo	ove coni
· ·	nt and easy to do. Continue rinsing. Il a POISON CENTER/doctor.	
\cdot 2.3 Other hazards	u u i Oison CENTENaocior.	
	ny organic halogen compounds (AOX), nitrates, he	eavv me
compounds.		
• Results of PBT and vPvB assessme	ent	
• PBT: Not applicable.		
• PBT: Not applicable. • vPvB: Not applicable.		
• PBT: Not applicable.	formation on ingredients	
• PBT: Not applicable. • vPvB: Not applicable.		
• PBT: Not applicable. • vPvB: Not applicable. SECTION 3: Composition/in		
• PBT: Not applicable. • vPvB: Not applicable. SECTION 3: Composition/in • 3.2 Chemical characterisation: Mi		
 PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/in 3.2 Chemical characterisation: Mi Description: Cleaning agent Dangerous components: 	xtures	≥5-<10
 PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/in 3.2 Chemical characterisation: Mi Description: Cleaning agent 	sodium lauryl ether sulfate	≥5-<10
 PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/in 3.2 Chemical characterisation: Mi Description: Cleaning agent Dangerous components: CAS: 68891-38-3 NLP: 500-234-8 	sodium lauryl ether sulfate Eye Dam. 1, H318; ① Skin Irrit. 2, H315;	≥5-<10
 PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/in 3.2 Chemical characterisation: Mi Description: Cleaning agent Dangerous components: CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-XXXX 	sodium lauryl ether sulfate ♦ Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
 PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/in 3.2 Chemical characterisation: Mi Description: Cleaning agent Dangerous components: CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-XXXX EC number: 931-296-8 	xtures sodium lauryl ether sulfate ♦ Eye Dam. 1, H318; ↓ Skin Irrit. 2, H315; Aquatic Chronic 3, H412 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-	
 PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/in 3.2 Chemical characterisation: Mi Description: Cleaning agent Dangerous components: CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-XXXX 	sodium lauryl ether sulfate Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N- dimethyl-, N-C8-18 (even numbered) acyl derivs.,	
 PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/in 3.2 Chemical characterisation: Mi Description: Cleaning agent Dangerous components: CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-XXXX EC number: 931-296-8 	xtures sodium lauryl ether sulfate ♦ Eye Dam. 1, H318; ↓ Skin Irrit. 2, H315; Aquatic Chronic 3, H412 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-	≥5-<10 ≥1-<2.5



Printing date 11.01.2019

Version number 7

Revision: 03.12.2018

Trade name: RM 811 Classic

	(Contd. of page 2)
· Regulation (EC) No 648/2004 on detergents / Labelling for contents	
anionic surfactants	
amphoteric surfactants, preservation agents (METHYLISOTHIAZOLINONE, BENZISOTHIAZOLINONE)	<5%
perfumes	

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Rinse with warm water.
- After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Do not allow to penetrate the ground/soil.
- **6.3** *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.

(Contd. on page 4)

GB



(Contd. of page 3)

Printing date 11.01.2019

Version number 7

Revision: 03.12.2018

Trade name: RM 811 Classic

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with eyes and skin.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility:
- Keep away from food, beverages and feed.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Personal protective equipment
- · General protective and hygienic measures

Wash hands before breaks and at the end of work.

- Do not inhale gases / fumes / aerosols.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Not necessary if room is well-ventilated.
- Protection of hands:

* chemical resistant protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several

^{· 8.1} Control parameters

[·] Ingredients with limit values that require monitoring at the workplace:

^{· 8.2} Exposure controls



Printing date 11.01.2019

Version number 7

Revision: 03.12.2018

Trade name: RM 811 Classic

(Contd. of page 4) substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact gloves made of the following materials are suitable: * butyl rubber 0,7 mm, 480 min (EN 374)
- As protection from splashes gloves made of the following materials are suitable: * nitril rubber 0,4 mm, 30 min (EN 374)
- Not suitable are gloves made of the following materials: Strong material gloves
- Eye protection:



Tightly sealed goggles (EN 166)

· Body protection: Light weight protective clothing

9.1 Information on basic physical	and chemical properties
General Information	
Appearance: Form:	Fluid
Colour:	Yellow
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	8.7
pH-value 1 %:	7.6
Change in condition	
Melting point/freezing point:	$0 \ ^{\circ}C$
Initial boiling point and boiling	range: 100 °C
Flash point:	Not applicable
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.



Printing date 11.01.2019

Version number 7

Revision: 03.12.2018

Trade name: RM 811 Classic

	(Contd. of p	page
· Vapour pressure:	Not determined.	
· Density at 20 •C:	1.018 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
dynamic at 20 °C:	4.5 mPas	
kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC (EC)	0.00 %	
Solids content:	11.7 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:
- 1-propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 (even numbered) acyl derivs., hydroxides, inner salts

Oral LD50 >5,000 mg/kg (Rat)

Inhalative LC50 >5,000 mg/kg (Rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 7)



(Contd. of page 6)

GB

Printing date 11.01.2019

Version number 7

Revision: 03.12.2018

Trade name: RM 811 Classic

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- \cdot **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.

SECTIO	SECTION 12: Ecological information					
· 12.1 Toxici	· 12.1 Toxicity					
-	Aquatic toxicity:					
68891-38-3 sodium lauryl ether sulfate						
LC50	>10-100 mg/l (fish)					
EC50	>100 mg/l (bacteria)					
	ninium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 (even numbered) acyl roxides, inner salts					
LC50/96 h	1.11 mg/l (Pimephales promelas)					
EC50/48 h	1.9 mg/l (Daphnia magna)					
EC0 (16 h)	3,000 mg/l (Pseudomonas putida)					
ErC50/72h	2.4 mg/l (Desmodesmus subspicatus)					
NOEC	0.6 mg/l (Desmodesmus subspicatus) (72 h)					
	0.3 mg/l (Daphnia magna) (21 d)					
	0.135 mg/l (Oncorhynchus mykiss) (37 d)					
 12.3 Bioaca 12.4 Mobility Additional COD-value General no The product The surfact as laid down at the disposition of the dispositi	 mation: The product is easily biodegradable. cumulative potential No further relevant information available. ecological information: 224000 mg/l tes: t does not contain organic complexing agents. ant(s) contained in this preparation complies(comply) with the biodegradability criteria n in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held sal of the competent authorities of the Member States and will be made available to them, ect request or at the request of a detergent manufacturer. nce with the prescribed application parameters, the product does not lead to stable w product to reach ground water, water course or sewage system. lrinking water if even small quantities leak into the ground. 					
• PBT: Not a	pplicable.					
• vPvB: Not a	applicable. (Contd. on page 8)					

KARCHER

(Contd. of page 7)

Printing date 11.01.2019

Version number 7

Revision: 03.12.2018

Trade name: RM 811 Classic

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29* detergents containing hazardous substances

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Non contaminated packagings may be recycled.

• Recommended cleansing agents: Water, if necessary together with cleaning agents.

· 14.1 UN-Number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	
· ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	Void
14.4 Packing group	
· ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	
• Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex	II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the abov specifications.
· UN ''Model Regulation'':	Void

(Contd. on page 9)



Printing date 11.01.2019

Version number 7

Revision: 03.12.2018

Trade name: RM 811 Classic

(Contd. of page 8)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use:
- Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.

· Department issuing SDS: PCD-D

· Contact:

Department PCD-D Tel.: +49-7195-14-2548 Fax: +49-7195-14-3164 safetydata@karcher.com

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 • * Data compared to the previous version altered.

0.011-351.0

RM 811Classic/1

2.196