

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.02.2019

Version number 6

Revision: 14.06.2016

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

· **1.1 Product identifier**

· **Trade name: RM 803 ASF NTA-free**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** High pressure cleaner

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Alfred Kärcher SE & Co. KG
Alfred-Kärcher-Str. 28-40
D - 71364 Winnenden

Postfach 160
D - 71349 Winnenden

Tel.: +49-7195-14-0
Fax : +49-7195-14-2212

www.karcher.com

Distributor:
Kärcher (UK) Ltd.
Kärcher House
Brookhill Way
Banbury
Oxon OX16 3ED
Great Britain

Tel.: +44-1295-752-000
Fax : +44-1295-752-103

· **Further information obtainable from:**

Department PCD-D
Tel.: +49-7195-14-2548
Fax : +49-7195-14-3164
safetydata@karcher.com

· **1.4 Emergency telephone number:**

For Hazardous Materials [or Dangerous Goods] Incidents
Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night
Within USA and Canada: 1-800-424-9300
Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

GB

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.02.2019

Version number 6

Revision: 14.06.2016

Trade name: RM 803 ASF NTA-free

(Contd. of page 1)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS05

- **Signal word** Danger

- **Hazard-determining components of labelling:**

sodium hydroxide

- **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

· **Description:** Cleaning agent

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.02.2019

Version number 6

Revision: 14.06.2016

Trade name: RM 803 ASF NTA-free

(Contd. of page 2)

· Dangerous components:		
CAS: 69011-36-5 EC number: 931-138-8 Reg.nr.: 02-2119552461-55-XXXX	isotridecanoethoxylate + 8 EO ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	3-<10%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium p-cumenesulphonate ⚠ Eye Irrit. 2, H319	3-<10%
CAS: 68411-31-4 EINECS: 270-116-6 Reg.nr.: 01-2119971970-28-XXXX	triethanolammonium C10C13-alkylbenzene sulfonate ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315	3-<10%
	Ethoxylated Alkyl Amine ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302; ⚠ Eye Irrit. 2, H319	0.1-<1%
CAS: 1310-73-2 EINECS: 215-185-5 Index number: 011-002-00-6 Reg.nr.: 01-2119457892-27-xxxx	sodium hydroxide ⚠ Met. Corr.1, H290; ⚠ Skin Corr. 1A, H314	<0.5%
	Ethoxylated Alkyl Amine Propylamine ⚠ Skin Corr. 1A, H314; ⚠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302	0.1-<1%
EINECS: 263-016-9	Coconut alkyl dimethyl amine oxide. ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; ⚠ Skin Irrit. 2, H315	0.1-<1%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants	≥5 - <15%
anionic surfactants	<5%
perfumes	

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

· After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· After skin contact Immediately wash with water and soap and rinse thoroughly.

· After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed Corneal damage

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.02.2019

Version number 6

Revision: 14.06.2016

Trade name: RM 803 ASF NTA-free

(Contd. of page 3)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Do not allow to penetrate the ground/soil.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep receptacles tightly sealed.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Avoid contact with eyes and skin.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:**
Do not store together with acids.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.02.2019

Version number 6

Revision: 14.06.2016

Trade name: RM 803 ASF NTA-free

(Contd. of page 4)

- *Keep away from food, beverages and feed.*
- **Further information about storage conditions:**
 - Protect from frost.*
 - Store under lock and key and out of the reach of children.*
 - Keep receptacle tightly sealed.*
- **7.3 Specific end use(s)** *No further relevant information available.*

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** *No further data; see item 7.*

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m³

- **8.2 Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

- Keep away from foodstuffs, beverages and feed.*
- Immediately remove all soiled and contaminated clothing*
- Wash hands before breaks and at the end of work.*
- Do not inhale gases / fumes / aerosols.*
- Avoid contact with the eyes and skin.*

- **Respiratory protection:**

Short term filter device:

Filter A/P2.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

- **Protection of hands:**



Protective gloves.

- **Material of gloves** *Butyl rubber, BR*

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact gloves made of the following materials are suitable:**

** butyl rubber 0,7 mm, 480 min (EN 374)*

- **As protection from splashes gloves made of the following materials are suitable:**

** nitril rubber 0,4 mm, 30 min (EN 374)*

- **Eye protection:**



Tightly sealed goggles (EN 166)

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.02.2019

Version number 6

Revision: 14.06.2016

Trade name: RM 803 ASF NTA-free

(Contd. of page 5)

- **Body protection:**
Apron
Boots

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Fluid
Colour: Light yellow

· **Odour:** Fruit-like

· **Odour threshold:** Not determined.

· **pH-value at 20 °C:** 12.9

· **pH-value 1 %:** 10

· **Change in condition**

Melting point/freezing point: -7 °C

Initial boiling point and boiling range: 100 °C

· **Flash point:** Not applicable

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:** not applicable

· **Decomposition temperature:** Not determined.

· **Auto-ignition temperature:** Product is not selfigniting.

· **Explosive properties:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

· **Vapour pressure:** Not determined.

· **Density at 20 °C:** 1.118 g/cm³

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

Water: Fully miscible

· **Partition coefficient: n-octanol/water:** Not determined.

· **Viscosity:**

dynamic at 20 °C: 13.5 mPas

kinematic: Not determined.

· **Solvent content:**

Organic solvents: 0.0 %

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.02.2019

Version number 6

Revision: 14.06.2016

Trade name: RM 803 ASF NTA-free

(Contd. of page 6)

VOC (EC)	0.00 %
Solids content:	27.6 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** corresponds to 10.3
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**
Reacts with acids
Strong exothermic reaction with acids
Reacts with light alloys to form hydrogen
Corrodes aluminium
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

69011-36-5 isotridecanoethoxylate + 8 EO

Oral	ATE	500 mg/kg (Rat)
------	-----	-----------------

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

GB

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.02.2019

Version number 6

Revision: 14.06.2016

Trade name: RM 803 ASF NTA-free

(Contd. of page 7)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**
Not applicable

69011-36-5 isotridecanoethoxylate + 8 EO

LC50/96 h	1-10 mg/l (<i>Leuciscus idus</i>)
EC50/48 h	1-10 mg/l (Aquatic invertebrates)
EC50/72 h	1-10 mg/l (Aquatic plants)

1310-73-2 sodium hydroxide

LC50/96 h	125 mg/l (<i>Gambusia affinis</i>)
EC50/48 h	76 mg/l (<i>Daphnia magna</i>)
EC50/15 min	22 mg/l (<i>Photobacterium phosphoreum</i>)

- **12.2 Persistence and degradability**

69011-36-5 isotridecanoethoxylate + 8 EO

Bismuth-act. sup. ≥ 90 % (mod. OECD 301 E)

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **COD-value:** 760000 mg/l

- **General notes:**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liquid waste.

In compliance with the prescribed application parameters, the product does not lead to stable emulsions.

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values.

A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

GB

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.02.2019

Version number 6

Revision: 14.06.2016

Trade name: RM 803 ASF NTA-free

(Contd. of page 8)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

· **European waste catalogue**

07 06 01*	aqueous washing liquids and mother liquors
-----------	--

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Non contaminated packagings may be recycled.

· **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, IMDG, IATA** UN1824

· **14.2 UN proper shipping name**

· **ADR** 1824 SODIUM HYDROXIDE SOLUTION
· **IMDG, IATA** SODIUM HYDROXIDE SOLUTION

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 8 (C5) Corrosive substances.

· **Label** 8

· **IMDG, IATA**



· **Class** 8 Corrosive substances.

· **Label** 8

· **14.4 Packing group**

· **ADR, IMDG, IATA** III

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 22.02.2019

Version number 6

Revision: 14.06.2016

Trade name: RM 803 ASF NTA-free

(Contd. of page 9)

· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	
· Danger code (Kemler):	Warning: Corrosive substances. 80
· EMS Number:	F-A,S-B
· Segregation groups	Alkalis
· Stowage Category	A
· Segregation Code	SG35 Stow "separated from" acids.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	
	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Directive 2012/18/EU**
- Named dangerous substances - ANNEX I** None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- National regulations**
- Information about limitation of use:**
Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Page 11/11
KÄRCHER

Printing date 22.02.2019

Version number 6

Revision: 14.06.2016

Trade name: RM 803 ASF NTA-free

(Contd. of page 10)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· **Relevant phrases**

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

· **Department issuing SDS: PCD-D**

· **Contact:**

Department PCD-D
Tel.: +49-7195-14-2548
Fax : +49-7195-14-3164
safetydata@karcher.com

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

· *** Data compared to the previous version altered.**

· 0-011-346-0 RM 803/14-1 1-870

GB