



| POS | Article no. | Description | Quantity | Unit | valid from | valid until | Foot note text |
|-----|-------------|--|----------|------|------------|-------------|----------------|
| 20 | 2.889-086.0 | Set wheel cap | 1 | PC | | | |
| 24 | 4.051-279.3 | Tilting chassis komplett | 1 | PC | | | |
| 1 | 4.071-234.0 | Tank basaltgrau Ersatz | 1 | PC | | 100000 | |
| 1 | 4.071-649.0 | Tank basalt grey for replacement 65l | 1 | PC | 100001 | | |
| 27 | 4.210-254.0 | Joint set | 2 | PC | | | |
| 15 | 4.251-053.0 | Locking part kpl. | 1 | PC | | | |
| 19 | 4.515-320.0 | Wheel complete | 1 | PC | | | |
| 2 | 5.031-602.0 | Suction connection | 1 | PC | | 100000 | |
| 23 | 5.033-603.3 | Covering cap | 1 | PC | | | |
| 29 | 5.033-604.0 | Slider | 2 | PC | | | |
| 2 | 5.034-098.0 | Suction nipple electrically conducting O | 1 | PC | 100001 | | |
| 32 | 5.034-900.3 | Push rod | 1 | PC | | | |
| 4 | 5.036-082.0 | Holder-up handhold | 2 | PC | | | VERSION 2 |
| 31 | 5.044-504.3 | Holder accessories Small gelb | 1 | PC | | | |
| 6 | 5.321-699.3 | Handhold | 1 | PC | | | |
| 17 | 5.332-501.0 | Rubber buffer | 2 | PC | | | |
| 33 | 5.394-890.3 | Holder tilting chassis Tc | 1 | PC | | | |
| 34 | 5.394-909.0 | Holder axle right | 2 | PC | | | |
| 35 | 5.394-910.0 | Holder axle left | 2 | PC | | | |
| 22 | 5.521-049.3 | Covering rear | 1 | PC | | | |
| 5 | 6.273-039.0 | Seal | 2 | PC | | | VERSION 2 |
| 28 | 6.303-552.0 | Star grip with screw | 2 | PC | | | |
| 21 | 6.343-217.0 | Clamping washer D25 | 2 | PC | | | |
| 11 | 6.363-562.0 | O-Ring seal | 1 | PC | | | |
| 10 | 6.392-988.0 | Drain hose DN 32 Verschluss gelb | 1 | PC | | | |
| 13 | 6.435-829.0 | Castor with brake | 2 | PC | | | |
| 8 | 7.303-086.0 | Screw 5x30-10.9-R2R (K-In6Rd) | 12 | PC | | | |
| 7 | 7.303-105.0 | Screw 5x25 -A2-70-bk (In6Rd) | 4 | PC | | | VERSION 2 |
| 30 | 7.303-108.0 | Screw 5x20-10.9-R2R (In6Rd) | 4 | PC | | | |
| 18 | 7.306-074.0 | Cylinder head screw M10x35-8.8-A3E ISO4 | 2 | PC | | | |
| 25 | 7.306-129.0 | Screw M6x40 -8.8-P2R (In6Rd) | 4 | PC | | | |

| POS | Article no. | Description | Quantity | Unit | valid from | valid until | Foot note text |
|-----|-------------|----------------------------------|----------|------|------------|-------------|----------------|
| 39 | 7.306-148.0 | Screw M8x60 -8.8-R3R (In6Rd) | 2 | PC | | | |
| 16 | 7.306-193.0 | Screw M6x16-A2-70 (In6Rd) | 2 | PC | | | |
| 38 | 7.306-230.0 | Screw M8x25-A4-70 (In6Rd) | 2 | PC | | | |
| 9 | 7.311-423.0 | Hexagon nut M10 -04-A2E DIN 985 | 4 | PC | | | |
| 14 | 7.311-425.0 | Hexagon nut M6-04-A2E DIN 985 | 6 | PC | | | |
| 37 | 7.311-570.0 | Square nut M8 -05-A2E DIN 557 | 4 | PC | | | |
| 12 | 7.312-005.0 | Washer 10-200HV-A3E ISO 7089 | 6 | PC | | | |
| 40 | 7.312-045.0 | Washer 6-200HV-P4E ISO 7089 | 2 | PC | | | |
| 41 | 7.312-090.0 | Spring washer B8-FSt-A2E DIN 137 | 2 | PC | | | |
| 26 | 7.312-140.0 | Washer 6-160HV-A3E ISO 8738 | 4 | PC | | | |
| 42 | 7.312-285.0 | Washer 10-200HV-A2E ISO 7093-1 | 2 | PC | | | |