

New Unit Information



1.100-200.0

General

- Wet cleaner for cleaning carpets for commercial use in hotels, shops, offices, etc.
- Tank volume:
 - Fresh-water tank = 8 l
 - Wastewater tank = 7 l
- Noise emission 71 dB(A).
- Floor tool for carpets, working width 230 mm.

Electrics

- Motor 1380 watt.
- 7.5 m mains cable.
- Bypass suction motor.

Accessories (optional)

- Hand tool for upholstery, wall carpets, cleaning vehicle interiors, working width 110 mm.
- Stairs tool for cleaning stairs.

View from the front



- 1 Bracket, floor tool with suction tube
- 2 Carrying handle and suction tube storage during transport
- 3 Filler opening, fresh water
- 4 Switch (S2), water pump (M2)
- 5 Switch (S1), suction motor (M1)
- 6 Unit housing, upper section

- 7 Unit housing, lower section
- 8 Wheel (2x)
- 9 Swivel casters (2x)
- 10 Connection, fresh-water hose
- 11 Connection, suction hose
- 12 Cover, wastewater tank

Rear view



- 1 Carrying handle and suction tube storage during transport
- 2 Mains cable retractor
- 3 Unit housing, upper section
- 4 Bracket, upholstery tool (optional)
- 5 Unit housing, lower section
- 6 Bracket, upholstery tool (optional)
- 7 Mains cable
- 8 Bracket, floor tool with suction tube

View from above, wastewater tank cover removed



- 1 Connection, suction hose
- 2 Wastewater channel
- 3 Wastewater tank
- 4 Handle, wastewater tank
- 5 Retaining screws (4x), unit housing, upper section
- 6 Hook, for transporting the suction hose
- 7 "MAX" mark, maximum water level in the fresh-water tank
- 8 Fresh-water tank

- 9 Unit housing, upper section
- 10 Bracket, upholstery tool (optional)
- 11 Bracket, floor tool with suction tube
- 12 Switch element of (S2)
- 13 Bracket, switch elements
- 14 Switch element of (S1)
- 15 Retaining screws (2x), carrying handle
- 16 Retaining screws (2x), bracket, switch elements
- 17 Unit housing, lower section

Fresh-water tank



Water filter



"MAX" mark

- 1 Water filter in the fresh-water tank
- 2 Fresh-water tank
- 3 "MAX" mark, maximum water level in the fresh-water tank

Water filter

Filters contaminations out of fresh water in order to prevent damage to the water pump (M2).

"MAX" mark

The "MAX" mark (3) in the fresh-water tank (2) indicates the maximum water quantity, which may be added to the fresh-water tank (2).

Note

If water is added to the fresh-water tank above the "MAX" mark and this volume of water is completely processed, it is possible that the wastewater tank cannot accept the whole volume of water and therefore overflows.



Unit housing, wastewater tank removed

- 1 Unit housing, lower section
- 2 Air intake (drawn in air) opening with fluff strainer

Fluff strainer

Filters coarse contaminations out of the drawn in air in order to prevent damage to the suction motor (M1).

Unit housing, upper section removed



- 1 Unit housing, upper section
- 2 Sealing strip
- 3 Switch (S2), water pump (M2)
- 4 Switch (S1), suction motor (M1)
- 5 Unit housing, lower section

View from below



- 1 Fresh-water hose to the spray/ suction hose
- 2 Floor cover
- 3 Wheel, LH
- 4 Retaining screw, LH wheel

- 5 Air discharge, motor cooling air
- 6 Retaining screw, RH wheel
- 7 Wheel, RH
- 8 Retaining screws (9x), floor cover
- 9 Swivel casters (2x)

Transport





The spray / suction tube is pressed onto the carrying handle (2) for transporting the unit. The suction / spray hose is inserted in the hook (3).

- 1 Spray / suction tube
- 2 Carrying handle and suction tube storage during transport
- 3 Hook, for transporting the suction hose
- 4 Spray / suction hose

Printed circuit board (N1)



- 1 Terminal strip (X1), switch (S2), water pump (M2)
- 2 Terminal strip (X3), switch (S2), water pump (M2)
- 3 Terminal strip (X5), switch (S1), suction motor (M1)
- 4 Terminal strip (X7), switch (S1), suction motor (M1)
- 5 Terminal strip (X8), suction motor (M1)
- 6 Terminal strip (X6), suction motor (M1)
- 7 Terminal strip (X12), mains connection to switch (S1), suction motor (M1)
- 8 Terminal strip (X10), mains connection
- 9 Terminal strip (X9), mains connection to switch (S1), suction motor (M1)
- 10 Terminal strip (X11), mains connection
- 11 Terminal strip (X4), water pump (M2)
- 12 Terminal strip (X2), water pump (M2)

Spray / suction hose



- 1 Spray / suction hose
- 2 Fresh-water hose
- 3 Connection sleeve, suction hose
- 4 Connection, fresh-water hose
- 5 Handle section
- 6 Lever, spray function release
- 7 Threaded connection, connection to the spray / suction tube

Spray / suction tube



Threaded connection closed



Threaded connection open



Floor tool for carpets

Threaded connection

The threaded connection (2) is used to connect the handle section (see Page 12, Item 5) and the floor tool (4) with the spray / suction tube.

- Open threaded connection (left-hand thread)
 (3) and push onto the spray / suction tube.
- If the spray / suction tube is fitted up to the limit stop in the threaded connection, close the threaded connection again (left-hand thread) (2).

- 1 Spray / suction tube
- 2 Threaded connection closed, connection to the spray / suction tube
- 3 Threaded connection open, connection to the spray / suction tube
- 4 Floor tool for carpets, working width 230 mm

Spray / suction tube



Spray nozzle

The spray nozzle (1) sprays the fresh water - cleaning agent mixture onto the carpet to be cleaned.

Spray nozzle on the floor tool



Guide handle

- 1 Spray nozzle
- 2 Guide handle

Guide handle

The guide handle (2) can be used to exert an appropriate pressure on the floor nozzle in order to vacuum up the water - cleaning mixture sprayed onto the carpet.

Circuit diagram 0.088-980.0



Circuit diagram 0.088-980.0

- C1 Capacitor
- F1 Fuse (in Japan version only)
- M1 Suction motor
- M2 Water pump
- N1 Printed circuit board
- S1 ON/OFF switch, suction motor
- S2 ON/OFF switch, water pump
- V1 Diode
- X1 Mains plug

Unit switch



Switch elements installed

Replacing switches

If one of the switches (S1) or (S2) is defective, it can be removed and replaced as follows.

- Remove the retaining screws (1).
- Remove switch elements bracket (2).
- Remove switch elements (3).
- Remove rubber covers (4).
- (Procedure continued on Page 18)



Bracket removed



Switch elements removed

- 1 Retaining screws (2x), bracket, switch elements
- 2 Bracket, switch elements
- 3 Switch elements
- 4 Rubber covers

Unit switch



Rubber covers removed

Replacing switches

- Pull the relevant switch (1, 2) out of the bracket.
- Remove the cable connections from the relevant switch (1, 2) and note the cable assignment at the switch.
- Install new switch in reverse order.



Switches (S1) and (S2) pulled out

- 1 Switch (S2), water pump (M2)
- 2 Switch (S1), suction motor (M1)

Floor cover removed



- 1 Air discharge, motor cooling air
- 2 Sound insulation
- 3 Holder, suction motor
- 4 Cover, suction motor (air circuit)
- 5 Suction motor (M1)
- 6 Printed circuit board (N1)
- 7 Air duct, drawn in air from floor tool
- 8 Air intake opening with fluff strainer
- 9 Fresh-water hose to the spray/ suction hose
- 10 Hose clamp
- 11 Water pump (M2)
- 12 Water hose from fresh-water tank
- 13 Retaining screws (4x), suction motor cover

Remove floor cover

- Remove retaining screws (see Page 9, Item 8).
- Remove floor cover.

Remove suction motor cover

- Remove retaining screws (13).
- Remove suction motor cover.

Suction motor cover removed



- 1 Air discharge, motor cooling air
- 2 Sound insulation
- 3 Suction motor (M1)
- 4 Rubber ring
- 5 Holder, suction motor
- 6 Printed circuit board (N1)
- 7 Fresh-water hose to the spray/suction hose
- 8 Water pump (M2)
- 9 Water hose from fresh-water tank
- 10 Mains cable
- 11 Retaining screws, suction motor holder

Remove suction motor

- Pull the suction motor (3) out of the suction motor holder (5).
- Remove wiring (see Page 21, Item 4) at the suction motor (3).

Suction motor



- 1 Holder, suction motor
- 2 Carbon brushes
- 3 Retaining screws, carbon brushes
- 4 Cable connection, suction motor
- 5 Suction motor (M1)

Replacing the carbon brushes

- Remove the retaining screws (3).
- Remove carbon brushes (2).
- Install new carbon brush in reverse order.

Water pump



- 1 Rubber mounts (2x), water pump
- 2 Water pump (M2)
- 3 Hose clamp
- 4 Fresh-water hose to the spray/suction hose
- 5 Holder, water pump
- 6 Water hose from fresh-water tank

Removing the water pump

- Remove floor cover (see Page 19).
- Remove water pump (2) with the rubber mounts (1) from the holder (5).
- Remove hose clamp (3).
- Pull hoses (4, 6) off the water pump (2).
- Remove rubber mount (1) from the water pump.
- Install new water pump in reverse order.

Wheel



Wheel installed



Wheel, retaining screw removed

- 1 Wheel, installed
- 2 Retaining screw, wheel
- 3 Holder, wheel

Replacing the wheel

- Remove the retaining screw (2).
- Pull the wheel (1) out of the holder (3).
- Install new wheel in reverse order.

Spray nozzle



Spray nozzle on the floor tool



Spray nozzle on the floor tool

- 1 Latch tabs
- 2 Spray tube
- 3 Spray nozzle

Replacing the spray nozzle

The spray nozzle (3) is inserted in the spray tube (2) and is held by two latching tabs (1) on the left and right. If it is defective or blocked it can be replaced as follows:

- Push latch tabs (1) apart (see arrow direction).
- Pull the spray nozzle (3) towards the front and out of the spray tube (2).
- Push the new spray nozzle into the spray tube
 (2), until it audibly latches into position.

Guide handle



Guide handle

Loosen/tighten Allen screws



Adjusting the guide handle

The guide handle is pushed onto the spray / suction tube and is attached with two Allen screws.

- Loosen Allen screws (2) with an Allen key (4).
- Push the guide handle (1) up or down onto the spray / suction tube until the required position is reached.
- Tighten Allen screws (2).

Allen key bracket

The Allen key (4) is inserted in a bracket (5) on the underside of the guide handle (1).

- 1 Guide handle
- 2 Allen screws (2x)
- 3 Spray / suction tube
- 4 Allen key
- 5 Bracket, Allen key

Allen key bracket

Troubleshooting

| Faults | Solution |
|---------------------------------------|---|
| No water discharge at the nozzle | Check/top up water level in the fresh-water tank. Check connections at spray/suction hose for correct fit/wear. Check spray nozzle for blockage - clean/replace. Check water filter in fresh-water tank for blockage - clean/ replace. Check/replace water pump (M2). |
| One-sided spray jet | Check spray nozzle for blockage - clean/replace. |
| Insufficient suction perfor- mance | Check correct fit of the wastewater tank cover/correctly position. Check/clean/replace seal at wastewater tank cover. Check/clean fluff strainer. Check spray / suction hose for blockage - clean. Check/replace suction motor (M1). |
| Water pump is loud | Check/top up water level in the fresh-water tank. |

Technical specifications

| Unit type | Unit No. | Circuit dia- gram | Operating instructions | Spare parts list |
|-------------|-------------|----------------------|---------------------------|---------------------|
| Puzzi 8/1 C | 1.100-200.0 | 0.088-980.0 | 5.962-081.0 | 5.970-682.0 |

The technical data sheet and the circuit diagram will be included in the next issue of the spare parts CD-ROM (DISIS) and are also available in kaercher-inside (https://kaercher-inside.com).

Special tools

No special tools are required.

Tightening torque

No details.

Index

Α

| Accessories (optional) | 2 |
|--|-------|
| Adjusting the guide handle | |
| Air duct, drawn in air from floor tool | 19 |
| Air intake opening with fluff strainer | 7, 19 |
| Allen key | 25 |
| Allen key bracket | 25 |
| Allen screws | 25 |

В

| Bracket, Allen key | 25 |
|---------------------------------------|--------|
| Bracket, bottom, suction tube | 4 |
| Bracket, floor tool with suction tube | 3-5 |
| Bracket, switch elements | 17 |
| Bracket, switch elements | 5 |
| Bracket, top, suction tube | 4, 5 |
| Bypass - air intake duct9, | 19, 20 |

С

D

| Diode 1 | 6 |
|-----------|----|
| E | |
| Electrics | .2 |
| F | |

| Filler opening, fresh water | 3 |
|-----------------------------|----|
| Floor cover | 9 |
| Floor cover removed | 19 |
| Floor tool for carpets, | |
| working width 230 mm | 13 |
| Fluff strainer | 7 |
| Fresh-water hose | 12 |
| | |

| Fresh-water hose to the spray/ | |
|--------------------------------|---|
| suction hose | 2 |
| Fresh-water tank5, 6 | 3 |
| Fuse (in Japan version only)16 | 3 |

G

| General | 2 |
|--------------|--------|
| Guide handle | 14, 25 |

Н

| Handle section | 12 |
|---|---------|
| Handle, wastewater tank | 5 |
| Holder, suction motor | 19-21 |
| Holder, water pump | 22 |
| Holder, wheel | 23 |
| Hook, for transporting the suction hose | . 5, 10 |
| Hose clamp | 19, 22 |

L

| Latch | | 13 |
|------------|---|----|
| Latch tabs | ; | 24 |

Μ

| 20 |
|------|
| 4 |
| . 16 |
| 6 |
| |
| 5, 6 |
| |

0

Ρ

R

| Rear view | 4 |
|------------------------------|--------|
| Remove floor cover | 19 |
| Remove suction motor | 20 |
| Remove suction motor cover | 19 |
| Removing the water pump | 22 |
| Replacing the carbon brushes | 21 |
| Replacing the spray nozzle | 24 |
| Replacing the switch | 17, 18 |
| Replacing the wheel | 23 |
| Retaining screw, LH wheel | 9 |
| Retaining screw, RH wheel | 9 |
| | |

Index

| Retaining screw, wheel | 23 |
|--|----|
| Retaining screws (2x), bracket, | |
| switch element | 17 |
| Retaining screws (2x), bracket, | |
| switch element | 5 |
| Retaining screws (2x), carrying handle . | 5 |
| Retaining screws (4x), cover, | |
| suction motor | 19 |
| Retaining screws (4x), unit housing, | |
| upper section | 5 |
| Retaining screws (9x), floor cover | 9 |
| Retaining screws, carbon brushes | 21 |
| Retaining screws, suction motor holder. | 20 |
| Rubber covers | 17 |
| Rubber mounts (2x), water pump | 22 |
| Rubber ring | 20 |
| | |

S

Т

| Technical specifications | .27 |
|--|-----|
| Terminal strip (X1), switch (S2), | |
| water pump (M2) | .11 |
| Terminal strip (X10), mains connection | .11 |
| Terminal strip (X11), mains connection | .11 |
| Terminal strip (X12), mains connection | |
| with switch (S2) | .11 |
| Terminal strip (X2), water pump (M2) | .11 |

| Terminal strip (X3), switch (S2), |
|---|
| water pump (M2)11 |
| Terminal strip (X4), water pump (M2)11 |
| Terminal strip (X5), switch (S1), |
| suction motor (M1)11 |
| Terminal strip (X6), suction motor (M1)11 |
| Terminal strip (X7), switch (S1), |
| suction motor (M1)11 |
| Terminal strip (X8), suction motor (M1)11 |
| Terminal strip (X9), mains connection |
| with switch (S2)11 |
| Tightening torque27 |
| Transport10 |
| Troubleshooting26 |

U

| Unit housing, lower section 3-5, 7, 8 |
|--|
| Unit housing, upper section 3-5, 8 |
| Unit housing, upper section removed |
| Unit housing, wastewater tank removed7 |
| Unit switch |

V

| View from above, wastewater tank | |
|----------------------------------|--|
| cover removed5 | |
| View from below9 | |
| View from the front3 | |

W

| Wastewater channel | 5 |
|--|---------|
| Wastewater tank | 5 |
| Water filter | 6 |
| Water filter in the fresh-water tank | 6 |
| Water hose from fresh-water tank 19, 2 | 20, 22 |
| Water pump | 16, 22 |
| Water pump (M2) 19, 2 | 20, 22 |
| Wheel | . 3, 23 |
| Wheel, installed | 23 |
| Wheel, LH | 9 |
| Wheel, RH | 9 |