

Spare parts list

(1.324-030.0) K 4 Power Control *EU

Table of contents

K 4 Power Control *EU (1.324-030.0)	3
9 H 9 Q high pressure hose Quick Connect (2.641-721.0)	5
10 G 160 Q pistol (2.644-327.0)	7
11 VP 145 Vario Power Jet (packaged) (2.642-725.0)	9
12 DB 145 rotor nozzle packaged (2.642-728.0)	11
109 Pump set K4 FC *EU kpl	13
110 Thrust guidance complete (9.013-340.0)	15
120 Pump WCM plastic (HR) new	17
1 Head end WCM c/guarnizioni Tuico (9.002-552.0)	19
2 pressure piston HR (spare) (9.002-028.0)	21
130 Motor complete FC H70 WCM 3/3.5 (spare) (9.002-416.0)	23
10 Motor complete FC H70 WCM 3/3.5	25
140 Suction connection complete FC (9.013-345.0)	27
150 High-pressure outlet K4 NCR (9.013-623.3)	29
160 High-pressure outlet inside complete K4 (9.013-355.0)	31
170 E-box K4 FC without PCB EU (RIC) (9.002-417.0)	33
109 Pump set K4 Micro PC *EU	35
110 Thrust guidance complete (9.013-340.0)	37
120 Pump K4 Micro	39
1 Head end WCM c/guarnizioni Tuico (9.002-552.0)	41
2 pressure piston HR (spare) (9.002-028.0)	43
130 Motor cpl. for replacement H65 M1100 WCM 3.5 (9.013-800.3)	45
5 Motor complete H65 M1100 WCM 3.5	47
140 Suction connection complete FC (9.013-345.0)	49
150 High-pressure outlet K4 NCR (9.013-623.3)	51
160 High-pressure outlet inside complete K4 (9.013-355.0)	53
170 Electrical box Micro 32μF PC ZE (9.013-804.3)	55
170 Electrical box Micro 30μF PC ZE (9.013-903.3)	57
131 Wheel in pairs FC 1K D160 (9.002-438.0)	59
903 Spare parts set pedestal rear FC ALU (4.100-775.0)	61

K 4 Power Control *EU (1.324-030.0)

POS	Article no.	Description	Quantity	Unit	valid from	valid until	Foot note text
136	9.002-435.0	Accessory net	1	PC			
901	9.038-445.0	Black cover FC 1K wheel D160	2	PC			
130	5.317-896.0	Bolt stand foot	2	PC			
122	9.038-661.3	Bumper K4-K5 PC	1	PC			
118	9.039-336.0	Clamp	1	PC			
128	6.465-031.0	Connection cpl. 3/4	1	PC			
12	2.642-728.0	DB 145 rotor nozzle packaged	1	PC			
10	2.644-327.0	G 160 Q pistol	1	PC			
9	2.641-721.0	H 9 Q high pressure hose Quick Connect	1	PC			
132	9.038-665.3	Holder Gun	1	PC			
112	9.038-456.0	Holder pump	2	PC			
114	9.038-659.3	Housing Front K4-K5 SCR	1	PC			
111	9.038-676.3	Housing rear FC**	1	PC			
110	9.038-808.0	Knob switch black 1K	1	PC			
109		Pump set K4 FC *EU kpl	1	PC		299999	VERSION 1
109		Pump set K4 Micro PC *EU	1	PC	300000		VERSION 2
123	9.013-417.0	RM retainer station compl. FC	1	PC			
126	7.303-026.0	Screw 4x16-A2-70 (K-In6Rd)	10	PC			
129	9.086-203.0	Screw 4x22	2	PC			
125	9.086-221.0	Screw ATF 4.1x22	10	PC			
127	9.002-447.0	Spare part Handle FC packed	1	PC			
903	4.100-775.0	Spare parts set pedestal rear FC ALU	1	PC			
902	4.100-815.0	Spare parts set support logo K4	1	PC			
115	9.002-448.0	Telescopic handle ALU bar FC kpl	2	PC			
137	9.002-445.0	Top Panel FC spare part packed	1	PC			
11	2.642-725.0	VP 145 Vario Power Jet (packaged)	1	PC			
51	5.387-620.0	Warning sign new	1	PC			
131	9.002-438.0	Wheel in pairs FC 1K D160	1	PC			




9 H 9 Q high pressure hose Quick Connect (2.641-721.0)

POS	Article no.	Description	Quantity	Unit
999	2.640-729.0	O-Ring seal set	1	PC



10 G 160 Q pistol (2.644-327.0)

POS	Article no.	Description	Quantity	Unit
6	5.332-464.0	Pressure spring	1	PC




11 VP 145 Vario Power Jet (packaged) (2.642-725.0)

POS	Article no.	Description	Quantity	Unit
9500	2.640-729.0	O-Ring seal set	1	PC




12 DB 145 rotor nozzle packaged (2.642-728.0)

POS	Article no.	Description	Quantity	Unit
9500	2.640-729.0	O-Ring seal set	1	PC




109 Pump set K4 FC *EU kpl

POS	Article no.	Description	Quantity	Unit
170	9.002-417.0	E-box K4 FC without PCB EU (RIC)	1	PC
142	5.731-598.0	Fine filter long	1	PC
160	9.013-355.0	High-pressure outlet inside complete K4	1	PC
150	9.013-623.3	High-pressure outlet K4 NCR	1	PC
70	9.039-148.0	Metal fork	2	PC
130	9.002-416.0	Motor complete FC H70 WCM 3/3.5 (spare)	1	PC
120		Pump WCM plastic (HR) new	1	PC
50	9.086-200.0	Screw M 8x55 Class 8.8	4	PC
141	7.303-076.0	Sheet metal screw ST4,8X13 -St-R2R (In6	2	PC
60	9.048-071.0	Spacer - Seal	1	PC
140	9.013-345.0	Suction connection complete FC	1	PC
110	9.013-340.0	Thrust guidance complete	1	PC
180	6.964-092.0	Viscous oil 50ml	1	PC




110 Thrust guidance complete (9.013-340.0)

POS	Article no.	Description	Quantity	Unit
10	9.001-927.0	Piston complete	1	PC
901	4.100-832.0	Spare parts set seals	1	PC
60	9.042-149.0	Thrust guidance	1	PC




120 Pump WCM plastic (HR) new

POS	Article no.	Description	Quantity	Unit
1	9.002-552.0	Head end WCM c/guarnizioni Tuico	1	PC
8	9.039-511.0	HR MANIFOLD flange	1	PC
7	9.002-029.0	manifold HR + pressure piston	1	PC
2	9.002-028.0	pressure piston HR (spare)	1	PC
20	4.580-801.3	Safety valve complete brown (SV5/R5)	1	PC
3	9.047-026.0	Spring	1	PC
4	9.002-017.0	Venturi nozzle D.1,45	1	PC




1 Head end WCM c/guarnizioni Tuico (9.002-552.0)

POS	Article no.	Description	Quantity	Unit
246	9.001-107.0	Cage complete	1	PC
238	4.100-832.0	Spare parts set seals	3	PC
239	4.100-830.0	Spare parts set valves	1	PC




2 pressure piston HR (spare) (9.002-028.0)

POS	Article no.	Description	Quantity	Unit
60	9.002-027.0	Rad. 90° control housing HR (ric)	1	PC



130 Motor complete FC H70 WCM 3/3.5 (spare) (9.002-416.0)

POS	Article no.	Description	Quantity	Unit
60	9.038-381.0	Dreinage pipe WCM 3/3.5	1	PC
10		Motor complete FC H70 WCM 3/3.5	1	PC
50	9.086-205.0	Screw	1	PC
20	9.001-705.0	Wobble plate 10°24'	1	PC




10 Motor complete FC H70 WCM 3/3.5

POS	Article no.	Description	Quantity	Unit
40	4.401-198.0	Ball bearing 6202-2RS -Wälzl.St DIN 625	1	PC
50	7.401-010.0	Ball bearing 6303 St DIN 625-1	1	PC
100	9.078-021.0	Grooved ring 17x35x5	1	PC
70	9.080-503.0	O-ring d.113,0x3.0 EPDM 70	1	PC
	Item text1: replaced by 9.081-456.0			
70	9.081-456.0	O-Ring seal 113x3 EPDM 70 Black	1	PC
	Item text1: successor of 9.080-503.0			
80	9.080-504.0	O-Ring seal 124x3 EPDM 70	1	PC
	Item text1: replaced by 9.081-457.0			
80	9.081-457.0	O-Ring seal 124x3 EPDM 70 Black	1	PC
	Item text1: successor of 9.080-504.0			
90	9.080-505.0	O-Ring seal 142.2x3 EPDM 70	1	PC
	Item text1: replaced by 9.081-458.0			
90	9.081-458.0	O-Ring seal 142.2x3 EPDM 70 Black	1	PC
	Item text1: successor of 9.080-505.0			
60	7.306-092.0	Screw M6x20 -St-8.8-R3R (In6Rd)	4	PC




140 Suction connection complete FC (9.013-345.0)

POS	Article no.	Description	Quantity	Unit
20	9.080-513.0	OR 12x2.1 EPDM 70 perox	1	PC




150 High-pressure outlet K4 NCR (9.013-623.3)

POS	Article no.	Description	Quantity	Unit
30	9.081-587.0	O-Ring seal 19,40x2,10 EPDM 70	1	PC
20	9.080-513.0	OR 12x2.1 EPDM 70 perox	1	PC




160 High-pressure outlet inside complete K4 (9.013-355.0)

POS	Article no.	Description	Quantity	Unit
30	9.080-422.0	O-RING 11,5X1,5 NBR 70	1	PC
10	6.362-151.0	O-Ring d. 10 x 2 NBR 70	1	PC




170 E-box K4 FC without PCB EU (RIC) (9.002-417.0)

POS	Article no.	Description	Quantity	Unit
210	9.084-139.3	Cable with plug replacement *EU	1	PC
70	9.085-095.0	Capacitor 32uF	1	PC
110	9.080-465.0	Joint ring capacitor d.45, 70 Shore	1	PC
90	9.080-494.0	OR 20x2 EPDM70ShA PTFE	1	PC




109 Pump set K4 Micro PC *EU

POS	Article no.	Description	Quantity	Unit
170	9.013-903.3	Electrical box Micro 30μF PC ZE	1	PC
170	9.013-804.3	Electrical box Micro 32μF PC ZE	1	PC
142	5.731-598.0	Fine filter long	1	PC
160	9.013-355.0	High-pressure outlet inside complete K4	1	PC
150	9.013-623.3	High-pressure outlet K4 NCR	1	PC
70	9.039-148.0	Metal fork	2	PC
130	9.013-800.3	Motor cpl. for replacement H65 M1100 WCM 3.5	1	PC
120		Pump K4 Micro	1	PC
141	7.306-394.0	Screw M5x12 -8.8-ZNBHL ISO 14583	2	PC
50	9.086-200.0	Screw M 8x55 Class 8.8	4	PC
60	9.048-071.0	Spacer - Seal	1	PC
140	9.013-345.0	Suction connection complete FC	1	PC
110	9.013-340.0	Thrust guidance complete	1	PC
180	6.964-092.0	Viscous oil 50ml	1	PC




110 Thrust guidance complete (9.013-340.0)

POS	Article no.	Description	Quantity	Unit
10	9.001-927.0	Piston complete	1	PC
901	4.100-832.0	Spare parts set seals	1	PC
60	9.042-149.0	Thrust guidance	1	PC




120 Pump K4 Micro

POS	Article no.	Description	Quantity	Unit
1	9.002-552.0	Head end WCM c/guarnizioni Tuico	1	PC
8	9.039-511.0	HR MANIFOLD flange	1	PC
7	9.002-029.0	manifold HR + pressure piston	1	PC
2	9.002-028.0	pressure piston HR (spare)	1	PC
20	4.580-801.3	Safety valve complete brown (SV5/R5)	1	PC
3	9.047-026.0	Spring	1	PC
4	9.002-017.0	Venturi nozzle D.1,45	1	PC




1 Head end WCM c/guarnizioni Tuico (9.002-552.0)

POS	Article no.	Description	Quantity	Unit
246	9.001-107.0	Cage complete	1	PC
238	4.100-832.0	Spare parts set seals	3	PC
239	4.100-830.0	Spare parts set valves	1	PC




2 pressure piston HR (spare) (9.002-028.0)

POS	Article no.	Description	Quantity	Unit
60	9.002-027.0	Rad. 90° control housing HR (ric)	1	PC



130 Motor cpl. for replacement H65 M1100 WCM 3.5 (9.013-800.3)

POS	Article no.	Description	Quantity	Unit
5		Motor complete H65 M1100 WCM 3.5	1	PC
4	9.086-233.0	Screw wobble plate	1	PC
901	9.001-705.0	Wobble plate 10°24'	1	PC




5 Motor complete H65 M1100 WCM 3.5

POS	Article no.	Description	Quantity	Unit
40	4.401-198.0	Ball bearing 6202-2RS -Wälzl.St DIN 625	1	PC
50	7.401-010.0	Ball bearing 6303 St DIN 625-1	1	PC
60	9.078-021.0	Grooved ring 17x35x5	1	PC
70	9.080-503.0	O-ring d.113,0x3.0 EPDM 70	1	PC
	Item text1: replaced by 9.081-456.0			
70	9.081-456.0	O-Ring seal 113x3 EPDM 70 Black	1	PC
	Item text1: successor of 9.080-503.0			
80	9.080-504.0	O-Ring seal 124x3 EPDM 70	1	PC
	Item text1: replaced by 9.081-457.0			
80	9.081-457.0	O-Ring seal 124x3 EPDM 70 Black	1	PC
	Item text1: successor of 9.080-504.0			
90	9.080-505.0	O-Ring seal 142.2x3 EPDM 70	1	PC
	Item text1: replaced by 9.081-458.0			
90	9.081-458.0	O-Ring seal 142.2x3 EPDM 70 Black	1	PC
	Item text1: successor of 9.080-505.0			
100	7.306-092.0	Screw M6x20 -St-8.8-R3R (In6Rd)	1	PC




140 Suction connection complete FC (9.013-345.0)

POS	Article no.	Description	Quantity	Unit
20	9.080-513.0	OR 12x2.1 EPDM 70 perox	1	PC




150 High-pressure outlet K4 NCR (9.013-623.3)

POS	Article no.	Description	Quantity	Unit
30	9.081-587.0	O-Ring seal 19,40x2,10 EPDM 70	1	PC
20	9.080-513.0	OR 12x2.1 EPDM 70 perox	1	PC




160 High-pressure outlet inside complete K4 (9.013-355.0)

POS	Article no.	Description	Quantity	Unit
30	9.080-422.0	O-RING 11,5X1,5 NBR 70	1	PC
10	6.362-151.0	O-Ring d. 10 x 2 NBR 70	1	PC




170 Electrical box Micro 32μF PC ZE (9.013-804.3)

POS	Article no.	Description	Quantity	Unit
210	9.084-139.3	Cable with plug replacement *EU	1	PC
70	9.085-095.0	Capacitor 32uF	1	PC
110	9.080-465.0	Joint ring capacitor d.45, 70 Shore	1	PC
90	9.080-494.0	OR 20x2 EPDM70ShA PTFE	1	PC




170 Electrical box Micro 30μF PC ZE (9.013-903.3)

POS	Article no.	Description	Quantity	Unit
210	9.084-139.3	Cable with plug replacement *EU	1	PC
70	9.085-077.0	Capacitor 30μF	1	PC
110	9.080-465.0	Joint ring capacitor d.45, 70 Shore	1	PC
90	9.080-494.0	OR 20x2 EPDM70ShA PTFE	1	PC



131 Wheel in pairs FC 1K D160 (9.002-438.0)

POS	Article no.	Description	Quantity	Unit
40	9.086-221.0	Screw ATF 4.1x22	1	PC



903 Spare parts set pedestal rear FC ALU (4.100-775.0)

POS	Article no.	Description	Quantity	Unit
30	9.039-566.0	Clamp fitting	1	PC