

Spare parts list


(1.127-026.0) BD 50/50 C Bp Pack Classic 76 Ah

Table of contents

BD 50/50 C Bp Pack Classic 76 Ah (1.127-026.0)	4
10 BD 50/50 C Bp Classic (1.127-001.0)	6
10 Tank complete B 50 BP	9
10 Fresh water tank replacement BD50Bp (9.755-622.0)	15
30 Cap of a tank waste water replacement (9.755-479.0)	16
70 Float regulator complete (9.753-001.0)	18
120 Solenoid valve complete replacement BD25+50 24V (9.753-101.0)	20
20 Solenoid valve 24V (6.472-004.0)	22
120 Ball valve solenoid valve complete B50 24V (9.763-340.0)	23
50 Solenoid valve 24V (6.472-004.0)	25
140 Drain hose with cover Yellow PU (9.753-293.0)	26
210 Label with clamp signet XL (4.385-004.0)	27
20 Electronics complete B50 Bp (9.753-209.0)	28
30 Vacuum motor replacement (4.035-420.0)	31
40 Gear motor replacement 24V Hengye (9.755-519.0)	33
80 Carriage B50 CS (9.753-003.0)	35
90 Control panel B50 CS (9.753-008.0)	37
30 Handhold dead man's switch for replacement (9.772-082.0)	39
50 Handhold operational concept (9.763-020.0)	40
100 Brush-head B50 CS	42
40 Pad disk complete D51 (4.762-534.0)	46
110 Suction bar lifting complete	48
10 Holder suction bar complete (4.035-583.0)	50
20 Holder suction bar (4.037-137.3)	52
20 Holder suction bar complete (4.035-583.0)	54
20 Holder suction bar (4.037-137.3)	56
9000 Holder suction bar complete (4.035-583.0)	58
20 Holder suction bar (4.037-137.3)	60
120 Retainer turbine complete B50 CS (9.753-004.0)	62
180 Add-on kit drain hose ball valve BD 50 (2.643-986.0)	65
10 Drain hose with ball valve (9.753-072.0)	67
9000 Suction bar v-shaped 900mm CN (4.777-179.0)	69
70 Profile pre-assembled right AB 900 mm (4.035-162.0)	71
80 Profile pre-assembled left AB 900 mm (4.035-163.0)	72
9000 Suction nipple complete (4.034-007.0)	73
9003 Support roller cpl. replacement (9.753-126.0)	75
9500 Set deflector roll stack formation SB (4.035-619.0)	77
9000 Suction bar straight 850mm (4.777-401.0)	79


Table of contents


10 Suction bar pre-assembled straight 850mm	81
9000 Conversion kit support roller deep (4.035-281.0)	83
9000 Roller suction bar (4.035-339.0)	85
9002 BLADES FOR TEXTURED FLOORS (6.273-290.0)	87
9500 Set deflector roll stack formation SB (4.035-619.0)	88
9001 Add-on kit carriage roller (2.643-723.0)	90
1 Roller complete (9.753-049.0)	92
9500 Mop holder complete (9.753-023.0)	94
9531 Battery kit Gel 2x 12V/105Ah (2.815-100.0)	96
9532 Mounting kit battery kit (2.638-036.0)	98
9542 Mounting kit battery kit (2.638-144.0)	100
9550 Add-on kit onboard loader BD 50/50 (2.644-346.0)	102
10 BConb 24V/15A 110-240VAC/50-60Hz IEC/EN (6.654-493.0)	104
9560 Conversion kit battery charger BD 50/50 (2.644-396.0)	106
10 BConb 24V/15A 110-240VAC/50-60Hz IEC/EN (6.654-493.0)	108
9580 Add-on kit equipment management Plug-in Connect (2.644-391.0)	110
30 BC offb 24V/12A 100-230V/50-60Hz (6.654-329.0)	112
70 Suction bar v-shaped 900mm (4.777-079.0)	113
10 Suction bar v-shaped 900 mm	114
50 Deflector roll suction bar complete (4.435-005.0)	116
60 Profile pre-assembled right AB 900 mm (4.035-162.0)	118
70 Profile pre-assembled left AB 900 mm (4.035-163.0)	119
9000 Suction nipple complete (4.034-007.0)	120
9003 Support roller complete replacement (4.035-557.0)	122
9500 Set deflector roll stack formation SB (4.035-619.0)	124
9010 Mounting kit battery kit (2.638-144.0)	126
9500 Mop holder complete (9.753-023.0)	128
9520 Add-on kit drain hose ball valve BD 50 (2.643-986.0)	130
10 Drain hose with ball valve (9.753-072.0)	132
9530 Add-on kit onboard loader BD 50/50 (2.644-346.0)	134
10 BConb 24V/15A 110-240VAC/50-60Hz IEC/EN (6.654-493.0)	136
9540 Conversion kit battery charger BD 50/50 (2.644-396.0)	138
10 BConb 24V/15A 110-240VAC/50-60Hz IEC/EN (6.654-493.0)	140
9580 Add-on kit equipment management Plug-in Connect (2.644-391.0)	142



BD 50/50 C Bp Pack Classic 76 Ah (1.127-026.0)


POS	Article no.	Description	Quantity	Unit
10	1.127-001.0	BD 50/50 C Bp Classic	1	PC
20	2.815-099.0	Battery kit Gel 2x 12V/76Ah	1	SET
30	6.654-329.0	BC offb 24V/12A 100-230V/50-60Hz	1	PC
70	4.777-079.0	Suction bar v-shaped 900mm	1	PC
9010	2.638-144.0	Mounting kit battery kit	1	PC
9500	9.753-023.0	Mop holder complete	1	PC
9520	2.643-986.0	Add-on kit drain hose ball valve BD 50	1	PC
9530	2.644-346.0	Add-on kit onboard loader BD 50/50	1	PC
9540	2.644-396.0	Conversion kit battery charger BD 50/50	1	PC
9580	2.644-391.0	Add-on kit equipment management Plug-in Connect	1	PC








10 BD 50/50 C Bp Classic (1.127-001.0)

POS	Article no.	Description	Quantity	Unit	Foot note text
10		Tank complete B 50 BP	1	PC	
20	9.753-209.0	Electronics complete B50 Bp	1	PC	
30	4.035-420.0	Vacuum motor replacement	1	PC	
30	4.035-580.0	Vacuum motor replacement	1	PC	
	Item text1: successor of 4.035-420.0				
40	9.755-519.0	Gear motor replacement 24V Hengye	1	PC	Parallel key 6x6x35 C45 DIN 6885-1
75	9.763-222.0	Distance holder batterys	2	PC	
80	9.753-003.0	Carriage B50 CS	1	PC	
90	9.753-008.0	Control panel B50 CS	1	PC	
100		Brush-head B50 CS	1	PC	
110		Suction bar lifting complete	1	PC	
120	9.753-004.0	Retainer turbine complete B50 CS	1	PC	
130	9.763-051.0	Micro switch Bp	1	PC	
140	9.755-493.0	Switch coding replacement 24V	1	PC	
150	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	2	PC	
160	6.594-709.0	Cable tie	1	PC	
170	7.305-036.0	Countersunk screw M4x12 -A2-70-s (In6Rd)	2	PC	
180	2.643-986.0	Add-on kit drain hose ball valve BD 50	1	PC	
9000	4.777-179.0	Suction bar v-shaped 900mm CN	1	PC	
9000	4.777-401.0	Suction bar straight 850mm	1	PC	
9001	2.643-723.0	Add-on kit carriage roller	1	PC	
9500	9.753-023.0	Mop holder complete	1	PC	
9530	2.815-099.0	Battery kit Gel 2x 12V/76Ah	1	SET	
	Item text1: successor of 6.654-093.0				
9531	2.815-100.0	Battery kit Gel 2x 12V/105Ah	1	SET	
9532	2.638-036.0	Mounting kit battery kit	1	PC	
9540	2.815-090.0	Battery kit AGM 2x 12V/80Ah	1	SET	
9541	2.815-091.0	Battery kit AGM 2x 12V/115Ah	1	SET	
9542	2.638-144.0	Mounting kit battery kit	1	PC	
9545	2.644-457.0	Add-on kit clamp lever suction bar	1	PC	
9550	2.644-346.0	Add-on kit onboard loader BD 50/50	1	PC	
9560	2.644-396.0	Conversion kit battery charger BD 50/50	1	PC	
9580	2.644-391.0	Add-on kit equipment management Plug-in Connect	1	PC	









10 Tank complete B 50 BP


POS	Article no.	Description	Quantity	Unit	Foot note text
10	7.777-999.0	Stockpiling discontinued	1	PC	VERSION 1: FOR MACHINES WITHOUT SOLENOID VALVE
10	9.755-622.0	Fresh water tank replacement BD50Bp	1	PC	VERSION 2: FOR DEVICES WITH SOLENOID VALVE
20	9.755-478.0	Waste water tank replacement B 50	1	PC	
30	9.755-479.0	Cap of a tank waste water replacement	1	PC	
40	6.391-913.0	Elbow nipple	2	PC	
50	9.763-068.0	Silicon hose level indicator	1	PC	
55	6.035-072.0	Sphere level indicator D6	1	PC	
60	5.035-608.0	Wire protecting sleeve	2	PC	
70	9.753-001.0	Float regulator complete	1	PC	
80	9.763-012.0	Seal turbine strainer	1	PC	
90	9.763-925.0	Cover fresh water metering RM	1	PC	
100	9.763-007.0	Cover fresh water tank	1	PC	
110	9.763-008.0	Seal fresh water discharge	1	PC	
120	9.753-101.0	Solenoid valve complete replacement BD25+50 24V	1	PC	VERSION 2: FOR DEVICES WITH SOLENOID VALVE
120	9.763-340.0	Ball valve solenoid valve complete B50 24V	1	PC	VERSION 1: FOR MACHINES WITHOUT SOLENOID VALVE
130	9.755-480.0	Covering cap ball valve replacement	1	PC	
140	9.753-293.0	Drain hose with cover Yellow PU	1	PC	
150	5.035-358.3	Mounting rope cover fresh water tank packed	1	PC	
160	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	8	PC	
170	9.763-035.0	Cable support	1	PC	
190	9.763-832.0	Suction hose DN32	1	PC	
210	4.385-004.0	Label with clamp signet XL	1	PC	
220	9.755-482.0	Sealing profile replacement	1	PC	
	Item text1: successor of 9.763-050.0				
220	9.763-050.0	Sealing profile 1200mm	1	PC	
230	6.388-713.0	Hose clip	1	PC	
240	9.763-045.0	Retainer battery plug Anderson	1	PC	
250	6.303-315.0	Screw 8 x 35	4	PC	
260	9.763-043.0	Seal suction bar air	1	PC	
270	7.303-084.0	Screw 4x25-10.9-R2R (K-In6Rd)	2	PC	
280	9.763-041.0	Lever suction beam retraction	1	PC	
285	9.763-079.0	Lock washer	1	PC	
290	9.755-483.0	Sealing tape cellularrubber replacement	1	PC	

10 Tank complete B 50 BP

POS	Article no.	Description	Quantity	Unit	Foot note text
300	9.763-060.0	Label water regulation	1	PC	
320	9.763-116.0	Cable clamp 16	1	PC	
360	9.763-369.0	Retaining plate solenoid valve BD50 25	1	PC	
370	9.755-694.0	Wire bracket hose replacement	1	PC	


10 Fresh water tank replacement BD50Bp (9.755-622.0)

POS	Article no.	Description	Quantity	Unit
20	5.396-373.0	Label logo XL 200x84.8	2	PC
30	5.385-518.0	Label signet glued XL Professional	1	PC
30	5.396-372.0	Label signet XL 76.7x85	1	PC
Item text1: replaced by 5.385-518.0				




30 Cap of a tank waste water replacement (9.755-479.0)

POS	Article no.	Description	Quantity	Unit
20	9.755-482.0	Sealing profile replacement	1	PC
30	9.763-872.0	Sealing profile baffle plate 184mm	1	PC
40	9.763-871.0	Bulkhead cover waste water tank	1	PC
50	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	2	PC



70 Float regulator complete (9.753-001.0)

POS	Article no.	Description	Quantity	Unit	Foot note text
10	9.763-003.0	Float regulator bottom part	1	PC	
20	9.763-034.0	Cone float regulator	1	PC	VERSION 1
20	9.763-333.0	Floater ball	1	PC	VERSION 2
30	9.763-004.0	Seal float regulator	1	PC	
40	9.763-959.0	Cover plate float regulator yellow	1	PC	
50	9.763-044.0	Seal string cellular rubber float regula	1	PC	
60	9.763-047.0	Float cage	1	PC	
70	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	1	PC	
80	9.763-958.0	Strainer float regulator yellow	1	PC	




120 Solenoid valve complete replacement BD25+50 24V (9.753-101.0)

POS	Article no.	Description	Quantity	Unit
20	6.472-004.0	Solenoid valve 24V	1	PC
30	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	1	PC
40	5.037-510.0	Cover plate ball valve solenoid valve	1	PC
50	5.037-512.0	Seal cover solenoid valve	1	PC
80	9.763-384.0	Plate cover solenoid valve BD 50 25	1	PC
90	7.303-334.0	Screw 3x6 -A2-70 (In6Rd)	4	PC
100	9.763-369.0	Retaining plate solenoid valve BD50 25	1	PC

20 Solenoid valve 24V (6.472-004.0)

POS	Article no.	Description	Quantity	Unit
10	5.037-512.0	Seal cover solenoid valve	1	PC
20	5.037-510.0	Cover plate ball valve solenoid valve	1	PC



120 Ball valve solenoid valve complete B50 24V (9.763-340.0)

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
10	9.753-417.0	Ball valve G 1/2" for replacement	1	PC		VERSION 1
10	9.753-417.0	Ball valve G 1/2" for replacement	1	PC		VERSION 2
	Item text1: successor of 9.763-084.0					
10	9.763-084.0	Ball valve G 1/2"	1	PC		
	Item text1: replaced by 9.753-417.0					
20	9.763-009.0	Bar ball valve	1	PC		
30	5.035-459.0	Coupler piece ball valve	1	PC		
40	5.035-404.0	Handle	1	PC		
50	6.472-004.0	Solenoid valve 24V	1	PC		
60	9.763-739.0	Seal ball valve	1	PC		
70	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	2	PC		
80	5.037-510.0	Cover plate ball valve solenoid valve	1	PC		
81	5.037-512.0	Seal cover solenoid valve	1	PC		
100	9.763-385.0	Warning sign hot	1	PC	Only 1.127-023.0 (Not Shown)	
110	9.763-384.0	Plate cover solenoid valve BD 50 25	1	PC	Only 1.127-023.0 (Not Shown)	
120	7.303-334.0	Screw 3x6 -A2-70 (In6Rd)	4	PC	Only 1.127-023.0 (Not Shown)	
130	9.763-907.0	Seal ball valve D12,5	1	PC		VERSION 2
130	9.763-908.0	Seal ball valve D16,5	1	PC		VERSION 1

50 Solenoid valve 24V (6.472-004.0)


POS	Article no.	Description	Quantity	Unit
10	5.037-512.0	Seal cover solenoid valve	1	PC
20	5.037-510.0	Cover plate ball valve solenoid valve	1	PC


140 Drain hose with cover Yellow PU (9.753-293.0)

POS	Article no.	Description	Quantity	Unit
10	9.763-831.0	Cover Drain hose Yellow PU	1	PC

210 Label with clamp signet XL (4.385-004.0)


POS	Article no.	Description	Quantity	Unit
1	6.385-523.0	Clamp	5	PC






20 Electronics complete B50 Bp (9.753-209.0)

POS	Article no.	Description	Quantity	Unit
10	9.755-484.0	Control circuit board replacement B 50 2	1	PC
40	9.753-208.0	Cable harness with solenoid valve B50 BP /B25 BP	1	PC
50	5.035-962.0	Sleeve	6	PC
60	7.311-000.0	Hexagon nut M3 -6-A2E ISO 4032	6	PC




30 Vacuum motor replacement (4.035-420.0)

POS	Article no.	Description	Quantity	Unit
9000	6.490-011.0	Carbon brush set	1	PC




40 Gear motor replacement 24V Hengye (9.755-519.0)

POS	Article no.	Description	Quantity	Unit
1	9.755-590.0	Carbon brush set Hengye 24V	1	PC
2	7.318-032.0	Parallel key 6x6x32-C45K DIN 6885	1	PC
4	7.343-083.0	Locking ring 12x1 -FSt DIN 471	1	PC



80 Carriage B50 CS (9.753-003.0)

POS	Article no.	Description	Quantity	Unit	Remark
10	9.753-415.0	Holder axle for replacement	2	PC	
	Item text1: successor of 9.763-015.0				
10	9.763-015.0	Holder axle	2	PC	
	Item text1: replaced by 9.753-415.0				
20	6.303-315.0	Screw 8 x 35	7	PC	
30	9.763-081.0	Wheel D200	2	PC	
	Item text1: replaced by 9.772-077.0				
30	9.772-077.0	Wheel for replacement D200	2	PC	
	Item text1: successor of 9.763-081.0				
40	9.763-016.0	Holder transport wheel	1	PC	
50	9.763-053.0	Roller with ball bearing	1	PC	
60	9.763-014.0	Axle	1	PC	
70	6.343-240.0	Lock washer	2	PC	
80	7.312-028.0	Washer 14-200HV-A2K ISO 7089	4	PC	
90	9.763-006.0	Axle tipping roll	1	PC	
100	7.343-083.0	Locking ring 12x1 -FSt DIN 471	2	PC	
110	9.763-083.0	Washer D12	2	PC	Only 1.127-023.0




90 Control panel B50 CS (9.753-008.0)

POS	Article no.	Description	Quantity	Unit	Remark
10	9.755-490.0	Control panel bottom part replacement	1	PC	
10	9.763-027.0	Control panel bottom part	1	PC	Only 1.127-023.0
20	9.755-491.0	Control panel top part replacement	1	PC	
20	9.763-028.0	Control panel top part	1	PC	Only 1.127-023.0
30	9.763-029.0	Dead man's switch handhold	1	PC	
30	9.772-082.0	Handhold dead man's switch for replacement	1	PC	
	Item text1: successor of 9.763-029.0				
40	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	11	PC	
45	9.386-111.0	SCREW 5 X 25	2	PC	
50	9.763-020.0	Handhold operational concept	1	PC	
60	9.763-038.0	Foil control panel BD50/50C	1	PC	


30 Handhold dead man's switch for replacement (9.772-082.0)


POS	Article no.	Description	Quantity	Unit
10	7.777-999.0	Stockpiling discontinued	1	PC



50 Handhold operational concept (9.763-020.0)

POS	Article no.	Description	Quantity	Unit
20	6.313-014.0	Spring element	1	PC






100 Brush-head B50 CS

POS	Article no.	Description	Quantity	Unit	Foot note text
10	9.753-006.0	Brush contact pressure complete	1	PC	
20	5.035-498.0	Fixing deflector roll	1	PC	
30	5.037-537.0	Retainer transmission	1	PC	
	Item text1: replaced by 9.772-079.0				
30	9.772-079.0	Retainer transmission for replacement	1	PC	
	Item text1: replaced by 9.772-079.0				
40	4.762-534.0	Pad disk complete D51	1	PC	
45	6.369-078.0	Pad green	1	ZSA	
50	9.763-023.0	Retaining bracket discharge	1	PC	
60	6.373-689.0	Pipe clamp	2	PC	
70	4.036-161.0	Covering cap brush-head for replacement	1	PC	VERSION 1: FOR MACHINES WITHOUT SOLENOID VALVE
70	9.755-640.0	Covering cap brush-head for replacement	1	PC	VERSION 2: FOR DEVICES WITH SOLENOID VALVE
80	5.039-179.0	Threaded plate	1	PC	
90	6.388-559.0	Hose clip	1	PC	
100	9.763-076.0	Extension spring	1	PC	
110	9.763-026.0	Splash-proof profile brush-head B50	1	PC	
	Item text1: replaced by 9.763-700.0				
110	9.763-700.0	Splash-proof profile power brush B 50 PVC	1	PC	
	Item text1: successor of 9.763-026.0				
120	7.303-107.0	Screw 5x16-10.9-P2R (K-In6Rd)	2	PC	
130	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	9	PC	
140	5.035-499.0	Deflector roll	1	PC	
150	6.303-315.0	Screw 8 x 35	9	PC	
160	7.312-026.0	Washer 6 -A2 ISO 7089	8	PC	
	Item text1: successor of 6.614-022.0				
170	9.763-194.0	Screw M6x20 -A2-70 Scotchgrip	8	PC	
180	7.304-395.0	Hexagonal head screw M8x16-8.8-A2E ISO	1	PC	
190	7.312-267.0	Washer 5-A2 ISO 7094	2	PC	
200	7.312-268.0	Washer 8-A2 ISO 7094	1	PC	
210	9.763-046.0	Seal string cellular rubber turbine	1	PC	
220	9.763-325.0	Rubber cover ball valve	1	PC	VERSION 2: FOR DEVICES WITH SOLENOID VALVE
220	9.763-732.0	Rubber stopper ball valve	1	PC	VERSION 1: FOR MACHINES WITHOUT SOLENOID VALVE
300	9.753-221.0	Pad disk complete D51	1	PC	


100 Brush-head B50 CS

POS	Article no.	Description	Quantity	Unit	Foot note text
	Item text1: replaced by 9.753-243.0				
300	9.753-243.0	Pad disk complete D51	1	PC	
	Item text1: successor of 9.753-221.0				
310	6.369-077.0	Pad black 508 mm (kit 5 pcs)	1	ZSA	
310	6.369-078.0	Pad green	1	ZSA	
310	6.369-079.0	Pad red 508 mm (5 pcs kit)	1	ZSA	
310	6.369-468.0	Polishing pad beige	1	ZSA	
310	6.371-146.0	Polishing pad beige 500 mm	1	PC	
310	6.371-320.0	Polishing pad white D508	1	PC	
320	5.122-015.0	Centerlock	1	PC	




40 Pad disk complete D51 (4.762-534.0)

POS	Article no.	Description	Quantity	Unit
2	5.122-015.0	Centerlock	1	PC
3	5.033-002.0	Retainer brush SWS	1	PC
4	7.303-112.0	Screw 6x20-10.9-R2R (In6Rd)	6	PC
5	7.303-096.0	Screw 4x22-ST-10.9-R2R (IN6RD)	3	PC




110 Suction bar lifting complete

POS	Article no.	Description	Quantity	Unit	Foot note text
10	4.035-583.0	Holder suction bar complete	1	PC	VERSION 1
20	4.035-583.0	Holder suction bar complete	1	PC	VERSION 1
30	5.035-292.0	Adjusting knob suction bar toothing	1	PC	
40	5.035-293.0	Covering cap suction bar toothing	1	PC	
50	5.036-103.0	Rocker suction bar	1	PC	
60	9.763-049.0	Retaining bracket suction beam retraction	1	PC	
70	7.303-107.0	Screw 5x16-10.9-P2R (K-In6Rd)	1	PC	
80	6.306-003.0	Screw M5X12-A2/70-ISO 14583 (IN6RD)	2	PC	with microencapsulation
90	7.312-282.0	Washer 5-A2 ISO 7093-1	2	PC	
100	9.763-055.0	Strap suction bar	1	PC	
110	9.763-511.0	Eccentric lever	1	PC	
120	7.312-260.0	Washer 6-100HV-A3E ISO 7094	1	PC	
130	7.311-512.0	Hexagon nut M6-8-A2E ISO 7040	1	PC	
9000	4.035-583.0	Holder suction bar complete	1	PC	VERSION 2




10 Holder suction bar complete (4.035-583.0)

POS	Article no.	Description	Quantity	Unit
10	5.005-005.0	FIXING PLATE SUCTION BAR ALU	1	PC
20	4.037-137.3	Holder suction bar	1	PC




20 Holder suction bar (4.037-137.3)

POS	Article no.	Description	Quantity	Unit
20	9.753-416.0	Sphere suction bar suspension for replacement	1	PC
20	9.753-416.0	Sphere suction bar suspension for replacement	1	PC
30	7.311-431.0	Hexagon nut M5-1.4305 DIN 985	1	PC
40	7.312-052.0	Washer 5 -A2 ISO 7089	1	PC
50	7.306-215.0	Screw M5x45 -8.8-P2R (In6Rd)	1	PC
60	7.312-282.0	Washer 5-A2 ISO 7093-1	1	PC




20 Holder suction bar complete (4.035-583.0)

POS	Article no.	Description	Quantity	Unit
10	5.005-005.0	FIXING PLATE SUCTION BAR ALU	1	PC
20	4.037-137.3	Holder suction bar	1	PC




20 Holder suction bar (4.037-137.3)

POS	Article no.	Description	Quantity	Unit
20	9.753-416.0	Sphere suction bar suspension for replacement	1	PC
20	9.753-416.0	Sphere suction bar suspension for replacement	1	PC
30	7.311-431.0	Hexagon nut M5-1.4305 DIN 985	1	PC
40	7.312-052.0	Washer 5 -A2 ISO 7089	1	PC
50	7.306-215.0	Screw M5x45 -8.8-P2R (In6Rd)	1	PC
60	7.312-282.0	Washer 5-A2 ISO 7093-1	1	PC




9000 Holder suction bar complete (4.035-583.0)


POS	Article no.	Description	Quantity	Unit
10	5.005-005.0	FIXING PLATE SUCTION BAR ALU	1	PC
20	4.037-137.3	Holder suction bar	1	PC



20 Holder suction bar (4.037-137.3)


POS	Article no.	Description	Quantity	Unit
20	9.753-416.0	Sphere suction bar suspension for replacement	1	PC
20	9.753-416.0	Sphere suction bar suspension for replacement	1	PC
30	7.311-431.0	Hexagon nut M5-1.4305 DIN 985	1	PC
40	7.312-052.0	Washer 5 -A2 ISO 7089	1	PC
50	7.306-215.0	Screw M5x45 -8.8-P2R (In6Rd)	1	PC
60	7.312-282.0	Washer 5-A2 ISO 7093-1	1	PC






120 Retainer turbine complete B50 CS (9.753-004.0)

POS	Article no.	Description	Quantity	Unit
10	9.763-188.0	Joint ring turbine	1	PC
20	9.763-018.0	Air circulation turbine	1	PC
30	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	7	PC
40	5.363-395.0	Seal	1	PC
50	5.035-333.0	Bearing vacuum motor	1	PC
60	9.763-126.0	Cable clamp D9,5	2	PC




180 Add-on kit drain hose ball valve BD 50 (2.643-986.0)

POS	Article no.	Description	Quantity	Unit
10	9.753-072.0	Drain hose with ball valve	1	PC
20	5.036-216.0	Blank holder add-on kit drain hose BD 50	1	PC
30	5.095-901.0	spacer	2	PC
40	7.303-275.0	Screw 8x50-10.9-A3E (In6Rd)	2	PC



10 Drain hose with ball valve (9.753-072.0)

POS	Article no.	Description	Quantity	Unit
10	9.763-334.0	Drain hose waste water	1	PC
20	9.763-335.0	Ball valve waste hose waste water	1	PC



9000 Suction bar v-shaped 900mm CN (4.777-179.0)


POS	Article no.	Description	Quantity	Unit	Remark
10	4.044-003.0	Holder complete V-profile	1	PC	
	Item text1: replaced by 9.753-462.0				
10	9.753-462.0	Holder station V-profile 5mm	1	PC	
	Item text1: successor of 4.044-003.0				
20	7.306-142.0	Cylinder head screw M 8x25-A4-70 ISO 47	4	PC	
30	7.312-017.0	Washer 8-A2 ISO 7089	4	PC	
40	9.772-073.0	Star grip M8X70 - VA	2	PC	
50	5.032-050.0	Sleeve revolving signal light	2	PC	
60	9.763-607.0	Wheel gummed D125 Di12	2	PC	
70	4.035-162.0	Profile pre-assembled right AB 900 mm	1	PC	
80	4.035-163.0	Profile pre-assembled left AB 900 mm	1	PC	
130	5.305-008.0	Wing screw M8x30 VA	2	PC	
140	2.885-294.0	End piece left / right spare parts set	1	PC	
200	9.763-581.0	Level	1	PC	
210	7.305-019.0	Countersunk screw M4x16 -8.8-P2R (In6Rd)	2	PC	
9000	4.034-007.0	Suction nipple complete	1	PC	
9001	6.273-023.0	Rubber lip set corrugated oil resistant	1	PC	
9001		NLA - Rubber lip set corrugated oil res	1	PC	
	Item text1: replaced by 9.753-251.0				
9001		Rubber lip set corrugated oil resistant	1	PC	Please order 6.273-023.0
	Item text1: successor of 9.753-154.0				
9003	9.753-126.0	Support roller cpl. replacement	1	PC	
9500	4.035-619.0	Set deflector roll stack formation SB	1	PC	

70 Profile pre-assembled right AB 900 mm (4.035-162.0)

POS	Article no.	Description	Quantity	Unit
20	5.033-579.0	End piece inside right	1	PC


80 Profile pre-assembled left AB 900 mm (4.035-163.0)

POS	Article no.	Description	Quantity	Unit
20	5.033-578.0	End piece inside left	1	PC




9000 Suction nipple complete (4.034-007.0)

POS	Description	Quantity	Unit
10	Cover suction nipple front	1	PC
20	Cover suction nipple rear	1	PC
30	Tube suction nipple center	1	PC




9003 Support roller cpl. replacement (9.753-126.0)

POS	Article no.	Description	Quantity	Unit
10		SUCTION BAR CASTER PLATE B50	1	PC
20	6.435-179.0	Castor for thread deflector	1	PC
	Item text1: replaced by 9.763-636.0			
20	9.763-636.0	Castor for thread deflector	1	PC
	Item text1: successor of 6.435-179.0			
30	7.312-277.0	Washer 8-200HV-A2E ISO 7093-1	6	PC
40	7.306-114.0	Cylinder head screw M 8x40-A2-70 ISO 47	1	PC
50	7.306-234.0	Cylinder head screw M10x20-A4-70 ISO 4762	1	PC
60	7.311-382.0	Cap nut M10-6-A3E DIN 1587	1	PC
70	6.996-526.0	Serrated locking washer d.10	1	PC




9500 Set deflector roll stack formation SB (4.035-619.0)

POS	Article no.	Description	Quantity	Unit
10	5.013-653.0	Axle deflector roll suction bar	2	PC
20	6.435-541.0	Deflector roll D125	4	PC
30	6.321-224.0	Turning knob grey D55mm	2	PC
40	7.343-083.0	Locking ring 12x1 -FSt DIN 471	2	PC
50	5.115-628.0	Washer	4	PC




9000 Suction bar straight 850mm (4.777-401.0)

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
10		Suction bar pre-assembled straight 850mm	1	PC		
20	5.033-601.0	Suction nipple	1	PC		
30	2.885-294.0	End piece left / right spare parts set	1	PC		
70	5.305-008.0	Wing screw M8x30 VA	2	PC		
80	5.515-346.0	Deflector roll suction bar D120	2	PC		
90	5.094-231.0	Sleeve suction bar in VA	2	PC		
100	6.321-243.0	Star grip stainless steel D50x48	2	PC		
140	4.044-129.0	Support plate suction bar complete	1	PC		
150	7.312-017.0	Washer 8-A2 ISO 7089	2	PC		
160	7.306-142.0	Cylinder head screw M 8x25-A4-70 ISO 47	2	PC		
9000	4.035-281.0	Conversion kit support roller deep	2	PC	VERSION 2	ORDER QTY. 2
9000	4.035-339.0	Roller suction bar	2	PC	VERSION 1	
9002	6.273-207.0	Rubber lip set oil resistant BR-BD530,55	1	ZSA		
9002	6.273-213.0	Rubber lip set standard	1	ZSA		STANDARD
9002	6.273-229.0	Rubber lip set anti stripe oil resistant	1	PC		
9002	6.273-290.0	BLADES FOR TEXTURED FLOORS	1	PC		
9500	4.035-619.0	Set deflector roll stack formation SB	1	PC		




10 Suction bar pre-assembled straight 850mm

POS	Article no.	Description	Quantity	Unit
20	5.033-578.0	End piece inside left	1	PC
30	5.033-579.0	End piece inside right	1	PC



9000 Conversion kit support roller deep (4.035-281.0)

POS	Article no.	Description	Quantity	Unit
10	5.101-626.0	Housing with additional weight	1	PC
20	6.435-179.0	Castor for thread deflector	1	PC
	Item text1: replaced by 9.763-636.0			
20	9.763-636.0	Castor for thread deflector	1	PC
	Item text1: successor of 6.435-179.0			
30	5.332-554.0	Pressure spring	1	PC
40	6.321-240.0	Star grip with inscription VA Ø50x43	1	PC
50	7.306-068.0	Cylinder head screw M10x45-8.8-A2K DIN 912	1	PC
60	7.311-382.0	Cap nut M10-6-A3E DIN 1587	1	PC
70	6.996-526.0	Serrated locking washer d.10	1	PC




9000 Roller suction bar (4.035-339.0)

POS	Article no.	Description	Quantity	Unit
10	5.101-139.3	Roller holder weight packed	1	PC
20	6.435-401.0	Wheel D54	1	PC
30	5.317-781.0	Bolt roller	1	PC
40	7.343-303.0	Locking ring 8-A2 DIN 6799	1	PC
90	6.321-240.0	Star grip with inscription VA Ø50x43	1	PC
100	5.332-504.0	Pressure spring	1	PC


9002 BLADES FOR TEXTURED FLOORS (6.273-290.0)

POS	Article no.	Description	Quantity	Unit
20	6.273-229.0	Rubber lip set anti stripe oil resistant	1	PC




9500 Set deflector roll stack formation SB (4.035-619.0)

POS	Article no.	Description	Quantity	Unit
10	5.013-653.0	Axle deflector roll suction bar	2	PC
20	6.435-541.0	Deflector roll D125	4	PC
30	6.321-224.0	Turning knob grey D55mm	2	PC
40	7.343-083.0	Locking ring 12x1 -FSt DIN 471	2	PC
50	5.115-628.0	Washer	4	PC




9001 Add-on kit carriage roller (2.643-723.0)

POS	Article no.	Description	Quantity	Unit
1	9.753-049.0	Roller complete	1	PC
2	7.303-233.0	Saucer-head screw M6x60 -St-A0P DIN 603	4	PC
3	7.311-425.0	Hexagon nut M6-04-A2E DIN 985	4	PC
4	9.763-221.0	Plate tank	1	PC




1 Roller complete (9.753-049.0)

POS	Article no.	Description	Quantity	Unit
10	9.763-212.0	Shaft roller	1	PC
20	9.763-053.0	Roller with ball bearing	1	PC
30	7.312-075.0	Washer 12-CuZn ISO 7092	2	PC
40	7.343-015.0	Locking ring 15x1-FST-RF DIN 471	1	PC
50	9.763-213.0	Extension spring	1	PC
60	7.312-059.0	Washer 14-A2 ISO 7090	2	PC
70	7.343-003.0	Locking ring 12x1-Rf-St DIN 471	2	PC
100	9.753-048.0	Pedal complete	1	PC




9500 Mop holder complete (9.753-023.0)

POS	Article no.	Description	Quantity	Unit
10	9.763-074.0	Fixing mop support	1	PC
15	7.303-109.0	Screw 5x25-10.9-R2R (In6Rd)	3	PC
20	9.763-133.0	Support mop	1	PC
30	5.035-488.0	Adapter Homebase	2	PC
40	6.980-078.0	Holder handhold grey	1	PC
50	6.980-077.0	Double hook	1	PC




9531 Battery kit Gel 2x 12V/105Ah (2.815-100.0)

POS	Description	Quantity	Unit
10	Component for orientation only	1	PC




9532 Mounting kit battery kit (2.638-036.0)

POS	Article no.	Description	Quantity	Unit
10	6.649-879.0	Cable battery 25 mm². 160 mm	1	PC
	Item text1: replaced by 6.651-903.0			
10	6.649-880.0	Cable battery 25 mm². 320mm	1	PC
	Item text1: replaced by 6.651-903.0			
10	6.651-903.0	Cable battery 25 mm². 320mm	1	PC
	Item text1: successor of 6.649-880.0			
20	5.642-021.0	Distance holder battery	1	PC




9542 Mounting kit battery kit (2.638-144.0)

POS	Article no.	Description	Quantity	Unit
10	6.641-947.0	Cable battery BD 50 u 25 Hoppeke	1	PC
20	9.753-177.0	Cable harness battery BD50	1	PC
30	5.037-816.0	Distance holder battery BD50/50	1	PC
	Item text1: replaced by 5.038-543.0			
30	5.038-543.0	Distance holder battery BD50/50	2	PC
	Item text1: successor of 5.037-816.0			



9550 Add-on kit onboard loader BD 50/50 (2.644-346.0)

POS	Article no.	Description	Quantity	Unit	Foot note text
10	6.654-493.0	BConb 24V/15A 110-240VAC/50-60Hz IEC/EN	1	PC	Order additional 6.684-277.0 for the conversion kit
20	6.684-277.0	Adapter cable	1	PC	
30	9.753-370.0	Plate bracket battery charger Boels	1	PC	
40	9.753-380.0	Retaining bracket bracket cable	1	PC	
50	5.364-212.0	Edge protection	5	PC	
60	7.306-077.0	Screw M5x16 -8.8-P2R (In6Rd)	4	PC	
70	7.312-264.0	Washer 5-100HV-A3E ISO 7094	4	PC	
80	7.312-052.0	Washer 5 -A2 ISO 7089	4	PC	
90	7.311-124.0	Hexagon nut M5-8-A2E ISO 7040	4	PC	
100	6.444-811.0	Cable tie 4,5x450mm	2	PC	
110	6.640-672.3	Power cable with IEC plug 3m packed	1	PC	
110	8.637-157.0	CORD ASM, 16/3 EURO X IEC, WITH RING	1	PC	
Item text1: replaced by 6.640-672.3					




10 BConb 24V/15A 110-240VAC/50-60Hz IEC/EN (6.654-493.0)

POS	Article no.	Description	Quantity	Unit
10	5.384-004.0	Label hot do not touch	1	PC



9560 Conversion kit battery charger BD 50/50 (2.644-396.0)

POS	Article no.	Description	Quantity	Unit
10	6.654-493.0	BConb 24V/15A 110-240VAC/50-60Hz IEC/EN	1	PC
20	6.684-277.0	Adapter cable	1	PC



10 BConb 24V/15A 110-240VAC/50-60Hz IEC/EN (6.654-493.0)

POS	Article no.	Description	Quantity	Unit
10	5.384-004.0	Label hot do not touch	1	PC

9000



9001




9580 Add-on kit equipment management Plug-in Connect (2.644-391.0)

POS	Article no.	Description	Quantity	Unit
9000	4.823-414.0	Set antenna	1	PC
9001	4.823-415.0	Adhesive strip for replacement	1	PC

POS	Article no.	Description	Quantity	Unit
10	6.670-299.0	Power cable for replacement	1	PC
10	6.670-299.3	Power cable for replacement	1	PC
Item text1: replaced by 6.670-299.0				


70 Suction bar v-shaped 900mm (4.777-079.0)

POS	Description	Quantity	Unit
10	Suction bar v-shaped 900 mm	1	PC



10 Suction bar v-shaped 900 mm

POS	Article no.	Description	Quantity	Unit	Foot note text
10	4.044-003.0	Holder complete V-profile	1	PC	
	Item text1: replaced by 9.753-462.0				
10	9.753-462.0	Holder station V-profile 5mm	1	PC	
	Item text1: successor of 4.044-003.0				
20	7.306-142.0	Cylinder head screw M 8x25-A4-70 ISO 47	4	PC	
30	7.312-017.0	Washer 8-A2 ISO 7089	4	PC	
40	6.321-243.0	Star grip stainless steel D50x48	2	PC	VERSION 1
50	4.435-005.0	Deflector roll suction bar complete	1	PC	VERSION 2
60	4.035-162.0	Profile pre-assembled right AB 900 mm	1	PC	
70	4.035-163.0	Profile pre-assembled left AB 900 mm	1	PC	
110	5.515-346.0	Deflector roll suction bar D120	2	PC	VERSION 1
120	5.094-231.0	Sleeve suction bar in VA	2	PC	VERSION 1
130	5.305-008.0	Wing screw M8x30 VA	2	PC	
140	2.885-294.0	End piece left / right spare parts set	1	PC	
190	5.034-056.0	Angle adapter pipe	1	PC	
200	6.803-071.0	Level	1	PC	
210	7.305-019.0	Countersunk screw M4x16 -8.8-P2R (In6Rd)	2	PC	
210	7.306-056.0	Screw M4x8 -8.8-R2R (In6Rd)	2	PC	
9000	4.034-007.0	Suction nipple complete	1	PC	
9001	6.273-023.0	Rubber lip set corrugated oil resistant	1	PC	
9003	4.035-557.0	Support roller complete replacement	2	PC	
9500	4.035-619.0	Set deflector roll stack formation SB	1	PC	



50 Deflector roll suction bar complete (4.435-005.0)


POS	Article no.	Description	Quantity	Unit
10	6.321-170.0	Star grip M8X60 - VA	2	PC
10	6.321-353.0	Star grip M8X70 - VA	2	PC
	Item text1: successor of 6.321-170.0			
20	6.435-541.0	Deflector roll D125	2	PC
30	5.094-496.0	Sleeve suction bar VA	2	PC

60 Profile pre-assembled right AB 900 mm (4.035-162.0)

POS	Article no.	Description	Quantity	Unit
20	5.033-579.0	End piece inside right	1	PC


70 Profile pre-assembled left AB 900 mm (4.035-163.0)

POS	Article no.	Description	Quantity	Unit
20	5.033-578.0	End piece inside left	1	PC




9000 Suction nipple complete (4.034-007.0)

POS	Description	Quantity	Unit
10	Cover suction nipple front	1	PC
20	Cover suction nipple rear	1	PC
30	Tube suction nipple center	1	PC




9003 Support roller complete replacement (4.035-557.0)

POS	Article no.	Description	Quantity	Unit
10		SUCTION BAR CASTER PLATE B50	1	PC
20	6.435-179.0	Castor for thread deflector	1	PC
	Item text1: replaced by 9.763-636.0			
20	9.763-636.0	Castor for thread deflector	1	PC
	Item text1: successor of 6.435-179.0			
30	7.312-277.0	Washer 8-200HV-A2E ISO 7093-1	6	PC
40	7.306-114.0	Cylinder head screw M 8x40-A2-70 ISO 47	1	PC
50	7.306-234.0	Cylinder head screw M10x20-A4-70 ISO 4762	1	PC
60	7.311-382.0	Cap nut M10-6-A3E DIN 1587	1	PC
70	6.996-526.0	Serrated locking washer d.10	1	PC




9500 Set deflector roll stack formation SB (4.035-619.0)

POS	Article no.	Description	Quantity	Unit
10	5.013-653.0	Axle deflector roll suction bar	2	PC
20	6.435-541.0	Deflector roll D125	4	PC
30	6.321-224.0	Turning knob grey D55mm	2	PC
40	7.343-083.0	Locking ring 12x1 -FSt DIN 471	2	PC
50	5.115-628.0	Washer	4	PC




9010 Mounting kit battery kit (2.638-144.0)

POS	Article no.	Description	Quantity	Unit
10	6.641-947.0	Cable battery BD 50 u 25 Hoppeke	1	PC
20	9.753-177.0	Cable harness battery BD50	1	PC
30	5.037-816.0	Distance holder battery BD50/50	1	PC
	Item text1: replaced by 5.038-543.0			
30	5.038-543.0	Distance holder battery BD50/50	2	PC
	Item text1: successor of 5.037-816.0			




9500 Mop holder complete (9.753-023.0)

POS	Article no.	Description	Quantity	Unit
10	9.763-074.0	Fixing mop support	1	PC
15	7.303-109.0	Screw 5x25-10.9-R2R (In6Rd)	3	PC
20	9.763-133.0	Support mop	1	PC
30	5.035-488.0	Adapter Homebase	2	PC
40	6.980-078.0	Holder handhold grey	1	PC
50	6.980-077.0	Double hook	1	PC




9520 Add-on kit drain hose ball valve BD 50 (2.643-986.0)

POS	Article no.	Description	Quantity	Unit
10	9.753-072.0	Drain hose with ball valve	1	PC
20	5.036-216.0	Blank holder add-on kit drain hose BD 50	1	PC
30	5.095-901.0	spacer	2	PC
40	7.303-275.0	Screw 8x50-10.9-A3E (In6Rd)	2	PC




10 Drain hose with ball valve (9.753-072.0)

POS	Article no.	Description	Quantity	Unit
10	9.763-334.0	Drain hose waste water	1	PC
20	9.763-335.0	Ball valve waste hose waste water	1	PC



9530 Add-on kit onboard loader BD 50/50 (2.644-346.0)

POS	Article no.	Description	Quantity	Unit	Foot note text
10	6.654-493.0	BConb 24V/15A 110-240VAC/50-60Hz IEC/EN	1	PC	Order additional 6.684-277.0 for the conversion kit
20	6.684-277.0	Adapter cable	1	PC	
30	9.753-370.0	Plate bracket battery charger Boels	1	PC	
40	9.753-380.0	Retaining bracket bracket cable	1	PC	
50	5.364-212.0	Edge protection	5	PC	
60	7.306-077.0	Screw M5x16 -8.8-P2R (In6Rd)	4	PC	
70	7.312-264.0	Washer 5-100HV-A3E ISO 7094	4	PC	
80	7.312-052.0	Washer 5 -A2 ISO 7089	4	PC	
90	7.311-124.0	Hexagon nut M5-8-A2E ISO 7040	4	PC	
100	6.444-811.0	Cable tie 4,5x450mm	2	PC	
110	6.640-672.3	Power cable with IEC plug 3m packed	1	PC	
110	8.637-157.0	CORD ASM, 16/3 EURO X IEC, WITH RING	1	PC	
Item text1: replaced by 6.640-672.3					




10 BConb 24V/15A 110-240VAC/50-60Hz IEC/EN (6.654-493.0)

POS	Article no.	Description	Quantity	Unit
10	5.384-004.0	Label hot do not touch	1	PC



9540 Conversion kit battery charger BD 50/50 (2.644-396.0)

POS	Article no.	Description	Quantity	Unit
10	6.654-493.0	BConb 24V/15A 110-240VAC/50-60Hz IEC/EN	1	PC
20	6.684-277.0	Adapter cable	1	PC



10 BConb 24V/15A 110-240VAC/50-60Hz IEC/EN (6.654-493.0)

POS	Article no.	Description	Quantity	Unit
10	5.384-004.0	Label hot do not touch	1	PC

9000



9001



9580 Add-on kit equipment management Plug-in Connect (2.644-391.0)

POS	Article no.	Description	Quantity	Unit
9000	4.823-414.0	Set antenna	1	PC
9001	4.823-415.0	Adhesive strip for replacement	1	PC