



Manually-steered mains-operated floor scrubber with roller brushes with a performance up to 1600 m<sup>2</sup>/h.For economic basic cleaning, maintenance cleaning and polishing of surfaces up to 800 m<sup>2</sup>.



#### Ease of use

- Self-explanatory symbols and a clear operating field make the machineeasy to understand, which increases productivity.
- Easy to learn thanks to single-button operation (EASY).

#### Compact and manoeuvrable design

- Easy to handle at any location of use.
- Short wheelbase for maximum manoeuvrability.



#### 3 Parallel roller brushes

- High scrubbing performance due to high contact pressure.
- Suitable for cleaning uneven surfaces and crevices.

### **Technical Data and Equipment**

#### KARCHER



#### BR 40/25 C Ep

Mains operation	

- Corrosion-free frame Very quiet

Technical data		
Order no.		1.515-102.0
EAN code		4039784542488
Brush working width	mm	400
Vacuum working width	mm	770
Rated input power	W	1880
Fresh/dirty water tank	I	25 / 25
Brush contact pressure	g/cm²	240
Brush speed	rpm	1000
Max. area performance	m²/h	1600
Frequency	Hz	50
Voltage	V	230
Weight	kg	55
Dimensions (L×W×H)	mm	800 × 575 × 830
Equipment		
Roller brush		1
Tank-in-tank construction style		I
Mains operation		I

Included in delivery.



		Order no.	Hardness / Brush type	Length	Colour	Number	Price	Description	
Roller brushes									
Roller brush, medium	1	4.762-458.0	medium	400 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 400 mm.With wear-resistant star-wheel mechanism. For normal use. Bris-	
	2	4.762-003.0	medium	400 mm	red	1 piece(s)		tles: Polypropylene, 0.4 mm thick, 20 mm long.	
Roller brush, very soft	3	4.762-250.0	very soft	400 mm	white	1 piece(s)		Roller brush, very soft, white. Length: 400 mm.With wear-re- sistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	
Roller brush, soft	4	4.762-274.0	soft	400 mm	natural	1 piece(s)		Very soft, made of horsehair, perfect for spray cleaning and for polishing.	
Roller brush, high/low	5	4.762-251.0	high / low	400 mm	orange	1 piece(s)		Roller brush, high/low, medium-hard, orange. Length: 400 mm.With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	
Roller brush, hard	6	4.762-252.0	hard	400 mm	green	1 piece(s)		Roller brush, hard, green. Length: 400 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	
Roller brush, very hard	7	4.762-481.0	very hard	400 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.	



		Order no.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description	
Roller pad shaft									
Pad roller shaft	1	4.762-228.0		400 mm				Roller pad shaft, aluminium For roller pads or microfibre rollers, length 400 mm.	
Roller pads									
Roller pad on sleeve	2	6.369-724.0	soft	400 mm	96 mm	yellow			
	3	6.369-726.0	medium	400 mm	96 mm	red			
	4	6.369-725.0	hard	400 mm	96 mm	green			
Stripping roller	5	8.635-691.0		400 mm		brown			
Microfibre shaft									
Microfibre roller	6	4.114-004.0	microfibre	400 mm	96 mm	light green		Micro fibre roller, length 400 mm. Combines the excellent cleaning power of microfibres with the advantages of roller technology. Ideal for cleaning fine stoneware tiles.	



		Order no.	Length	Colour	Number	Price	Description	
Squeegee, complete								
Squeegee, straight	1	4.777-400.0	770 mm	blue	1 piece(s)		Straight, without support rollers. Soft natural rubber squeegee blades.	
Suction bar	2	4.777-407.0	770 mm	transparent	1 piece(s)		Straight, without support rollers. Suction lips made of oil-re- sistant and transparent polyurethane.	
Squeegees for suction bars								
Squeegee blade, natural rubber	3	6.273-253.0	790 mm	blue	2 -part		Fluted, standard, natural rubber.	
Squeegee blade, oil-resistant, grooved	4	6.273-254.0	790 mm	transparent	2 -part		Fluted, oil-resistant, polyurethane.	
Suction lips	5	6.273-262.0	790 mm	transparent	2 -part		Slotted, oil-resistant, polyurethane, for sensitive floors.	
	6	6.273-353.0	790 mm	blue	2 -part		Grooved, standard, natural rubber.	
	7	6.273-354.0	790 mm	transparent	2 -part		Grooved, oil-resistant, polyurethane.	
Suction bars and squeegees								
Add-on kit rollers squeegee	8	2.640-023.0			1 piece(s)		The rollers prevent the squeegee from adhering to very smooth floors.	



		Order no.	Length	Colour	Number	Price	Description
Miscellaneous							
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm <sup>2</sup> . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.
Filling hose	2	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.
RM Dosierstation							
DS 3 Cleaning Agent Dosing Sta- tion	3	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717).



		Order no.	Length	Diameter	Number	Price	Description
Other attachment kits							
Suction hose accessories	1	4.444-015.0	3.25 m		1		
					piece(s)		