



| S004184 | | | | | Radantrieb | Unité d'entraînement | Drive unit |
|----------|---------------------------------|---------------------------------|--------|-----------------|------------------------------|---------------------------------|---------------------------------|
| Pos. No. | Artikelnr. Article No. Item No. | Bestellnr. No. de com Order No. | Model | Stck. Piè. Qty. | Bezeichnung | Designation | Description |
| 101 | 1132/42 | 4042600 | | 2.00 | Zyl-Schr I-6Kt M10x30 | Vis cyl. à trou 6 p. M 10x30 | Socket Head Cap Screw M 10x30 |
| 102 | 1752/16 | 4027970 | | 4.00 | Unterlagscheibe 10,5/20x2 | Rondelle 10,5/21 | Washer 10,5/21 |
| 103 | 19602-23 | 4122150 | | 5.00 | Durchführungstülle | Douille de passage | Grommet |
| 104 | 1004/214 | 4069420 | | 1.00 | 6Kt-Schr M8x35 | Vis à tête six pans M 8x35 | Hexagon Screw M 8x35 |
| 105 | 1756/4 | 4048930 | | 1.00 | Unterlagscheibe 8,4/20x2 | Rondelle 8,4/20x2 | Washer 8,4/20x2 |
| 106 | 19601-86 | 4122154 | | 1.00 | Spannbügel | Etrier de tension | Stretching Bracket |
| 107 | 19608-74 | 4122280 | | 1.00 | Drehkranz | Palier | Bearing |
| 108 | 19600-49 | 4122442 | | 1.00 | Lenkkranz | Couronne de direction | Steering Roller |
| 109 | 1209/14 | 4006590 | | 4.00 | L-Schr KS M4x12 | Vis à tête cyl. bomb. M 4x12 | Raised Cheese Hd.Screw M 4x12 |
| 110 | 19602-85 | 4121959 | | 1.00 | Halter Spritzschutz rechts | Fixation droit | Bracket R.H. |
| 111 | 19602-84 | 4121960 | | 1.00 | Halter Spritzschutz links | Fixation gauche | Bracket L.H. |
| 112 | 19602-83 | 4121962 | | 2.00 | Spritzschutzlappen | Plaque de caoutchouc | Rubber Shield |
| 113 | 1132/19 | 4006420 | | 4.00 | Zyl-Schr I-6Kt M6x10 | Vis cyl. à trou 6 p. M 6x10 | Socket Head Cap Screw M 6x10 |
| 114 | 19602-28 | 4121958 | | 2.00 | Gegenblech | Plaque | Plate |
| 115 | 1004/251 | 4057240 | | 3.00 | 6Kt-Schr M12x25 | Vis à tête six pans M 12x25 | Hexagon Screw M 12x25 |
| 116 | 1721/108 | 4122261 | | 2.00 | Sicherungsmutter M14 | Écrou de sureté M 14 | Self-Locking Nut M 14 |
| 117 | 1752/112 | 4076740 | | 2.00 | Unterlagscheibe 15/28x2,5 | Rondelle 15/28 | Washer 15/28 |
| 118 | 1132/31 | 4042640 | | 6.00 | Zyl-Schr I-6Kt M8x30 | Vis cyl. à trou 6 p. M 8x30 | Socket Head Cap Screw M 8x30 |
| 119 | 1782/9 | 4007780 | | 6.00 | Federring 8,1 | Rondelle à ressort 8,1 | Spring Washer 8,1 |
| 120 | 19603-74 | 4122335 | | 1.00 | Antriebsrad Su-Elastic/PU re | Roue d'entraîn.superelast. D | Main Wheel Superelastic R.H. |
| 121 | 19603-96 | 4122486 | | 1.00 | Antriebsrad Su-Elastic/PU li | Roue d'entraîn.superelast. G | Main Wheel Superelastic L.H. |
| 122 | 1654/5 | 4007180 | | 2.00 | Sechskantmutter M5 | Écrou à six pans M 5 | Hexagon Nut M 5 |
| 123 | 1752/11 | 4007450 | | 2.00 | Unterlagscheibe 5,3/20x1,5 | Rondelle 5/20 | Washer 5/20 |
| 124 | 19602-67 | 4122153 | | 1.00 | Spritzschutz Motor | Capot de protection | Protection Hood |
| 127 | 19604-25 | 4122603 | | 1.00 | Schutzkragen | Capot de protection | Pretection Cap |
| 128 | 2611/101 | 4096410 | | 2.00 | Schmiernippel M6 | Graisseur | Lubricator Nipple |
| 129 | 19604-72 | 4123149 | | 1.00 | Lenkbegrenzungs Set | Kit arrêt de braquage | Steering Stop Set |
| 130 | 1132/41 | 4042610 | | 2.00 | Zyl-Schr I-6Kt M10x20 | Vis cyl. à trou 6 p. M 10x20 | Socket Head Cap Screw M 10x20 |
| 140 | 8936/1 | 4017370 | | | Sicherungs-Klebstoff mittel | Colle p. blocage moyen 50 gr | Adhesive Locking Middle 50Gr |
| 150 | 19605-11 | 4127268 | Option | 2.00 | Antriebsrad | Roue de commande (PU) no profil | Driving Wheel (PU) no profile |
| 151 | 19605-13 | 4127425 | Option | 1.00 | Antriebsrad rechts | Roue de comm. droit avec profil | Driving wheel right with profil |
| 152 | 19605-14 | 4127426 | Option | 1.00 | Antriebsrad links | Roue de comm.gauche avec profil | Driving wheel left with profile |



| S004123 | | | | | Antriebsaggregat | Moto-réducteur | Motor Gear |
|----------|---------------------------------|---------------------------------|-------|-----------------|-----------------------------|-------------------------------|-------------------------------|
| Pos. No. | Artikelnr. Article No. Item No. | Bestellnr. No. de com Order No. | Model | Stck. Piè. Qty. | Bezeichnung | Designation | Description |
| 101 | 3395/090 | 4122475 | | 1.00 | Antriebsgetriebe | Réducteur av. freines | Gear W. Brakes |
| 102 | 19603-79 | 4122514 | | 2.00 | Nabe | Moyeu | Hub |
| 103 | 19605-27 | 4128165 | | 1.00 | Bremssatz links/rechts | Kit frein gauche/droit | Brake Set Left/Right |
| 104 | 2201/319 | 4122262 | | 2.00 | Scheibenfeder 6x9 | Clavette disque 6x9 | Woodruff Key 6x9 |
| 105 | 19600-47 | 4121884 | | 1.00 | Motor 24V 1000W 51A | Moteur | Motor |
| 106 | 3395/035 | 4099840 | | 1.00 | Band mit Schnalle | Collier avec grenouillère | Collar With Cramp |
| 107 | 3395/020 | 4091440 | | 1.00 | Kohlebürsten Set | Balai charbon (kit, 4 pièces) | Carbon Brush (Set, 4 Parts) |
| 108 | 2201/6 | 4031170 | | 1.00 | Federkeil 5/5x14 | Clavette 5/5x14 | Key 5/5x14 |
| 109 | 3395/092 | 4122278 | | 1.00 | Ritzel 27 Z | Roue dentée 27 D | Toothed Wheel 27 T |
| 110 | 17050-51 | 4051410 | | 1.00 | Unterlagscheibe 6,5/20x3 | Rondelle | Washer |
| 111 | 1004/65 | 4030840 | | 1.00 | 6Kt-Schr M6x16 | Vis à tête six pans M6x16 | Hexagon Screw M6x16 |
| 112 | 1752/16 | 4027970 | | 4.00 | Unterlagscheibe 10,5/20x2 | Rondelle 10,5/21 | Washer 10,5/21 |
| 113 | 1132/42 | 4042600 | | 4.00 | Zyl-Schr I-6Kt M10x30 | Vis cyl. à trou 6 p. M 10x30 | Socket Head Cap Screw M 10x30 |
| 114 | 1142/148 | 4122523 | | 12.00 | Zyl-Schr I-6Kt M5x16 | Vis cyl. à trou 6 p. M 5x16 | Socket Head Cap Screw M 5x16 |
| 115 | 3002/208 | 4061670 | | 1.00 | O-Ring 63,17x2,62 | Joint-O 63,17x2,62 | O-Ring 63,17x2,62 |
| 116 | 8936/1 | 4017370 | | | Sicherungs-Klebstoff mittel | Colle pour blocage moyen | Adhesive Locking Middle |
| 120 | 99997-17 | 4122445 | | 1.00 | Abziehflansch für Nabe | Arrache-flasque | Flange Puller |
| 136 | 3000/222 | 4096290 | | 2.00 | Wellendichtring 25x35x7 | Bague à lèvres 25X35X7 | Shaft Seal 25x35x7 |
| 140 | 19605-36 | 4130300 | | 1.00 | Winkel | Équerre | Bracket |
| 141 | 1137/18 | 4006520 | | 2.00 | Zyl-Schr I-6Kt M6x30 | Vis cyl. à trou 6 p. M 6x30 | Socket Head Cap Screw M 6x30 |
| 142 | 19622-89 | 4130140 | | 1.00 | Antistatikband | Bracelet antistatique | Antistatic Strap |
| 143 | 1752/11 | 4007450 | | 1.00 | Unterlagscheibe 5,3/20x1,5 | Rondelle 5/20 | Washer 5/20 |
| 144 | 1209/14 | 4006590 | | 1.00 | L-Schr KS M4x12 | Vis à tête cyl. bomb. M 4x12 | Raised Cheese Hd.Screw M 4x12 |
| 145 | 1723/3 | 4042420 | | 1.00 | Sicherungsmutter M4 | Écrou de sureté M 4 | Self-Locking Nut M 4 |
| 146 | 8936/1 | 4017370 | | | Sicherungs-Klebstoff mittel | Colle pour blocage moyen | Adhesive Locking Middle |



| S004417 | | | | | Partie Batterie | Groupe Accumulateur | Battery group |
|----------|---------------------------------|---------------------------------|-------------|--------------------------------|------------------------------|------------------------------|-------------------------------|
| Pos. No. | Artikelnr. Article No. Item No. | Bestellnr. No. de com Order No. | Model | Stck. Piè. Qty. | Bezeichnung | Designation | Description |
| 101 | 1207/14 | 4019660 | 0,25m | 4.00 | L-Schr KS M4x16 | Vis à tête cyl. bomb. M 4x16 | Raised Cheese Hd.Screw M 4x16 |
| 102 | 1752/35 | 4007480 | | 4.00 | Unterlagscheibe 4,3/12x1 | Rondelle 4,3/12 | Washer 4,3/12 |
| 103 | 19600-54 | 4122115 | | 1.00 | Batteriedeckel | Couvercle d'accumulateur | Battery Cover |
| 104 | 8807/011 | 4051890 | | 1.00 | Polyesterseil 2 | Cordelette le m | Cord Per M |
| 106 | 19602-28 | 4121958 | | 2.00 | Gegenblech | Plaque | Plate |
| 107 | 19602-20 | 4122112 | | 1.00 | Gummiband | Bande à caoutchouc | Rubber Band |
| 109 | 19607-43 | 4122102 | | 1.00 | Obere Akkuverkleidung | Couvercle | Hood |
| 110 | 19603-44 | 4122157 | | 1.00 | Dichtlappen | Protection | Protection |
| 111 | 19601-43 | 4122105 | | 1.00 | Fussblech | Marchepied | Foot Board |
| 112 | 19604-14 | 4122611 | | 1.00 | Schriftzug Swingo 2500 | Autocollant swingo 2500 | Decorative Label Swingo 2500 |
| 112 | 19604-15 | 4122610 | | 1.00 | Schriftzug Swingo 3500 | Autocollant swingo 3500 | Decorative Label Swingo 3500 |
| 113 | 19601-24 | 4122136 | | 1.00 | Notaus Knopf | Bouton - interruption d.voy. | Knob - Emergency Switch-Off |
| 114 | 2804/115 | 4110380 | 1.00 | Druckfeder 0,63/10,5x42,9 | Ressort d.pression 10,5x42,9 | Pressure Spring 10,5x42,9 | |
| 115 | 1755/16 | 4031090 | 1.00 | Unterlagscheibe 8,4/20x1,2 | Rondelle 8,4/20 | Washer 8,4/20 | |
| 116 | 19601-25 | 4122137 | 1.00 | Notaus Stange | Tige | Bar | |
| 117 | 2913/149 | 4026220 | 1.00 | Sicherungsscheibe Welle 7x0,9 | Anneau de sûreté p. arbre 7 | Circlip For Shaft 7 | |
| 118 | 1840/022 | 4087930 | 4.00 | Delta PT-Schr LK As Torx 60x16 | Vis Delta PT Torx 60x16 | Screw Delta PT Torx 60x16 | |
| 119 | 19601-27 | 4122106 | 1.00 | Rammschutz rechts | Profil de protection droit | Protection Profile R.H. | |
| 120 | 19601-28 | 4122107 | 1.00 | Rammschutz links | Profil de protection gauche | Protection Profile L.H. | |
| 121 | 19602-31 | 4122108 | swingo 3500 | 1.00 | Trittlech rechts | Marchepied droit | Foot Board R.H. |
| 122 | 19602-30 | 4122109 | swingo 3500 | 1.00 | Trittlech links | Marchepied gauche | Foot Board L.H. |
| 123 | 19607-22 | 4122103 | 1.00 | Batterieverkleidung | Bâti d'accumulateur swingo | Battery Housing Swingo | |
| 124 | 3056/002 | 4122121 | 4.00 | Druckknopfpufer 12 | Bouchon | Stopple | |
| 125 | 1132/30 | 4042650 | 4.00 | Zyl-Schr I-6Kt M8x25 | Vis cyl. à trou 6 p. M 8x25 | Socket Head Cap Screw M 8x25 | |
| 126 | 1132/19 | 4006420 | 4.00 | Zyl-Schr I-6Kt M6x10 | Vis cyl. à trou 6 p. M 6x10 | Socket Head Cap Screw M 6x10 | |
| 127 | 19602-32 | 4122155 | 4.00 | Halter | Fixation | Bracket | |
| 128 | 19601-22 | 4122113 | 1.00 | Traverse | Traverse | Tie Bar | |
| 129 | 19601-21 | 4122114 | 1.00 | Traverse | Traverse | Tie Bar | |
| 130 | 1756/4 | 4048930 | 4.00 | Unterlagscheibe 8,4/20x2 | Rondelle 8,4/20x2 | Washer 8,4/20x2 | |
| 131 | 19601-44 | 4122110 | 4.00 | Zentrierschraube | Vis de centrage | Centering Screw | |
| 132 | 1132/27 | 4023420 | 4.00 | Zyl-Schr I-6Kt M8x16 | Vis cyl. à trou 6 p. M 8x16 | Socket Head Cap Screw M 8x16 | |
| 133 | 2911/14 | 4008670 | 4.00 | Sicherungsring 14x1 A | Rondelle "seeger" 14 A | Retaining Ring 14 A | |
| 134 | 1752/112 | 4076740 | 4.00 | Unterlagscheibe 15/28x2,5 | Rondelle 15/28 | Washer 15/28 | |
| 135 | 19601-52 | 4122111 | 4.00 | Gummischeibe 28/13,5x4 | Rondelle à caoutchouc | Rubber Disc 28x13,5x4 | |
| 136 | 19602-99 | 4122156 | 2.00 | Bügel | Fixation | Bracket | |
| 137 | 1840/022 | 4087930 | 4.00 | Delta PT-Schr LK As Torx 60x16 | Vis Delta PT Torx 60x16 | Screw Delta PT Torx 60x16 | |
| 138 | 19607-21 | 4122104 | 1.00 | Frontpartie | Boîtier de front swingo | Front Cover Swingo | |
| 139 | 8936/1 | 4017370 | | Sicherungs-Klebstoff mittel | Colle p. blocage moyen 50 gr | Adhesive Locking Middle 50Gr | |
| 140 | 8952/110 | 4124685 | | Schnellkleber Kunststoff/Gummi | Colle rapide p.plast+caoutch | Quick Adhesive F.Plastic+Gum | |
| - | - | - | | - | - | - | |
| - | - | - | | - | - | - | |
| 150 | 7508030 | 7508030 | | 1.00 | Batterieunterlage | Support de Batteries | Battery Support |