



Technical Data:

Motor rating max.:	2,400/2,750 W
Air flow rate max.:	2x56 l/sec.
Vacuum:	235 mbar
Container capacity:	65 l
Noise emission:	74 dB(A)
Weight:	26 kg
Dimensions (lxwxh):	690x520x1000 mm

Order number: 1.667-.141 EU

NT 65/2 Eco Tc– one of our new powerful all-purpose vacuum cleaners! See for yourself!

Features

- Impact-resistant hood made from plastic.
- Integrated cord and accessory storage.
- **High-quality** rubber cord included in scope of supply of **every** machine type.
- **Large** place to keep tools on the fan head.
- **Oil-resistant** drain hose included in scope of supply of every machine type.

Benefits

- Easiest handling thanks to low weight of the machine. Resists even harder use and impacts.
- **Protection** against dirt and damages. All necessary accessories and tools are ready to use **at once**.
- Very robust, unbreakable and wear-resistant. For hard use and long life-time. **(NEW)**
- Tools like drills or orbital sanders are protected from damages and always right into reach.
- **Long life-time, resistant** even against aggressive substances. **Effortless** emptying of the full container. **(NEW)**

NT 65/2 Eco Tc – one of our new powerful all-purpose vacuum cleaners! See for yourself!

Features

- Tilting chassis (Tc → Tilting chassis)
- Integrated polyester flat pleated filter and newly developed **Power Filter Clean System**.
- Automatic stop of the turbine via two sensors when the container is full.

Benefits

- **Easiest emptying** of the container when it is filled with heavy debris by tilting the chassis. **Saves** the operator's **powers** and **protects** his **back**.
- The container capacity can be used to an optimum. The filter does not get wet during vacuuming.
- Patented filter cleaning for constant outstanding cleaning performance.
- Efficient, lower costs, for long operation intervals. **(NEW)**
- **Outstanding protection** of the turbine.
- **High degree of container use** because the sensors are fixed close to the fan head. No continuous emptying anymore. **(NEW)**

Standard accessories

- Suction hose 4.0 m (C-DN40) with plastic bend and PFC module
- Suction tube metal 2 x 0.5 m
- Wet and dry tool, 360 mm, plastic with rollers
- Crevice tool, 290 mm
- PES-Flat pleated filter
- Filter bag, 3-layers, wear-resistant
- 4.440-679
- 6.900-275
- 6.905-554
- 6.903-033
- 6.904-284
- 6.904-285

Special accessories

- Suction hose 4.0 m (C-DN40) with plastic bend and PFC module, electrically conductive
- Suction hose (C-DN 40) with bayonet coupling 4.0/10.0 m
- Extension hose 2.5 m (C40)
- Connecting sleeve
- Wet and dry tool 450 mm, aluminium with rollers, height-adjustable
- 4.440-728
- 6.906-321/-279
- 6.906-344
- 2.639-905
- 6.903-051

NT 65/2 Eco Tc – one of our new powerful all-purpose vacuum cleaners! See for yourself!

- Gangway tool (for Tc versions)
- Rubber suction tool 45°, oil-resistant
- Y-junction kit
- Bulk waste container
- Kit for non conductive liquids
- Diaphragm filter
- Wet filter bag, wear-resistant
- on inquiry
- 6.902-105
- 2.637-217
- on inquiry
- on inquiry
- 6.904-282
- 6.904-252

Target groups:

- Contract cleaners
- Craftsmen -Trade
- Construction industry
- Car repair shops
- Mechanical engineering
- Vehicle engineering
- Chemical-pharmaceutical industry

Competitors:

- Ghibli AS 590 P
- Numatic WVD 1502
- SOTECO Europa 423 K