



The "K5 Car" high-pressure cleaner with water-cooled motor is ideal for moderate dirt, e.g. on vehicles, stone walls or bicycles. The extra Car Kit ensures efficient vehicle cleaning. The 0.3 I foam nozzle delivers foam that adheres to surfaces and efficiently dissolves the dirt while the rotating brush effectively removes grey film. The 3-in-1 car shampoo and cleaning cloth make surfaces shine. This machine features a powerful water-cooled motor, gun with Quick Connect connector, 8 m high-pressure hose, Vario Power spray lance (VPS) for convenient pressure regulation, dirt blaster with rotating pencil jet for removing stubborn dirt and water filter for pump protection.





#### K 5 Car

| Technical data                             |           |  |
|--|-----------|--|
| Order no.                                  |           | 1.180-636.0  |
| EAN code                                   |           | 4039784830073  |
| Pressure                                   | bar / MPa | 20–145 / 2–14.5  |
| Flow rate                                  | l/h       | 500  |
| Max. water inlet temperature               | °C        | 40   |
| Connection load                            | kW        | 2.1  |
| Weight without accessories                 | kg        | 13.8   |
| Dimensions (L × W × H)                     | mm        | 344 × 396 × 875  |
|  |           |  |
| Equipment                                  |           |  |
| Car kit                                    |           | Rotating wash brush, 0.3-litre foam jet, 3-in-1 car shampoo, 1 l   |
| High-pressure guns                         |           | Standard Quick Connect   |
| Vario Power Jet                            |           | 1  |
| Dirt blaster                               |           | I contraction of the second seco |
| High-pressure hose                         | m         | 8  |
| Quick Connect on the side of the<br>device |           | •  |
| Detergent application via                  |           | Plug 'n' Clean system  |
| Water-cooled motor                         |           | I contraction of the second seco |
| Integrated water filter                    |           | I contract of the second s   |
| A3/4" garden hose connector adapto         | r         | I contract of the second se  |
| Included in delivery.                      |           |  |
|  |           |  |

## Accessories for K 5 Car 1.180-636.0

| 1 2, 4   |    | 3           | <b>~</b> | 6  | 5     | 7<br>7  |
|--|----|-------------|----------|----|-------|---|
| 9 10   | /  | 11          | 12       | 13 |       | 14  |
|  |    | Order no.   |          |    | Price | Description   |
| Spray lances<br>Vario Power Spray Lance K 5 - K 7          | 1  | 4.760-545.0 |          |    |       | Vario-Power spray lance: spray lance with infinitely variable   |
|  |    |             |          |    |       | pressure control from low-pressure detergent jet to high-pres-<br>sure jet.   |
| K 5 - K 7 Dirt Blaster                                     | 2  | 4.763-228.0 |          |    |       | Dirt blaster with powerful rotor nozzle (rotating pencil jet) ideal for removing stubborn dirt. Ideal for moss covered or weathered surfaces.   |
| Vario Power Jet VP 160 for K 5–K 7                         | 3  | 2.643-242.0 |          |    |       | Vario-Power spray lance: spray lance with infinitely variable pressure control from low-pressure detergent jet to high-pres-  |
| Dirt Blaster DB 160 for K 5 – K 7                          | 4  | 2.643-243.0 |          |    |       | sure jet.<br>Dirt blaster with powerful rotor nozzle (rotating pencil jet) ideal<br>for removing stubborn dirt. Ideal for moss covered or weath-<br>ered surfaces.                                      |
| Splash guard   | 5  | 2.640-916.0 |          |    |       | Splash guard for dirt blasterProtects against splash back<br>when cleaning corners and edges. Fits all Kärcher dirt blast-<br>ers (except 4.763-184).   |
| Angled spray lance   | 6  | 2.638-817.0 |          |    |       | Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbod-<br>ies.   |
| 1-step lance extension                                     | 7  | 2.643-240.0 |          |    |       | Extends spray lance by 0.5 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.   |
| Flexible dirt blaster                                      | 8  | 2.639-001.0 |          |    |       | Dirt Blaster for stubborn stains. With infinite angle adjustment of the dirt blaster head for easy and convenient cleaning of difficult-to-reach areas.   |
| 3-step lance extension                                     | 9  | 2.639-722.0 |          |    |       | 3-stage lance extension set with four aluminium lances for difficult to reach areas. Variable extension to 90 cm, 1.30 m and 1.70 m.  |
| Vario extension kit  | 10 | 2.641-501.0 |          |    |       | Very flexible and easy to use extension set. It can be adjusted<br>in length, angle and nozzle type. For difficult-to-reach cleaning<br>tasks.  |
| Kärcher Twin Jet   | 11 | 2.641-607.0 |          |    |       | Kärcher Twin Jet – dirt blaster with 40% more coverage com-<br>pared to conventional dirt blasters. Twin jet removes stubborn<br>dirt.  |
| Triple nozzle lance  | 12 | 4.760-269.0 |          |    |       | Triple nozzle lance with three types of jets: High-pressure fan jet, high-pressure pencil jet and low-pressure chemical jet.  |
| Flexible spray lance                                       | 13 | 4.760-272.0 |          |    |       | Flexible spray lance with adjustable high and low-pressure jet.<br>Adjustable spray lance rotates through 180° for easier clean-<br>ing of difficult to reach areas.                                    |
| Quadruple nozzle packaged 030<br>Premium Li                | 14 | 4.760-480.0 |          |    |       | One all-purpose spray lance. Four types of jets in one spray lance: High-pressure fan jet, high-pressure pencil jet, low-pressure fan jet and dirt blaster. Simply twist the spray lance for switching. |
| Telescopic spray lance                                     | 15 | 2.642-347.0 |          |    |       | Telescopic spray lance (1.20 m - 4m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun.                       |
| Vario Power Jet Short 360° VP 160                          | 16 | 2.643-254.0 |          |    |       |   |
| S for K 5 – K 7<br>Multi Power Jet MP 145 for K 3 – K<br>5 | 17 | 2.643-239.0 |          |    |       | Multi-power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet.  |
| Multi-power jet K3 - K5 Included in delivery.              |    | 2.642-440.0 |          |    |       | The suitable jet can be selected by simply twisting.  |

# Accessories for K 5 Car 1.180-636.0

### KARCHER











31



|   |    | Order no.   |  |  | Price | Description  |  |
|---|----|-------------|--|--|-------|--|--|
| Hard surface cleaners                   |    |             |  |  |       |  |  |
| PS 40 power swab surface cleaner        | 19 | 2.643-245.0 |  |  |       | PS 40 power scrubber with three integrated high-pressure<br>nozzles. Powerful cleaning action removes stubborn dirt from<br>surfaces quickly and easily. Ideal for stairs and edges.   |  |
| T-Racer T 300 surface cleaner           | 20 | 2.640-212.0 |  |  |       | T 300 T-Racer for spray-free surface cleaning. With adjusta-<br>ble cleaning pressure and extra handle for cleaning vertical<br>surfaces. For Kärcher Home&Garden K 2–K 7 pressure wash-<br>ers.   |  |
| T 100 Plus T-Racer Surface Cleaner      | 21 | 2.640-637.0 |  |  |       | For the cleaning of flat surfaces without splashback, e.g.<br>patios, terraces and walls made of stone and wood. Two<br>roting fan jet nozzles for increased cleaning power. Fast<br>efficient, simple. Further Kärcher accessories can be connect-<br>ed to extension lances. |  |
| Replacement nozzle for T-Racer          | 22 | 2.640-727.0 |  |  |       | High-quality, grey replacement nozzles for easy replacement<br>of T-Racer nozzles. Suitable for replacing nozzles for the<br>K2-K5 device classes.   |  |
| PS 40 Power Scrubber                    | 23 | 2.640-865.0 |  |  |       | PS 40 power scrubber with three integrated high-pressure<br>nozzles. Powerful cleaning action removes stubborn dirt from<br>surfaces quickly and easily. Ideal for stairs and edges.   |  |
| T 200 Plus T-Racer Surface Cleaner      | 24 | 2.641-361.0 |  |  |       | T 250 T Racer. For cleaning flat surfaces (e.g. patios) and<br>vertical surfaces (e.g. garage doors) without splash back.<br>Features two rotating flat jet nozzles for better cleaning re-<br>sults.  |  |
| T-Racer T 400 Surface Cleaner           | 25 | 2.641-647.0 |  |  |       | T 400 T-Racer for spray-free surface cleaning. Extra power<br>nozzle for corners and edges, protection grid for gravel surfac-<br>es, adjustable cleaning pressure, handle for vertical surfaces.<br>For K 4 - K 7.  |  |
| T 550 T-Racer Surface Cleaner           | 26 | 2.643-251.0 |  |  |       | T-Racer Surface Cleaner T 550 for splash-free cleaning of<br>large surfaces. With detergent application system, power<br>nozzle for corners/edges, protection grid for gravel surfaces,<br>pressure adjustment and handle.   |  |
| T 450, T-Racer Surface Cleaner          | 27 | 2.643-214.0 |  |  |       | Cleans large surfaces without splashing: T-Racer Surface<br>Cleaner T 450. Extra power nozzle for corners and edges,<br>handle for vertical cleaning, protection grid for gravel surfaces,<br>cleaning pressure adjustment.  |  |
| T 350, T-Racer Surface Cleaner          | 28 | 2.643-252.0 |  |  |       | With the T-Racer Surface Cleaner T 350, large surfaces can<br>be cleaned without splashing. Continuous pressure adjust-<br>ment for hard and sensitive surfaces. Handle for vertical<br>cleaning.  |  |
| Replacement nozzle accessories          | 29 | 2.643-338.0 |  |  |       | High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for K 2 to K 5.  |  |
| Replacement nozzle accessories T<br>350 | 30 | 2.643-335.0 |  |  |       | The high-quality replacement nozzles guarantee easy re-<br>placement of nozzles and are suitable for the T-Racer T 300 /<br>T 350 surface cleaners for the pressure washer unit classes K<br>2 to K 7.   |  |
| T-Racer T 250 Surface Cleaner           | 31 | 2.642-194.0 |  |  |       | T 250 T-Racer for spray-free surface cleaning. With extra handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, classes K 2 - K 7.   |  |

## Accessories for K 5 Car 1.180-636.0

|   |    | 34<br>45    |  | 36, 47 | 43    | $ \begin{array}{c}   \end{array} $ $ \begin{array}{c}   \\   \\   \\   \\   \\   \\   \\   \\   \\   $  |       |
|---|----|-------------|--|--------|-------|---|-------|
|   |    |             |  |        |       |   |       |
|   |    | Order no.   |  |        | Price | Description   |       |
| Accessory kits<br>Window and conservatory cleaning<br>kit | 32 | 2.640-771.0 |  |        |       | Window and conservatory cleaning set includes soft flat<br>brush, vario joint, 3-stage lance extension and squeegee. For<br>cleaning and drying windows and conservatories.   |       |
| Bike Cleaning Accessory Kit                               | 33 | 2.643-551.0 |  |        |       |   |       |
| Car Cleaning Accessory Kit                                | 34 | 2.643-554.0 |  |        |       | -   |       |
| Wood Cleaning accessory kit Brushes                       | 35 | 2.643-553.0 |  |        |       |   |       |
| WB 150 power brush  | 36 | 2.643-237.0 |  |        |       | WB 150 power brush for splash-free cleaning of sensitive<br>surfaces. The effective combination of high pressure and<br>manual brush pressure saves energy, water and up to 30%<br>time.  |       |
| WB 60, Soft Surface Wash Brush                            | 37 | 2.643-233.0 |  |        |       | Soft brush for cleaning large areas, e.g. cars, caravans, boats<br>conservatories or roller shutters). Working width of 248 mm<br>ensures good coverage.  | s,    |
| WB 100, Rotating Wash Brush                               | 38 | 2.643-236.0 |  |        |       | Rotating washing brush with joint for cleaning all smooth<br>surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable<br>joint on handle for cleaning difficult to reach areas.  |       |
| Wheel Washing Brush                                       | 39 | 2.643-234.0 |  |        |       | Wheel wash brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect   |       |
| Soft universal brush                                      | 40 | 2.640-589.0 |  |        |       | cleaning result.<br>Universal soft brush for cleaning all types of surfaces. With<br>soft brushes, outer protector ring, union nut and rubber pad.  |       |
| Soft surface brush  | 41 | 2.640-590.0 |  |        |       | Soft brush for cleaning large areas, e.g. cars, caravans, boats<br>conservatories or roller shutters). Working width of 248 mm<br>ensures good coverage.  | s,    |
| Rotary wash brush with joint                              | 42 | 2.640-907.0 |  |        |       | Rotating washing brush with joint for cleaning all smooth<br>surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable<br>joint on handle for cleaning difficult to reach areas.  |       |
| Power Brush PB 150  | 43 | 2.641-812.0 |  |        |       |   |       |
| Soft Wash Brush WB 50                                     | 44 | 2.643-246.0 |  |        |       | Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.   |       |
| Washing brush rigid                                       | 45 | 6.903-276.0 |  |        |       | Slim brush for cleaning stubborn dirt   |       |
| Special applications<br>PC 7.5, Pipe Cleaning Kit, 7.5 m  | 46 | 2.637-729.0 |  |        |       | Pipe cleaning set with 7.5 m hose for clearing blockages in pipes, drains, downpipes and toilets.   |       |
| PC 15, Pipe Cleaning Kit, 15 m                            | 47 | 2.637-767.0 |  |        |       | Pipe cleaning set with 15 m hose for clearing blockages in pipes, drains, downpipes and toilets.  |       |
| Sand and wet-blasting kit                                 | 48 | 2.638-792.0 |  |        |       | Sand and wet blasting set for removing rust, paint and stub-  |       |
| Vario joint   | 49 | 2.640-733.0 |  |        |       | born dirt using Kärcher abrasive.<br>Vario joint, rotates 180° for cleaning difficult to reach areas.<br>Connection: For connection between gun and accessory or  |       |
| Organiser   | 50 | 2.641-630.0 |  |        |       | extension lance and accessory.<br>Kärcher organiser, the practical wall-mounted storage system<br>for Kärcher accessories. With two modules for flexible mount-<br>ing. Ideal for protecting wash brushes and bristles from bend-<br>ing. | .   _ |
| High volume suction kit                                   | 51 | 2.637-214.0 |  |        |       | ing.<br>For quickly pumping large quantities of water. For Kärcher<br>Consumer high-pressure cleaners.  |       |
| SH 5, Suction Hose ecologic                               | 52 | 2.643-100.0 |  |        |       | Eco-friendly 5 m suction hose for drawing water from alterna-<br>tive sources such as water butts and barrels.  |       |

### Accessories for K 5 Car 1.180-636.0

### KARCHER



### Accessories for K 5 Car 1.180-636.0

|   | )      | 3,5<br>11                         |               |                   |   |       |   |                |
|---|--------|-----------------------------------|---------------|-------------------|---|-------|---|----------------|
|   |        | Order no.                         |               | Test Text<br>VMAD |   | Price | Description   |                |
| Miscellaneous   |        |                                   |               |                   |   |       |   |                |
| Replacement gun   | 1      | 2.641-610.0                       | -             |                   |   |       | Replacement trigger gun for Kärcher Consumer pressure<br>washers in ranges K3 - K7 from 2008 and later, on which the<br>high pressure hose is clicked into the trigger gun via a quick<br>coupling mechanism (Quick Connect).   |                |
| Water filter  | 2      | 4.730-059.0                       | -             |                   |   |       | Water filter to protect the high-pressure cleaner pump against  | t _            |
| O-Ring Set  | 3      | 2.640-729.0 ·                     | _             |                   |   |       | small dirt particles from impure water.<br>Replacement O-ring set for easy replacement of O-rings and   |                |
| -   |        |                                   |               |                   |   | _     | safety plugs on pressure washer accessories.  | ╞              |
| Garden hose adapter   | 4      | 2.640-732.0                       | -             |                   |   |       | Adapter for garden hose connector for attaching all Kärcher<br>brushes and cleaning sponges directly to garden hoses with<br>quick-coupling system.   |                |
| O-Ring seal set *KNA  | 5      | 2.642-189.0                       | -             |                   |   |       |   |                |
| High-pressure replacement hose:<br>H 9 Q, High-Pressure Hose Quick<br>Connect | 6      | 2.641-721.0                       | -             |                   |   |       | For devices in the K 2 – K 7 ranges with Quick Connect. For<br>Kärcher Consumer pressure washers from 2009 or later, on<br>which the hose is attached to the spray gun and device with<br>quick coupling. 9 m, 160 bar, 60°C.   |                |
| High-pressure hose extension sys<br>XH 10 Q, Extension Hose Quick<br>Connect  | tem fr | rom 2008 for devic<br>2.641-710.0 | es with Quick | Connect system    |   |       | High-pressure hose extension for increased flexibility. 10 m<br>robust DN 8 quality hose for long durability. For K 3 - K 7<br>devices manufactured in 2008 or later with Quick Connect<br>connection and for some K 2 devices manufactured since<br>2010 with Quick Connect connection. Connect between trig-<br>ger gun and high-pressure hose. |                |
| Extension Hose Quick Connect XH<br>6 Q  | 8      | 2.641-709.0                       | -             |                   |   |       | High-pressure hose extension for greater flexibility. High-qual-<br>ity, robust 6 m DN-8 quality hose for long durability. For K 3<br>– K 7 devices manufactured since 2008 and for some K 2<br>devices manufactured since 2010 with Quick Connect adap-<br>tor. Connects between the spray gun and pressure hose.                                | -              |
| XH 10 QR, Extension Hose Quick<br>Connect Rubber                              | 9      | 2.641-708.0                       | -             |                   |   |       | High-pressure rubber hose extension for increased flexibility.<br>10 m high-quality hose with steel reinforcement for long dura-<br>bility. For K 3 - K 7 devices manufactured after 2008 with<br>Quick Connect adaptor and a Better or Best trigger gun.<br>Connect between trigger gun and high-pressure hose.                                  |                |
| Connectors/Tap adaptors   |        | I                                 |               |                   |   |       |   |                |
| Universal hose coupling   | 10     | 2.645-191.0                       | -             |                   |   |       | Universal hose connector in ergonomic design for comfortable handling.  | <sup>∍</sup> □ |
| Hoses & hose reels/trolleys   |        |                                   |               | <u> </u>          | 1 |       |   | 1              |
| Hose set for pressure washers   | 11     | 2.645-156.0                       | _             |                   |   |       | Hose set for high-pressure cleaning and garden watering.<br>With 10 m PrimoFlex® hose (3/4"), G3/4 tap adaptor, univer-   |                |
| Hose set for water supply   | 12     | 2.645-258.0 ·                     | -             |                   |   |       | sal hose connector and universal connector with Aqua Stop.<br>Hose set for high-pressure cleaning and garden watering.<br>With 10 m PrimoFlex® hose (1/2"), tap adaptor, universal  |                |
| PrimoFlex® hose 1/2" – 20 m   | 13     | 2.645-138.0                       | -             |                   |   |       | hose connector and universal connector with Aqua Stop.<br>Extra robust and kink-resistant PrimoFlex® quality garden<br>hose (1/2"). 20 m in length. With pressure-resistant, woven<br>reinforcement. Non-hazardous to health. Bursting pressure:  |                |
| Hose trolley HT 3.420 Kit 5/8   | 14     | 2.645-167.0 ·                     | _             |                   |   |       | 24 bar. High temperature resistance from –20 to +65°C<br>Fully assembled hose trolley with height-adjustable handle,  |                |

# Accessories for K 5 Car 1.180-636.0



|  |          | Order no.      |   | Test Text<br>VMAD |  | Price | Description  |  |
|--|----------|----------------|---|-------------------|--|-------|--|--|
| Premium Hose Reel HR 7.315 Kit<br>1/2" | 15       | 2.645-164.0    | - |                   |  |       | Fully equipped watering station. With detachable hose reel,<br>storage for nozzles and sprinklers, large storage box and<br>fixing option for spray lances.  |  |
| High-Pressure Replacement Hose         | e Kit sy | stem from 1992 |   |                   |  |       |  |  |
| HK 12, High-Pressure Hose Kit          | 16       | 2.642-953.0    | _ |                   |  |       | Accessory kit with 12 m high-pressure hose, high-pressure<br>gun for K 2 – K 7 ranges and adaptor for retrofitting the practi-<br>cal Quick Connect system. Fits all Kärcher Consumer pres-<br>sure washers manufactured since 1992. Not for hose reel<br>machines.  |  |
| HK 7.5, High-Pressure Hose Kit         | 17       | 2.641-828.0    | _ |                   |  |       | Accessory kit with 7.5 m high-pressure hose, high-pressure<br>gun for K 2 – K 7 ranges and adaptor for retrofitting the practi-<br>cal Quick Connect system. Fits all Kärcher Consumer pres-<br>sure washers manufactured since 1992. Not for hose reel<br>machines. |  |
| Extension Hose Adaptor Set             | 18       | 2.643-037.0    | - |                   |  |       | Two-part adaptor set for the connection of an extension hose<br>with screw thread to a pressure washer with Quick Connect<br>system.   |  |