



## B 60 W

Walk-behind scrubber drier (60 l) with traction drive. Ideal for 1,000-2,500 m<sup>2</sup>. Configuration example with disc brushes, 65 cm working width and battery (180 Ah).



### 1 Four batteries to choose from

- Battery types: maintenance-free 105 Ah (C5), maintenance-free 170 Ah (C5) with fleece technology, maintenance-free or low-maintenance 180 Ah (C5). Also available as a mains-operated version.
- The charging curve of the built-in charger is perfectly adjusted to the various battery types.

### 2 Auto-Fill function

- Time-saving filling of the fresh water tank.
- Filling via the fresh water hose stops automatically when the tank is full.

### 3 Brush head with disc engineering

- Different working widths available from 51 to 65 cm.
- Simple brush replacement in seconds: unlocking the brush via foot pedal, locking by lowering the machine or clipping in manually.

### 4 EASY Operation switch

- Simple to use.
- The basic functions are controlled with the EASY switch.



## B 60 W

### Technical data

Order no.	1.384-020.2	
EAN code	4039784582545	
Working width, vacuuming	mm	850
Fresh/dirty water tank	l	60 / 60
Max. area performance	m <sup>2</sup> /h	3900
Brush speed	rpm	180
Brush contact pressure	g/cm <sup>2</sup>	-26 /
Current type	V / Hz	100-240 / 50-60
Rated input power / Amps	W	max. 2100
Weight (with accessories)	kg	113
Dimensions (L × W × H)	mm	1520 × 746 × 1147
Battery voltage	V	24
Battery capacity	Ah	180

### Equipment

Disc brush	■
Fact	-
Dose	■
Battery type	Maintenance-free
Tank-in-tank construction style	■

■ Included in the scope of supply.

# B 60 W

## 1.384-020.2

**KÄRCHER**



		Order no.	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
KIK key, yellow	1	5.035-344.0		yellow	1 piece(s)		User key for using the appliance	■
KIK key, grey	2	5.035-348.0		grey	1 piece(s)		Supervisor key for using the appliance	■
Filling hose	3	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	□
KIK key, white	4	4.035-076.0		White	1 piece(s)		User key for using the appliance programmable	□
KIK key set, yellow	5	4.035-408.0		yellow	5 piece(s)		Key for operators. Cannot be adjusted.	□
KIK key set, white	6	4.035-064.0		White	5 piece(s)		5 white keys with keychain. Each key can be individually preset using the grey key supplied with the machine. This means that the machine parameters are always the same. The keychain helps to identify the key. This allows parameters to be set for cleaning in summer or winter, in sunshine or rain, on sensitive and hard-wearing floors or in workshops and showrooms.	□
Add-on kit ecolzero	7	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO <sub>2</sub> which is produced by using the machine, we support climate protection projects worldwide.	□
<b>Home Base accessories</b>								
Home Base adapter	8	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	□
Double hook	9	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Holder handhold grey	10	6.980-078.0			1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	□
Bottle holder	11	6.980-080.0			1 piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	□
Home Base Box Kit	12	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	□
Universal hook kit	13	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	□
<b>Wheels/tyres</b>								
Sports hall attachment kit	14	4.744-162.0			1 piece(s)		Reduces floor loading to < 0.5 N/mm <sup>2</sup> , in accordance with DIN 18032.	□
Wheel, oil resistant	15	6.435-702.0			1 piece(s)		Machine requires 2.	□
<b>Dosing aids</b>								
DS 3 Cleaning Agent Dosing Station	16	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back-flow preventer (DIN EN 1717).	□
<b>Wiping flaps</b>								
Modification kit, squeegee blades for brush head	17	2.763-031.0			1 piece(s)		Floating squeegee blades adapt to the surface. Fits D 90, D 75 and D 65.	□

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2



		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Disc brushes</b>									
Disc brush	1	4.905-028.0	very soft	510 mm	White	1 piece(s)		Very soft disc brush (510 mm) in white version. For cleaning sensitive floors and polishing. Nylon Polish bristles.	<input type="checkbox"/>
	2	4.905-027.0	soft	510 mm	natural	1 piece(s)		Soft disc brush (natural, 510 mm) for cleaning and polishing. Bristles: Union Burnish Mixture; 0.6 mm thick, 41 mm long.	<input type="checkbox"/>
	3	4.905-026.0	medium	510 mm	red	1 piece(s)		Disc brush, medium-hard, red, 510 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.	<input type="checkbox"/>
	4	4.905-029.0	hard	510 mm	black	1 piece(s)		Disc brush, hard, black, 510 mm diameter. For stubborn dirt and basic cleaning. Only for insensitive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	<input type="checkbox"/>
	5	4.905-011.0	very soft	355 mm	White	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing.	<input type="checkbox"/>
	6	4.905-012.0	soft	355 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing.	<input type="checkbox"/>
	7	4.905-010.0	medium	355 mm	red	1 piece(s)		Disc brush, medium-hard, red, 355 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.	<input type="checkbox"/>
	8	4.905-013.0	hard	355 mm	black	1 piece(s)		Disc brush, hard, black, 355 mm diameter. For stubborn dirt and basic cleaning. Only for insensitive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	<input type="checkbox"/>
	9	4.905-015.0	very soft	300 mm	White	1 piece(s)		For cleaning sensitive floors and polishing.	<input type="checkbox"/>
	10	4.905-016.0	soft	300 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 55.	<input type="checkbox"/>
	11	4.905-014.0	medium	300 mm	red	1 piece(s)		Disc brush, medium-hard, red, 300 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.	<input type="checkbox"/>
	12	4.905-017.0	hard	300 mm	black	1 piece(s)		Disc brush, hard, black, 300 mm diameter. For stubborn dirt and basic cleaning. Only for insensitive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2

**KÄRCHER**



		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Microfibre pad</b>									
Microfibre pad	1	6.371-271.0	microfibre	508 mm	White	5 piece(s)		Excellent cleaning power. Also effectively cleans fine stoneware tiles.	<input type="checkbox"/>
	2	6.369-959.0	microfibre	356 mm	White	5 piece(s)		5 microfibre pads, white With centre hole, 356 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65.	<input type="checkbox"/>
<b>Pads</b>									
Pad	3	6.371-000.0	medium-soft	650 mm	red	5 piece(s)		Medium-hard pad (650 x 300 mm) in red version for cleaning all floors in combination with the S 65 head.	<input type="checkbox"/>
	4	4.642-025.0	hard	650 mm	brown	5 piece(s)		Tough, brown pad (650 x 300 mm) including Velcro fastener. For restoring shine in combination with the S 65 head. Only for insensitive surfaces.	<input type="checkbox"/>
	5	6.369-079.0	medium-soft	508 mm	red	5 piece(s)		Medium soft, for wet-cleaning of all surfaces and for spray cleaning.	<input type="checkbox"/>
	6	6.369-078.0	medium-hard	508 mm	green	5 piece(s)		Medium hard, for cleaning stubborn soiling and for deep cleaning.	<input type="checkbox"/>
	7	6.369-077.0	hard	508 mm	black	5 piece(s)		Hard, for persistent soiling and for deep cleaning.	<input type="checkbox"/>
	8	6.371-149.0	soft	432 mm	beige / natural	5 piece(s)		With natural hair, for polishing. Effectively removes scuff marks.	<input type="checkbox"/>
	9	6.369-002.0	medium-hard	356 mm	green	5 piece(s)		5 pads, medium-hard, green, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	<input type="checkbox"/>
	10	6.369-001.0	hard	356 mm	black	5 piece(s)		5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	<input type="checkbox"/>
	11	6.371-153.0	medium-soft	280 mm	red	5 piece(s)		5 pads, medium-soft, red, 280 mm diameter. For cleaning all floors. Suitable for, e.g. D 55.	<input type="checkbox"/>
	12	6.371-154.0	medium-hard	280 mm	green	5 piece(s)		5 pads, medium-hard, green, 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	<input type="checkbox"/>
	13	6.371-155.0	hard	280 mm	black	5 piece(s)		5 pads, hard, black, 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	<input type="checkbox"/>
<b>Pad drive board</b>									
Pad drive board STRONG	14	4.762-590.0		335 mm		1 piece(s)		Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 65. 2 pc. required.	<input type="checkbox"/>
Pad drive board	15	4.762-534.0		479 mm		1 piece(s)		For cleaning with pads. With quick-change coupling and Centerlock.	<input type="checkbox"/>
	16	4.762-446.0		335 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	<input type="checkbox"/>
	17	4.762-445.0		280 mm		1 piece(s)		Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2




		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Diamond pad</b>									
Diamond pad	18	6.371-260.0	coarse	508 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
	19	6.371-261.0	medium	508 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	20	6.371-240.0	fine	508 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	21	6.371-250.0	coarse	356 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
	22	6.371-251.0	medium	356 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	23	6.371-235.0	fine	356 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	24	6.371-246.0	coarse	280 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
	25	6.371-247.0	medium	280 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad.	<input type="checkbox"/>
	26	6.371-233.0	fine	280 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2





		Order no.	Length	Colour	Quantity	Price	Description	
<b>Squeegees for suction bars</b>								
Suction lips	1	6.273-207.0	890 mm	transparent	2 -part		Standard, grooved, oil-resistant.	<input type="checkbox"/>
	2	6.273-229.0	890 mm	transparent	2 -part		Slotted, oil-resistant, polyurethane, for sensitive floors.	<input type="checkbox"/>
	3	6.273-290.0	890 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	<input type="checkbox"/>
	4	6.273-213.0	890 mm	blue	2 -part		Fluted, standard, natural rubber.	<input type="checkbox"/>
Suction lips for V-squeegee	5	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	<input type="checkbox"/>
<b>Squeegee, complete</b>								
V-squeegee	6	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm-long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2



		Order no.					Price	Description	
<b>Brush heads</b>									
Floor head S 65	1	2.763-030.0						Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	<input type="checkbox"/>
Connection kit S 65	2	4.036-063.0						Connection kit for connecting the S 65 floor head to the new generation of B 60 W and B 80 W.	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.



# B 60 W

## 1.384-020.2



		Order no.	Length	Diameter	Quantity	Price	Description	
<b>Other attachment kits</b>								
Suction hose accessories	1	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
Auto-Fill	2	4.035-345.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	<input type="checkbox"/>
<b>Spray extraction mounting kit</b>								
Spray suction attachment kit	3	2.642-833.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2



		<b>Order no.</b>	<b>Quantity</b>	<b>Battery voltage</b>	<b>Battery capacity</b>	<b>Battery type</b>	<b>Price</b>	<b>Description</b>	
<b>Battery and charger kits</b>									
Quick charger set V 24 V / 164 Ah	1	2.642-558.0	1 piece(s)	24 V	164 Ah	Maintenance-free		Battery set with maintenance-free batteries, connection cable and charger. Designed for quick interim charges with a charging time of < 3 h. Ideal for multiple shift operation.	<input type="checkbox"/>
<b>Accessories for batteries</b>									
Spacer	2	4.642-019.0	1 piece(s)					Fits quick charger set 2.642-558.0. Prevents the battery from slipping into the machine.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

# B 60 W

## 1.384-020.2



		Order no.	Quantity	ID	Width	Length	Price	Description	
<b>Other</b>									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	<input type="checkbox"/>

■ Included in the scope of supply.    □ Available accessories.