

Spare parts list

(1.783-200.0) BR 30/4 *EU


Table of contents

BR 30/4 *EU (1.783-200.0)	3
4 Spare parts list BR 30/4 C (5.970-925.0)	4
10 Housing	5
11 Covering cap housing replacement (4.033-162.0)	9
20 Tank	11
6 Fresh water tank (5.033-754.0)	13
8 Fuel tank filler cap replacement (4.033-749.0)	15
10 Float replacement (4.033-750.0)	17
30 Turbine	19
40 Brush-head	21
12 Brush roll orange accessories 300 mm (2.642-661.0)	25
10 Brush roll complete orange 300 mm (4.762-484.0)	26
12 Brush roll complete middle rot 300 mm (4.762-005.0)	28
12 Brush roll complete white 300 mm (4.762-452.0)	30
12 Roll micro-fibre complete (4.762-453.0)	32
25 Suction bar complete replacement Silikon (4.777-008.0)	34
25 Suction bar complete oil resistant 300 (4.777-324.0)	36
9015 Pad roll complete (4.762-668.0)	38
10 Pad roll	40
50 Add-on kit carpet cleaning	42
2 Brush roll complete soft blau 300 mm (4.762-499.0)	44

POS	Article no.	Description	Quantity	Unit
4	5.970-925.0	Spare parts list BR 30/4 C	1	PC

4 Spare parts list BR 30/4 C (5.970-925.0)

POS	Description	Quantity	Unit
50	Add-on kit carpet cleaning	1	PC
40	Brush-head	1	PC
10	Housing	1	PC
20	Tank	1	PC
30	Turbine	1	PC



10 Housing


POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
45	4.250-079.0	BEARING SHELL kpl.	2	PC		
42	4.822-540.0	Cable harness BR 30/4 C	1	PC		
7	5.044-661.0	Catch for cable yellow	1	PC		
28	6.903-241.0	Clamp clip	3	PC		
30	5.041-111.0	Clip accessories	2	PC		
	Item text1: /1.783-205.0					
10	5.033-175.0	Covering cap cable	1	PC		
11	4.033-162.0	Covering cap housing replacement	1	PC		
20	6.682-974.0	Distribution circuit board BR 30/4 C	1	PC		
25	5.033-174.0	Flap ventilation	1	PC		
43	5.033-952.0	Form hose fresh water BR 30/4	1	PC		
22	5.033-190.0	Funnel valve	1	PC		
47	5.033-265.0	Guide cap of a tank	1	PC		
4	4.033-170.0	Handhold complete replacement	1	PC		
5	5.033-228.0	Handle Alu	1	PC		
29	4.033-227.0	Hand tube replacement	1	PC		VERSION 2
	Item text1: /1.783-205.0					
41	6.388-701.0	Hose clip with insert 13,3	1	PC		
12	5.033-172.0	Housing	1	PC		
37	6.303-122.0	M4 .2X13 DIN 7981 TORX T15 PAN HD 6 HI/LO	6	PC		
	Item text1: successor of 9.760-120.0					
24	5.033-173.0	Motor housing	1	PC		
23	6.362-604.0	O-Ring seal 27,0 X 3,0	1	PC		
8	5.033-196.0	Plug handle	1	PC		
13	6.649-514.0	Power cable 10m *EU	1	PC	*EU	
	Item text1: /1.783-200.0 / -205.0 / -211.0 / -213.0					
13	6.649-658.0	Power cable 10m *JP 50Hz	1	PC	*JP	
	Item text1: /1.783-203.0 / -204.0					
13	6.649-600.0	Power cable 10m *USA	1	PC	*US	
	Item text1: /1.783-202.0					
13	6.649-770.0	Power cable 12m *GB	1	PC	*GB	
	Item text1: /1.783-207.0					

10 Housing

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
40	7.303-102.0	Screw 3,5x12 -A2-70-bk (In6Rd)	2	PC		
21	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	5	PC		
9	7.303-107.0	Screw 5x16-10.9-P2R (K-In6Rd)	2	PC		
2	7.303-212.0	Screw 5x20-A2-70 (K-In6Rd)	1	PC		
35	7.303-086.0	Screw 5x30-10.9-R2R (K-In6Rd)	2	PC		
34	7.303-268.0	Screw 5x30-A2-70 (K-In6Rd)	3	PC		
3	7.303-118.0	Screw 5x40-A2-70 (In6Rd)	5	PC		
36	6.303-100.0	Screw 5x65 (Kombi-IN6RD)	2	PC		
37	9.760-120.0	Screw d.4,2x13 (9.086-192)	6	PC		
38	7.303-030.0	Screw M4x8 -St-P2R (In6Rd)	1	PC		
	Item text1: successor of 7.303-319.0					
38	7.303-319.0	Screw M4x8-St-flZnncTlx240hx (In6Rd)	1	PC		
	Item text1: replaced by 7.303-030.0					
16	5.363-688.0	Sealing lip SWT-SL-SB	1	PC		
19	5.363-687.0	Sealing lip SWT-SL-T	1	PC		
27	5.363-689.0	Sealing lip vac motor SL	1	PC		
49	4.035-624.0	Sealing tape set for replacement 3x	1	PC		
39	7.312-230.0	Serrated lock washer A4,3-FSt-A3E DIN67	1	PC		
14	5.407-115.0	Sleeve suction tube	1	PC		YELLOW
14	5.407-135.0	Sleeve suction tube qusty grey	1	PC		GREY
6	5.033-195.0	Spring handle	2	PC		
46	5.033-905.0	Strainer fresh water	1	PC		
31	6.000-011.0	Suction brush DN35	1	PC		
	Item text1: /1.783-205.0					
32	6.391-725.0	Suction hose DN32 - 370mm	1	PC		VERSION 2
	Item text1: /1.783-205.0					
33	5.033-237.0	Suction pipe sleeve tank	1	PC		VERSION 2
	Item text1: /1.783-205.0					
15	5.033-179.0	Suction pipe tank	1	PC		VERSION 1
	Item text1: /1.783-200.0 / -202.0 / -203.0 / -204.0					
	Item text2: / -211.0					
17	5.033-178.0	Suction pipe turbine	1	PC		


10 Housing

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
18	6.630-385.0	Switch	1	PC		VERSION 1
18	6.632-060.0	Switch two-pole on/off	1	PC		VERSION 2
1	6.632-061.0	Switch two-pole water	1	PC		
48	7.312-026.0	Washer 6 -A2 ISO 7089	2	PC		
Item text1: successor of 6.614-022.0						




11 Covering cap housing replacement (4.033-162.0)

POS	Article no.	Description	Quantity	Unit
30	7.303-107.0	Screw 5x16-10.9-P2R (K-In6Rd)	2	PC
31	7.312-026.0	Washer 6 -A2 ISO 7089	2	PC
Item text1: successor of 6.614-022.0				




20 Tank

POS	Article no.	Description	Quantity	Unit	Foot note text
5	5.033-183.0	Carrier handle tank black	1	PC	BLACK
5	5.033-598.0	Carrier handle tank yellow	1	PC	YELLOW
1	5.033-181.0	Cover waste water tank	1	PC	
10	4.033-750.0	Float replacement	1	PC	
6	5.033-754.0	Fresh water tank	1	PC	GREY
8	4.033-187.0	Fuel tank filler cap replacement	1	PC	BLACK
8	4.033-749.0	Fuel tank filler cap replacement	1	PC	YELLOW
7	5.033-748.0	Notch fresh water tank	1	PC	YELLOW
12	6.343-149.0	Quick-fastener	1	PC	
4	7.303-107.0	Screw 5x16-10.9-P2R (K-In6Rd)	2	PC	
2	5.363-711.0	Seal cover tank SW	1	PC	
9	5.363-702.0	Seal float	1	PC	
3	7.777-999.0	Stockpiling discontinued	1	PC	YELLOW
6	7.777-999.0	Stockpiling discontinued	1	PC	YELLOW
11	4.190-029.0	Valve fresh water tank BR 30/4	1	PC	
3	5.033-747.0	Waste water tank	1	PC	GREY




6 Fresh water tank (5.033-754.0)

POS	Article no.	Description	Quantity	Unit
4	5.385-562.0	Label logo glued L Prof	1	PC



8 Fuel tank filler cap replacement (4.033-749.0)


POS	Article no.	Description	Quantity	Unit
30	6.414-896.0	Ventilating valve	1	PC



40


10 Float replacement (4.033-750.0)

POS	Article no.	Description	Quantity	Unit
40	6.343-149.0	Quick-fastener	1	PC



30 Turbine

POS	Article no.	Description	Quantity	Unit
4	6.648-064.0	Cable bushing	1	PC
2	4.033-176.0	Cover enclosure replacement	1	PC
10	5.033-176.0	Enclosure motor	1	PC
6	5.033-194.0	Flanged pulley pinion	1	PC
8	7.311-431.0	Hexagon nut M5-1.4305 DIN 985	1	PC
7	5.033-263.0	Motor pinion z13 M3	1	PC
11	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	4	PC
12	5.363-725.0	Seal enclosure	1	PC
9	4.363-690.0	Set of gaskets	1	PC
5	4.490-231.0	Turbine set EU	1	PC
	Item text1: /1.783-200.0 / -205.0 / -207.0 / -211.0			
	Item text2: / -213.0			
5	4.490-244.0	Turbine set JP	1	PC
	Item text1: /1.783-203.0 / -204.0			
5	4.490-243.0	Turbine set USA	1	PC
	Item text1: /1.783-202.0			



40 Brush-head

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
20	3.763-098.0	Assembly group brushes drive	1	PC		
12	4.762-005.0	Brush roll complete middle rot 300 mm	1	PC		
12	4.762-452.0	Brush roll complete white 300 mm	1	PC		
12	2.642-661.0	Brush roll orange accessories 300 mm	1	PC		
26	4.033-202.0	Bumper replacement	1	PC		
49	5.112-863.0	Bush	2	PC		VERSION 2
43	5.033-269.0	Cap coupler	1	PC		
38	7.303-269.0	Countersunk screw 4x20 -A2-70 (In6Rd)	2	PC		
14	5.033-222.0	Coupler clamp block	2	PC		
40	4.470-043.0	Coupler complete	1	PC		
1	5.033-755.0	Covering cap brush-head	1	PC		GREY
9	5.033-238.0	Covering cap plate switch	1	PC		
18	5.033-223.0	cover retainer transmission	1	PC		
8	4.481-000.0	Foot pedal complete only for replacement	1	PC		BLACK
52	5.033-952.0	Form hose fresh water BR 30/4	1	PC		
30	5.363-698.0	HOSE NOZZLE	1	PC		
11	5.033-200.0	Housing brush-head	1	PC		
21	7.343-001.0	Locking ring 10x1-Rf-St DIN 471	1	PC		
9015	4.762-668.0	Pad roll complete	1	PC		
8	4.481-291.0	Pedal complete only for replacement	1	PC		YELLOW
27	5.033-225.0	Pedal suction bar	1	PC		
46	5.033-279.0	Pin snap-fit wheel	2	PC		VERSION 2
48	5.038-180.0	Plain bearing with collar	2	PC		VERSION 2
42	4.470-040.0	Pressure roller complete	1	PC		
6	6.473-536.0	Pump *JP 50 Hz	1	PC		
	Item text1: /1.783-203.0 / -222.0					
6	6.473-522.0	Pump 50-60 Hz	1	PC		
	Item text1: /1.783-200.0 / -205.0 / -207.0 / -211.0					
	Item text2: / -213.0					
6	6.473-535.0	Pump 60 Hz	1	PC		
	Item text1: /1.783-202.0 / -204.0 / -206.0 / -221.0					

40 Brush-head


POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
36	6.343-224.0	Quick-fastener	2	PC		VERSION 1
31	5.034-826.0	Retaining bracket height adjustment	1	PC		
29	5.034-803.0	Retaining bracket suction bar	1	PC		
41	5.009-415.0	Retaining plate brush	1	PC		
22	4.880-058.0	Roller set	1	PC		
12	4.762-453.0	Roll micro-fibre complete	1	PC		
3	5.363-694.0	rubber pump	2	PC		
10	7.303-026.0	Screw 4x16-A2-70 (K-In6Rd)	6	PC		
15	7.303-096.0	Screw 4x22-ST-10.9-R2R (IN6RD)	4	PC		
39	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	2	PC		
17	7.303-212.0	Screw 5x20-A2-70 (K-In6Rd)	3	PC		
37	7.303-268.0	Screw 5x30-A2-70 (K-In6Rd)	12	PC		
35	7.306-181.0	Screw M5x12-A2-70 (In6Rd)	2	PC		VERSION 1
19	5.363-713.0	Seal Lagerdeckel	1	PC		
44	6.273-037.0	Seal string cellular rubber 3	0,5	m		TO ORDER AS CUT GOODS
47	5.033-208.0	Snap-fit wheel	2	PC		VERSION 2
23	5.332-952.0	Spring	4	PC		
1	7.777-999.0	Stockpiling discontinued	1	PC		YELLOW
33	6.647-513.0	Strain relief	2	ZST		
28	5.190-255.0	Strip water distributor	1	PC		
25	4.777-324.0	Suction bar complete oil resistant 300	2	PC		
25	4.777-008.0	Suction bar complete replacement Silikon	2	PC		
7	5.033-207.0	Suction channel brush-head	1	PC		
5	5.033-258.0	Suction channel top part	1	PC		
55	6.391-724.0	Suction hose DN32 -130mm	1	PC		
45	5.033-230.0	Thread deflector	1	PC		
16	4.348-450.0	Toothed belt set	1	PC		
34	5.100-591.0	Washer wheel	2	PC		VERSION 1
24	5.033-224.0	Web suction bar	2	PC		
32	5.515-069.0	Wheel	1	PC		
4	5.515-322.0	Wheel D121	2	PC		VERSION 1
50	5.515-366.0	Wheel D121	2	PC	VERSION 2	GREY

40 Brush-head

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
2	5.100-590.0	Wheel stud	2	PC		VERSION 1


12 Brush roll orange accessories 300 mm (2.642-661.0)

POS	Article no.	Description	Quantity	Unit
10	4.762-484.0	Brush roll complete orange 300 mm	1	PC




10 Brush roll complete orange 300 mm (4.762-484.0)

POS	Article no.	Description	Quantity	Unit
10	5.332-082.0	Helical spring	1	PC
20	5.033-230.0	Thread deflector	1	PC




12 Brush roll complete middle rot 300 mm (4.762-005.0)

POS	Article no.	Description	Quantity	Unit
10	5.332-082.0	Helical spring	1	PC
20	5.033-230.0	Thread deflector	1	PC




12 Brush roll complete white 300 mm (4.762-452.0)

POS	Article no.	Description	Quantity	Unit
10	5.332-082.0	Helical spring	1	PC
20	5.033-230.0	Thread deflector	1	PC




12 Roll micro-fibre complete (4.762-453.0)

POS	Article no.	Description	Quantity	Unit
10	5.332-082.0	Helical spring	1	PC
20	5.033-230.0	Thread deflector	1	PC




25 Suction bar complete replacement Silikon (4.777-008.0)

POS	Article no.	Description	Quantity	Unit
30	5.033-199.0	Clip suction bar	1	PC




25 Suction bar complete oil resistant 300 (4.777-324.0)

POS	Article no.	Description	Quantity	Unit
30	5.033-199.0	Clip suction bar	1	PC




9015 Pad roll complete (4.762-668.0)

POS	Article no.	Description	Quantity	Unit
10		Pad roll	1	PC
9510	6.371-360.0	Roller pad hard green 58-20ST	1	ZSA
9500	6.371-359.0	Roller pad middle red 58-24ST	1	ZSA
20	5.033-230.0	Thread deflector	1	PC




10 Pad roll

POS	Article no.	Description	Quantity	Unit
30	7.401-149.0	Ball bearing 608-2RS -Wälzl.St DIN 625	1	PC
50	5.332-082.0	Helical spring	1	PC



50 Add-on kit carpet cleaning

POS	Article no.	Description	Quantity	Unit
1	2.783-005.0	Add-on kit carpet cleaning BR 30/4 C	1	PC
2	4.762-499.0	Brush roll complete soft blau 300 mm	1	PC
3	5.033-275.0	Suction bar carpet cleaning	1	PC



2 Brush roll complete soft blau 300 mm (4.762-499.0)

POS	Article no.	Description	Quantity	Unit
10	5.332-082.0	Helical spring	1	PC
20	5.033-230.0	Thread deflector	1	PC