

Revision: 23.01.2015

Printing date 24.01.2015

Version number 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: RM 803 ASF NTA-free
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Process category PROC11 Non industrial spraying
- · Environmental release category

ERC8a Wide dispersive indoor use of processing aids in open systems ERC8d Wide dispersive outdoor use of processing aids in open systems

- · Application of the substance / the mixture High pressure cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher GmbH & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden

Postfach 160

D - 71349 Winnenden

Tel.: +49-7195-14-0 *Fax:* +49-7195-14-2212

www.karcher.com

· Further information obtainable from:

Department PDE-D Tel.: +49-7195-14-2398 Fax: +49-7195-14-3164 safetydata@karcher.com

· 1.4 Emergency telephone number: Tel.: 0049 30 30686 790 Giftnotruf Berlin

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC C; Corrosive

R34: Causes burns.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)



Printing date 24.01.2015 Version number 4 Revision: 23.01.2015

Trade name: RM 803 ASF NTA-free

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to EU guidelines:

The product has been marked in accordance with EU Directives / respective national laws.

· Code letter and hazard designation of product:



C Corrosive

· Hazard-determining components of labelling:

sodium hydroxide

· Risk phrases:

34 Causes burns.

· Safety phrases:

1/2 Keep locked up and out of the reach of children.

23 Do not breathe vapour/spray.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

28 After contact with skin, wash immediately with plenty of water.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

51 Use only in well-ventilated areas.

This material and its container must be disposed of as hazardous waste.

· 2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description:

Mixture of substances listed below with non-hazardous additions.

Cleaning agent

· Dangerous components:

Reg.nr.: 02-2119552461-55-XXXX 📀 Eye Dam. 1, H318; 🗘 Acute Tox. 4, H302

3,0-10%

(Contd. on page 3)



Printing date 24.01.2015 Version number 4 Revision: 23.01.2015

Trade name: RM 803 ASF NTA-free

	,	ntd. of page 2
CAS: 68411-31-4	triethanolammonium C10C13-alkylbenzene sulfonate	3,0-10%
EINECS: 270-116-6	X Xi R38-41	
Reg.nr.: 01-2119971970-28-XXXX	Eye Dam. 1, H318; 🕠 Skin Irrit. 2, H315	1
CAS: 15763-76-5	sodium p-cumenesulphonate	3,0-10%
EINECS: 239-854-6	★ Xi R36	
Reg.nr.: 01-2119489411-37-XXXX		1
CAS: 1310-73-2	sodium hydroxide	< 0,5%
EINECS: 215-185-5	<u>₽</u> C R35	
Index number: 011-002-00-6	Met. Corr.1, H290; Skin Corr. 1A, H314	1
Reg.nr.: 02-2119752469-26-XXXX		
· Regulation (EC) No 648/2004 on d	etergents / Labelling for contents	
non-ionic surfactants		5 - 15%
anionic surfactants		< 5%

· Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

· After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed Corneal damage
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

 $No\ further\ relevant\ information\ available.$

(Contd. on page 4)



Printing date 24.01.2015 Version number 4 Revision: 23.01.2015

Trade name: RM 803 ASF NTA-free

(Contd. of page 3)

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

Keep receptacle tightly sealed.

- · Storage class VCI-storage class: 8B not flammable corrosive substances
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 5)



Printing date 24.01.2015 Version number 4 Revision: 23.01.2015

Trade name: RM 803 ASF NTA-free

(Contd. of page 4)

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Respiratory protection:

Short term filter device:

Filter A/P2.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

· Protection of hands:



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · For the permanent contact gloves made of the following materials are suitable:
- * butyl rubber 0,7 mm, 480 min
- $\cdot \textit{As protection from splashes gloves made of the following materials are suitable:} \\$
- * nitril rubber 0,4 mm, 30 min
- · Eye protection:



Tightly sealed goggles.

· Body protection:

Apron Boots

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:

Fluid

Colour:

Light yellow

· Odour: · Odour threshold: Fruit-like Not determined.

· pH-value at 20 °C:

12,9

(Contd. on page 6)



Printing date 24.01.2015 Version number 4 Revision: 23.01.2015

Trade name: RM 803 ASF NTA-free

	(Contd. of pa
pH-value 1 %:	10
Change in condition	
Melting point/Melting range:	-7 °C
Boiling point/Boiling range:	100 °C
Flash point:	> 100 °C
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1,118 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient (n-octanol/	water): Not determined.
Viscosity:	
dynamic at 20 °C:	13,5 mPas
kinematic:	Not determined.
Solvent content:	
Organic solvents:	0,0 %
VOC (EC)	0,00 %
Solids content:	27,6 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with light alloys to form hydrogen

Corrodes aluminium

Reacts with acids

(Contd. on page 7)



Printing date 24.01.2015 Version number 4 Revision: 23.01.2015

Trade name: RM 803 ASF NTA-free

(Contd. of page 6)

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

Tiome towns.		
· LD/LC50 values relevant for classification:		
69011-36-5 isotridecanolethoxylate + 8 EO		
Oral	ATE	500 mg/kg (Rat)
68411-31-4 triethanolammonium C10C13-alkylbenzene sulfonate		
		> 2000 mg/kg (can) (OECD 402)
Inhalative	LC50	> 2000 mg/kg (Rat) (OECD 401)
15763-76-5 sodium p-cumenesulphonate		
		> 2000 mg/kg (can)
Inhalative	LC50	> 2000 mg/kg (Rat) (OECD 401)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

69011-36-5 i	sotridecanolethoxylate + 8 EO
EC50/48 h	1 - 10 mg/l (Aquatic invertebrates)
EC50/72 h	1 - 10 mg/l (Aquatic plants)
LC50/96 h	1 - 10 mg/l (Leuciscus idus)
15763-76-5 s	odium p-cumenesulphonate
EC50/48 h	> 100 mg/l (Daphnia magna)
EC50/96 h	> 100 mg/l (Algae)
LC50	> 5 mg/l (Rat) (232 min)
LC50/96 h	> 100 mg/l (Oncorhynchus mykiss)
	(Contd. on page



Printing date 24.01.2015 Version number 4 Revision: 23.01.2015

Trade name: RM 803 ASF NTA-free

1310-73-2 soc	1310-73-2 sodium hydroxide (Contd. of page 7	
EC50/15 min	22 mg/l (Photobacterium phosphoreum)	
EC50/48 h	76 mg/l (Daphnia magna)	
LC50/96 h	125 mg/l (Gambusia affinis)	

· 12.2 Persistence and degradability

69011-36-5 isotridecanolethoxylate + 8 EO

Bismuth-act. sup. $\geq 90 \%$ (-) (mod. OECD 301 E)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · CSB-value: 760000 mg/l
- · General notes:

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

In compliance with the prescribed application parameters, the product does not lead to stable emulsions.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

· European waste catalogue

07 06 01* aqueous washing liquids and mother liquors

(Contd. on page 9)



Printing date 24.01.2015 Version number 4 Revision: 23.01.2015

Trade name: RM 803 ASF NTA-free

(Contd. of page 8)

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Non contaminated packagings may be recycled.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
14.1 UN-Number ADR, IMDG, IATA	UN1824
ADK, IMDG, IATA	UN1024
14.2 UN proper shipping name	
ADR	1824 SODIUM HYDROXIDE SOLUTION
IMDG, IATA	SODIUM HYDROXIDE SOLUTION
14.3 Transport hazard class(es)	
ADR	
U. De	
Class	8 (C5) Corrosive substances.
Label	8
IMDC IATA	
IMDG, IATA	
F3.	
Class	8 Corrosive substances.
Label	8
14.4 D. 11	
14.4 Packing group	III
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F- A , S - B
Segregation groups	Alkalis
14.7 Transport in bulk according to Anne	x II of
MARPOL73/78 and the IBC Code	Not applicable.



Printing date 24.01.2015 Version number 4 Revision: 23.01.2015

Trade name: RM 803 ASF NTA-free

· Transport/Additional information:	(Contd. of page 9
:	
· ADR	51
· Limited quantities (LQ)	<i>5L</i>
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000
	ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000
	ml

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

R22 Harmful if swallowed.

R35 Causes severe burns.

R36 Irritating to eyes.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

· Department issuing MSDS: PDE-D

(Contd. on page 11)



(Contd. of page 10)

Printing date 24.01.2015 Version number 4 Revision: 23.01.2015

Trade name: RM 803 ASF NTA-free

· Contact:

Department PDE-D Tel.: +49-7195-14-2398 Fax: +49-7195-14-3164 safetydata@karcher.com

 \cdot * Data compared to the previous version altered.

0.011-587.0 / RM 803/12+14 / 1.615

EU