

# HD 6/14 P B

#### Overview



Order no. 1.810-201.0

#### Standard accessories

Trigger gun Easy Press, High-pressure hose 15m, Spray lance 1050mm, Triple nozzle (0°/25°/40°) Manual, Stainless steel spray lance 1050mm

Technical data	
Pressure bar/MPa	140/14
Water flow rate I/h	640
Engine Manufacturer	Honda
Power rating Motor kW/hp	4/5,5
Engine type	GX 160/petrol
Max. Water feed temperature °C	60
Weight kg	53
Dimensions (L x W x H) mm	950x540x640

## **Absperrhahn**

#### **Shut-off cock**

Order no. 4.580-160.0



## Adapter für Druckregelstrahlrohr

## Adapter for variable pressure spray lance

For items 9, 10, for mounting accessories to lance, M  $24/18 \times 1.5$  Order no. 4.762-075.0





# HD 6/14 P B

#### Boron carbide nozzle

#### Boron carbide nozzle

(In addition to nozzle packs. Very wear-resistant nozzle for continuous-duty operation.)

Order no. 6.415-084.0



#### Dirt Blaster, changeover

#### Dirt Blaster, changeover

changeover to high-pressure fan jet Order no. 4.763-955.0



## **Easy Foam Set**

#### **Easy Foam Set**

Complete, ready-to-use HP foam system for use with. HD/HDS units for cleaning and disinfecting. Foam nozzle for connection to lance and HP chemical injector with precision 0-5% metering valve.

Order no. 2.640-691.0



## Easy Press Trigger gun

#### Easy Press high-pressure gun with soft grip insert

Easy Press trigger gun, integral Order no. 4.775-463.0



#### Fine mesh water filter

#### Fine mesh water filter

Mounted to machine inlet, 80 øm Order no. 4.730-102.0





# HD 6/14 P B

#### Fine mesh water filter

Mounts to machine inlet 150 øm Order no. 2.638-270.0



#### Fine mesh water filter

Mounted to machine inlet, 140 øm Order no. 2.637-691.0



## Flächenreiniger FR 30 ME

#### Surface cleaner, 300 mm diameter

A rotating nozzle beam with Kärcher Power nozzles has an area coverage up to 10 times larger than conventional methods. Stainless steel version. Ceramic bearings. Integral vacuum connection.

Order no. 2.640-355.0



## Foam nozzle mounting kit

#### **Anbausatz Schaumdüse**

For applying foam detergent in metered quantities in sanitary and food areas, or where long reaction time is necessary, mounts to spray lance in place of HP nozzle



Order no. 2.637-926.0

## **Geka coupling**

## Geka coupling

with hose liner Order no. 6.388-461.0



#### Geka coupling

with female thread Order no. 6.388-458.0





## HD 6/14 P B

## Geka coupling

with hose liner Order no. 6.388-455.0



#### **High pressure hoses**

# High-pressure hose, 20 m, DN 8, PN 160 bar, AVS gun connectionm,

Food industry version, AVS connection in trigger gun grey ID 8/155°C/160 bar Order no. 6.390-705.0



# High-pressure hose, 10 m, DN 8, PN 160 bar, AVS gun connectionm,

Food industry version, AVS connection in trigger gun grey ID 8/155°C/160 bar Order no. 6.390-704.0



## **High-pressure hose**

Food industry version, AVS connection in trigger gun grey ID 6/155 °C/230 bar Order no. 6.390-445.0



#### High-pressure hose 20 m, DN 8, AVS gun connection

Longlife 400 with patented AVS connection in trigger gun (pivot mounted) ID 8/155°C/400 bar Order no. 6.390-208.0



#### High-pressure hose 15 m, DN 8, AVS gun connection

With patented AVS connection in trigger gun (pivot mounted ) and hand screw union. M22x1.5 with anti-kink protection ID 8/155°C/315 bar Order no. 6.390-185.0



#### **High-pressure hose**

With patented AVS connection in trigger gun (pivot mounted ) and hand screw union. M22x1.5 with anti-kink protection ID 6/155°C/250 bar Order no. 6.390-174.0





## HD 6/14 P B

## High-pressure hose 20 m, DN 8, AVS gun connection

With patented AVS connection in trigger gun (pivot mounted ) and hand screw union. M22x1.5 with anti-kink protection ID 8/155 °C/315 bar Order no. 6.390-171.0



## High-pressure hose 20 m, DN 8, PN 200 bar

With M 22x1.5 union at both ends and anti-kink protection ID 8/155°C/315 bar Order no. 6.390-031.0



## High-pressure hose 20 m, DN 10, PN 400 bar, Longlife, extension

Longlife 400, With rotary coupling 2 x M22 x 1.5, ID 8/155°C/400 bar Order no. 6.390-027.0



## High-pressure hose 10 m, DN 10, PN 400 bar, Longlife, extension

Longlife 400, Without rotary coupling 2 x M22 x 1.5, ID 8/155°C/400 bar Order no. 6.390-026.0



#### High-pressure hose 10 m, DN 8, AVS gun connection

With patented AVS connection in trigger gun (pivot mounted ) and hand screw union. M22x1.5 with anti-kink protection ID 8/155  $^{\circ}$ C/315 bar Order no. 6.390-025.0



#### **High-pressure hose**

With M 22x1.5 union at both ends and anti-kink protection ID 10/155  $^{\circ}$ C/220 bar

Order no. 6.390-023.0



#### High-pressure hose, 15 m, DN 8, 315 bar, extension

With M 22x1.5 union at both ends and anti-kink protection ID 8/155 °C/315 bar Order no. 6.390-010.0



#### High-pressure hose 10 m, DN 8, PN 315 bar, extension

With M 22x1.5 union at both ends and anti-kink protection ID 8/155°C/315 bar Order no. 6.389-891.0





## HD 6/14 P B

## High-pressure hose 10 m, DN 8, AVS gun connection, longlife

Longlife 400 with patented AVS connection in trigger gun (pivot mounted) ID 8/155 °C/400 bar Order no. 6.389-856.0



# High-pressure hose, 20 m, DN 8, PN 180 bar, food version, extension

Food industry version with M 22x1.5 union at both ends, anti-kink protection, ID 8, with rotary coupling, for food industry, up to 230 bar Order no. 6.389-581.0



## High-pressure hose, 10 m, DN 8, extension, food version

Food industry version with M 22x1.5 union at both ends, anti-kink protection, ID 8, with rotary coupling, for food industry, up to 230 bar Order no. 6.389-479.0



## High-pressure hose, 10 m, DN 8, incl. swivelling joint

Longlife 400, With rotary coupling 2 x M22 x 1.5, ID 8/155°C/400 bar Order no. 6.388-083.0



#### Hose reel mounting kit

#### Hose reel mounting kit

Order no. 2.637-880.0



#### **HP** detergent injector

#### HP detergent injector

Adds up to 5% detergent in high-pressure mode Order no. 3.637-170.0






## HD 6/14 P B

#### **Inno Foam Set**

#### Inno Foam Set

Complete, ready-to-use HP foam system for use with mobile and stationary HD/HDS units for cleaning and disinfection. Twin spray lance with foam nozzle and changeover to HP jet for clear rinsing etc., HP chemical injector with precision 0-5% metering valve.



Order no. 2.640-151.0



#### **Installationsmaterial**

## **Rotating joint**

Reliably prvents HP hose twisting. M 22x1.5 connection with protector Order no. 4.401-076.0



## Kugeldüsenträger

#### Rollover nozzle holder

Changes from solid to fan jet with flick of the wrist. Knurled nut for changeover to low pressure chemical intake, without nozzles (order Kärcher Power nozzle separately)

Order no. 4.764-012.0



#### **Kupplung**

#### Double pipe union

For connecting and extending HP hoses. 2 x M22 x 1,5 connections, brass with rubber protector

Order no. 4.403-002.0



#### Machine-specific nozzle kit

## Machine-specific nozzle kit

detergent injector + HP nozzle + union Order no. 4.769-045.0





## HD 6/14 P B

#### Power nozzle with union

for item 2.838-821 and 2.640-355 Order no. 2.640-401.0



### Nozzle kits for Inno/Easy Set

#### Nozzle kits for Inno/Easy Set

Ideally match performance to different machine outputs for economic operation.

Order no. 2.640-687.0



#### Pipe cleaning hose, ID 6

#### Pipe cleaning hose, ID 6

Very flexible high-pressure hose for pipe cleaning (1/8"connection for nozzle) Order no. 6.390-029.0



#### Pipe cleaning hose, ID 6

Very flexible high-pressure hose for pipe cleaning (1/8"connection for nozzle) Order no. 6.390-028.0



#### Pipe cleaning nozzle

#### Pipe cleaning nozzle

With female thread, different spraying directions for environment-friendly cleaning of blocked drains and pipes. Nozzle orifices are positioned so that nozzle pulls itself and the hose into the pipe 4 rotating jets Order no. 6.415-428.0



## Pipe cleaning nozzle

With female thread, different spraying directions for environment-friendly cleaning of blocked drains and pipes. Nozzle orifices are positioned so that nozzle pulls itself and the hose into the pipe. 1x forwards, 3x30° backwards, € 30 mm



Order no. 5.763-017.0



## HD 6/14 P B

#### Pipe cleaning nozzle

With female thread, different spraying directions for environment-friendly cleaning of blocked drains and pipes. Nozzle orifices are positioned so that nozzle pulls itself and the hose into the pipe. 3 x 30 °backwards, € 16 mm Order no. 5.763-015.0



#### **Pivoting spray lancer**

## Spray lance, 2040 mm, rotatable

Spray lances in various lenghts, stainless steel with hand screw union. Ergonomically shaped handle mouldings for optimum control and insulaton. Can be turned 360° under pressure.



Order no. 4.760-366.0

#### Spray lance, 1500 mm, rotatable

Spray lances in various lenghts, stainless steel with hand screw union. Ergonomically shaped handle mouldings for optimum control and insulaton. Can be turned 360° under pressure. Order no. 4.760-365.0



# **Pivoting spray lancer**

Spray lances in various lenghts, stainless steel with hand screw union. Ergonomically shaped handle mouldings for optimum control and insulaton. Can be turned 360° under pressure. Order no. 4.760-550.0



## **Push-on washing brush**

#### Push-on washing brush

Order no. 4.762-324.0





## HD 6/14 P B

## **Rotary washing brush**

#### Rotary washing brush

Driven by water jet. Gently removes fine dust and traffic film from all surfaces. Temperature resistant up to 85 °C. M 18 x 1.5. (replaceable brush element) Order no. 4.762-288.0



#### Rotary washing brush

Driven by water jet. Gently removes fine dust and traffic film from all surfaces. Temperature resistant up to 85 °C. M 18 x 1.5. (replaceable brush element) Order no. 4.762-284.0



#### Self-winding hose reel for wall mounting

#### Add-on kit wall fastening hose reel

Add- on kit to fasten a hose reel at the wall. Order no. 2.639-931.0



## Hose reel without hp-hose, automatic

Self-winding hose reel (without HP hose) Kärcher HD hose plug-in system Order no. 2.639-919.0



## **Spray lance**

#### Spray lance, 250 mm, fixed

Stainless steel with hand screw union, does not pivot In conjunction with extended trigger gun
Order no. 4.760-058.0



#### **Suction filter**

#### **Suction filter**

With/without non-return valve, brass Order no. 4.730-019.0





## HD 6/14 P B

#### **Suction filter**

With/without non-return valve, brass Order no. 4.730-012.0



#### **Unterbodenstrahlrohr**

#### **Underbody lance**

Mobile. For effective and convenient cleaning of underbodies and wheel arches. Stainless steel. Without HP nozzle Order no. 4.760-245.0



#### Variable pressure spray lance

#### Variable pressure spray lance

With integral pressure gauge for infinitely variable pressure control directly on lance. Nozzle connection M 24 x 1.5. Chemical feed in low pressure mode. Variable pressure lance and Kärcher Power nozzle. Order no. 4.760-362.0



#### Variable pressure spray lance

With integral pressure gauge for infinitely variable pressure control directly on lance. Nozzle connection M 24 x 1.5. Chemical feed in low pressure mode. Variable pressure lance and Kärcher Power nozzle. Order no. 4.760-230.0



### Water supply hose

## Water supply hose

ID 19 R1"/R1" - up to 85°C Order no. 4.440-270.0



#### Water supply hose

ID 19 R1"/R 3/4" - up to  $85^{\circ}$ C - for suction mode Order no. 4.440-207.0





# HD 6/14 P B

## Water supply hose

ID13 R1"/R 3/4" - up to 30°C Order no. 4.440-038.0



#### **WC-Strahlrohr**

#### **WC-Spray lance**

With nozzle. Specially shaped for cleaning WCs. Stainless steel. Order no. 4.760-073.0



#### Wet blasting attachment

## Wet-blasting attachment (without nozzles)

Adds abrasive to high-pressure jet. For removing paint, rust, scale. Mounts to spray lance in place of HP nozzle. Without abrasive flow control Order no. 4.762-022.0



#### Wet blasting attachment (without nozzles)

Adds abrasive to high-pressure jet. For removing paint, rust, scale. Mounts to spray lance in place of HP nozzle. With abrasive flow control Order no. 4.762-010.0

