

Spare parts list

(1.990-204.0) BR 700 BAT -PACKAGE

Table of contents

BR 700 BAT -PACKAGE (1.990-204.0)	4
59 Spare parts list BR 700 (5.955-780.0)	5
10 Appliance top part	6
11 Appliance top part	7
12 Appliance top part	10
13 Appliance top part	12
14 Appliance top part	15
20 Water tank	17
21 Tank individual parts	18
22 Immersion pump	20
23 Immersion pump 36 V	22
30 Shearing shackle	24
40 Piping	26
50 Switch box	29
60 Control system	32
61 Control system	33
50 Conversion kit micro switch (2.639-124.0)	36
13 Spare parts list conversion kit micro sw (5.958-614.0)	37
10 Micro switch	38
62 Control system	40
63 Switch control system	42
70 Suction mechanism	44
71 Suction beam retraction	45
72 Suction bar	47
73 Suction bar old	49
34 Add-on kit support wheels suction bar (2.639-561.0)	51
1 Spare parts list support wheels (0.082-417.0)	52
10 Support wheels	53
74 Suction bar new	55
21 Add-on kit support wheels suction bar (2.639-561.0)	57
1 Spare parts list support wheels (0.082-417.0)	58
10 Support wheels	59
80 Suspension work head BR 700	61
81 Suspension work head	62
82 Suspension work head	65
90 Transmission BR 700	68
91 Transmission	69
92 Transmission	71

Table of contents

100 Work head	73
101 Top part	74
102 Bottom part	77
103 Brush and motor	79
1 Direct current motor (6.613-546.3)	81
110 Transmission work head	82
111 Transmission right	83
112 Transmission left	85
120 Battery and battery charger	87
130 Hoisting motor individual parts	89
140 Pad roll	91
150 Add-on kit valve	93

BR 700 BAT -PACKAGE (1.990-204.0)


POS	Article no.	Description	Quantity	Unit
59	5.955-780.0	Spare parts list BR 700	1	PC
Item text2: 19902040				

59 Spare parts list BR 700 (5.955-780.0)

POS	Description	Quantity	Unit
10	Appliance top part	1	PC
20	Water tank	1	PC
30	Shearing shackle	1	PC
40	Piping	1	PC
50	Switch box	1	PC
60	Control system	1	PC
70	Suction mechanism	1	PC
80	Suspension work head BR 700	1	PC
90	Transmission BR 700	1	PC
100	Work head	1	PC
110	Transmission work head	1	PC
120	Battery and battery charger	1	PC
130	Hoisting motor individual parts	1	I
140	Pad roll	1	PC
150	Add-on kit valve	1	PC

10 Appliance top part

POS	Description	Quantity	Unit	Remark	Foot note text
11	Appliance top part Item text1: / 1.990-121.0	1	PC	BAT	VERSION 1
12	Appliance top part	1	PC	BAT	VERSION 2
13	Appliance top part	1	PC	PACKAGE	VERSION 1
14	Appliance top part	1	PC	PACKAGE	VERSION 2




11 Appliance top part

POS	Article no.	Description	Quantity	Unit	Foot note text
1	5.039-021.0	Tub	1	PC	
2	5.066-807.0	Cover	1	PC	
4	7.304-395.0	Hexagonal head screw M8x16-8.8-A2E ISO	11	PC	
5	7.777-999.0	Stockpiling discontinued	1	PC	
6	5.332-075.0	Helical spring	1	PC	
7	5.481-168.0	Lever	1	PC	
8	7.462-012.0	Fork head G 6x24-ST-A2E DIN 71752	1	PC	
9	6.316-056.0	Bolt	1	PC	
10	6.303-140.0	Screw M 6X 22	1	PC	
12	7.312-003.0	Washer 6 -200HV-A3E ISO 7089	1	PC	
13	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	7	PC	
14	7.777-999.0	Stockpiling discontinued	1	PC	
15	7.316-224.0	Bolt B8,0x18-ST-A2E ISO 2341	1	PC	
16	5.019-321.0	Angle	1	PC	
17	7.316-336.0	Cotter 2x16-St-A2E ISO 1234	1	PC	
18	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	13	PC	
19	7.311-427.0	Hexagon nut M8 -04-A2E DIN 985	2	PC	
21	7.305-253.0	Countersunk screw M 4x12-4.8-A2E ISO 70	4	PC	
22	7.312-001.0	Washer 4 -200HV-A3E ISO 7089	4	PC	
23	7.311-001.0	Hexagon nut M4 -6-A2E ISO 4032	4	PC	
24	6.372-069.0	Cover stay 340mm	1	PC	
26	7.312-276.0	Washer 6 -200HV-A2E ISO7093-1	4	PC	
27	7.306-092.0	Screw M6x20-ST- 8.8-R3R (In6RD)	2	PC	
28	7.303-047.0	Screw M6x16 -St-R3R (In6Rd)	2	PC	
29	5.042-901.0	Holder	1	PC	
30	7.343-484.0	Snap ring 8 -1.4310 DIN 9925	1	PC	
31	7.312-155.0	Washer 8-160HV-A3E ISO 8738	2	PC	
32	5.305-241.0	Shaped screw	1	PC	
33	5.332-076.0	Helical spring	1	PC	
34	6.435-710.0	Castor oil resistant	2	PC	ANTI-STRIP, OIL RESISTANT
35	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	10	PC	
36	7.306-193.0	Screw M6x16 -A2-70 (In6Rd)	2	PC	
37	5.004-685.0	Strap	2	PC	


11 Appliance top part

POS	Article no.	Description	Quantity	Unit	Foot note text
38	7.777-999.0	Stockpiling discontinued	1	PC	



12 Appliance top part

POS	Article no.	Description	Quantity	Unit	Foot note text
1	5.039-021.0	Tub	1	PC	
2	5.066-807.0	Cover	1	PC	
4	7.304-395.0	Hexagonal head screw M8x16-8.8-A2E ISO	1	PC	
5	7.777-999.0	Stockpiling discontinued	1	PC	
6	6.330-093.0	Extension spring	1	PC	
7	5.481-185.0	Lever	1	PC	
13	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	7	PC	
15	7.316-224.0	Bolt B8,0x18-ST-A2E ISO 2341	1	PC	
17	7.316-336.0	Cotter 2x16-St-A2E ISO 1234	1	PC	
18	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	13	PC	
21	7.305-253.0	Countersunk screw M 4x12-4.8-A2E ISO 70	4	PC	
22	7.312-001.0	Washer 4 -200HV-A3E ISO 7089	4	PC	
23	7.311-001.0	Hexagon nut M4 -6-A2E ISO 4032	4	PC	
24	6.372-069.0	Cover stay 340mm	1	PC	
26	7.312-276.0	Washer 6 -200HV-A2E ISO7093-1	4	PC	
27	7.306-092.0	Screw M6x20-ST- 8.8-R3R (IN6RD)	2	PC	
34	6.435-710.0	Castor oil resistant	2	PC	ANTI-STRIP, OIL RESISTANT
35	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	2	PC	
36	7.306-193.0	Screw M6x16 -A2-70 (In6Rd)	2	PC	
37	5.004-685.0	Strap	2	PC	
38	7.777-999.0	Stockpiling discontinued	1	PC	
46	5.042-945.0	Holder	4	PC	
47	5.503-013.0	Sheet metal component closure	1	PC	
50	7.313-004.0	Spring washer B 8-FSt-A3E DIN 127	1	PC	
51	7.306-524.0	Cylinder head screw M 8x30-4.8-A2E ISO	1	PC	
52	6.368-270.0	Protecting cap	2	PC	
54	7.303-193.0	Saucer-head screw M 8x16-4.6-A0P DIN 60	8	PC	
55	7.311-427.0	Hexagon nut M8 -04-A2E DIN 985	8	PC	




13 Appliance top part

POS	Article no.	Description	Quantity	Unit	Foot note text
1	5.039-021.0	Tub	1	PC	
2	5.066-807.0	Cover	1	PC	
4	7.304-395.0	Hexagonal head screw M8x16-8.8-A2E ISO	11	PC	
5	7.777-999.0	Stockpiling discontinued	1	PC	
6	5.332-075.0	Helical spring	1	PC	
7	5.481-168.0	Lever	1	PC	
8	7.462-012.0	Fork head G 6x24-ST-A2E DIN 71752	1	PC	
9	6.316-056.0	Bolt	1	PC	
10	6.303-140.0	Screw M 6X 22	1	PC	
12	7.312-003.0	Washer 6 -200HV-A3E ISO 7089	4	PC	
13	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	7	PC	
14	7.777-999.0	Stockpiling discontinued	1	PC	
15	7.316-224.0	Bolt B8,0x18-ST-A2E ISO 2341	1	PC	
16	5.019-321.0	Angle	1	PC	
17	7.316-336.0	Cotter 2x16-St-A2E ISO 1234	1	PC	
18	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	15	PC	
19	7.311-427.0	Hexagon nut M8 -04-A2E DIN 985	2	PC	
20	4.050-310.0	Base frame complete	1	PC	
21	7.305-253.0	Countersunk screw M 4x12-4.8-A2E ISO 70	4	PC	
22	7.312-001.0	Washer 4 -200HV-A3E ISO 7089	4	PC	
23	7.311-001.0	Hexagon nut M4 -6-A2E ISO 4032	4	PC	
24	6.372-069.0	Cover stay 340mm	1	PC	
26	7.312-276.0	Washer 6 -200HV-A2E ISO7093-1	8	PC	
27	7.306-092.0	Screw M6x20-ST- 8.8-R3R (In6RD)	4	PC	
28	7.303-047.0	Screw M6x16 -St-R3R (In6Rd)	2	PC	
29	5.042-901.0	Holder	1	PC	
30	7.343-484.0	Snap ring 8 -1.4310 DIN 9925	1	PC	
31	7.312-155.0	Washer 8-160HV-A3E ISO 8738	2	PC	
32	5.305-241.0	Shaped screw	1	PC	
33	5.332-076.0	Helical spring	1	PC	
34	6.435-710.0	Castor oil resistant	2	PC	ANTI-STRIP, OIL RESISTANT
35	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	12	PC	
36	7.306-193.0	Screw M6x16 -A2-70 (In6Rd)	2	PC	

13 Appliance top part

POS	Article no.	Description	Quantity	Unit	Foot note text
37	5.004-685.0	Strap	2	PC	
38	7.777-999.0	Stockpiling discontinued	1	PC	
41	5.046-923.0	Sheet metal component	1	PC	
42	7.311-003.0	Hexagon nut M6 -8-A2E ISO 4032	4	PC	
44	7.304-382.0	Hexagonal head screw M 6x12-8.8-A2E ISO	4	PC	
45	5.305-246.0	Shaped screw	4	PC	




14 Appliance top part

POS	Article no.	Description	Quantity	Unit	Foot note text
1	5.039-021.0	Tub	1	PC	
2	5.066-807.0	Cover	1	PC	
4	7.304-395.0	Hexagonal head screw M8x16-8.8-A2E ISO	8	PC	
5	7.777-999.0	Stockpiling discontinued	1	PC	
6	6.330-093.0	Extension spring	1	PC	
7	5.481-185.0	Lever	1	PC	
12	7.312-003.0	Washer 6 -200HV-A3E ISO 7089	4	PC	
13	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	6	PC	
15	7.316-224.0	Bolt B8,0x18-ST-A2E ISO 2341	1	PC	
17	7.316-336.0	Cotter 2x16-St-A2E ISO 1234	1	PC	
18	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	15	PC	
20	4.050-335.0	Base frame	1	PC	
21	7.305-253.0	Countersunk screw M 4x12-4.8-A2E ISO 70	4	PC	
22	7.312-001.0	Washer 4 -200HV-A3E ISO 7089	4	PC	
23	7.311-001.0	Hexagon nut M4 -6-A2E ISO 4032	4	PC	
24	6.372-069.0	Cover stay 340mm	1	PC	
26	7.312-276.0	Washer 6 -200HV-A2E ISO7093-1	8	PC	
27	7.306-092.0	Screw M6x20-ST- 8.8-R3R (IN6RD)	4	PC	
34	6.435-710.0	Castor oil resistant	2	PC	ANTI-STRIP, OIL RESISTANT
35	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	14	PC	
36	7.306-193.0	Screw M6x16 -A2-70 (In6Rd)	2	PC	
37	5.004-685.0	Strap	2	PC	
38	7.777-999.0	Stockpiling discontinued	1	PC	
41	5.046-923.0	Sheet metal component	1	PC	
42	7.311-003.0	Hexagon nut M6 -8-A2E ISO 4032	4	PC	
44	7.304-382.0	Hexagonal head screw M 6x12-8.8-A2E ISO	4	PC	
45	5.305-246.0	Shaped screw	4	PC	
46	5.042-945.0	Holder	4	PC	
47	5.503-013.0	Sheet metal component closure	1	PC	
50	7.313-004.0	Spring washer B 8-FSt-A3E DIN 127	1	PC	
51	7.306-524.0	Cylinder head screw M 8x30-4.8-A2E ISO	1	PC	
52	6.368-270.0	Protecting cap	2	PC	
53	5.390-875.0	Information sign	1	PC	


20 Water tank

POS	Description	Quantity	Unit	Foot note text
21	Tank individual parts	1	PC	
22	Immersion pump	1	PC	VERSION 1
23	Immersion pump 36 V	1	PC	VERSION 2




21 Tank individual parts

POS	Article no.	Description	Quantity	Unit	Foot note text
1	5.063-760.0	Cover	1	PC	
2	7.306-106.0	Cylinder head screw M8x70 -8.8-A2E ISO4	2	PC	
3	6.366-043.0	Sealing profile	1	m	TO ORDER AS CUT GOODS
6	5.034-479.0	Retaining bracket	2	PC	
7	5.367-032.0	Diaphragm	1	PC	
8	5.071-105.0	Tank	1	PC	
9	5.363-344.0	Joint ring	1	PC	
10	6.631-846.0	Float regulator	1	PC	
11	6.641-654.0	Flat gasket 13X20	1	PC	
12	6.641-483.0	Locknut PG7	1	PC	
13	6.641-873.0	Cable gland PG9	1	PC	
14	6.641-655.0	Flat gasket 16x24	1	PC	
15	6.641-485.0	Locknut PG 9	1	PC	
16	7.343-300.0	Lock washer 7-A2 DIN 6799	4	PC	PAY ATTENTION TO VERSION
17	5.042-904.0	Holder	1	PC	PAY ATTENTION TO VERSION
18	7.311-065.0	Hexagon nut M 5-A2-70 ISO 4032	4	PC	PAY ATTENTION TO VERSION
19	7.312-267.0	Washer 5-A2 ISO 7094	2	PC	PAY ATTENTION TO VERSION
20	7.777-999.0	Stockpiling discontinued	1	PC	PAY ATTENTION TO VERSION
21	5.443-375.0	Hose stem	1	PC	
22	6.362-170.0	O-Ring seal 11,3 X 2,4-NBR 70	1	PC	
23	6.388-546.0	Hose clip	1	PC	
24	6.388-248.0	Hose DN12,7	1	m	TO ORDER AS CUT GOODS
25	5.019-309.0	Angle	1	PC	
26	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	2	PC	
27	7.304-394.0	Hexagonal head screw M8x12 -8.8-A2E ISO	1	PC	
28	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	1	PC	
29	7.304-397.0	Hexagonal head screw M8x20-8.8-A2E ISO	1	PC	
30	6.680-124.0	Hose fresh water complete	1	PC	




22 Immersion pump

POS	Article no.	Description	Quantity	Unit	Foot note text
0	7.777-999.0	Stockpiling discontinued	1	PC	
1	4.645-332.0	HOSE CONNECTOR 1/2" / 5/8" OPP	1	PC	
2	6.388-248.0	Hose DN12,7	1	m	TO ORDER AS CUT GOODS
3	6.389-899.0	Angle bushing	1	PC	
4	6.363-273.0	O-Ring seal 11,0 x 2,0	2	PC	
5	5.110-577.0	Sleeve	1	PC	
6	6.473-218.0	Rotary shaft seal	2	PC	
7	7.312-042.0	Washer 4 -CuZn-E2E ISO 7090	4	PC	
8	7.306-205.0	Screw M4x8 -A2-70 ISO 14853	4	PC	
9	6.473-215.0	Impeller immersion pump	1	PC	
10	6.473-217.0	O-Ring seal immersion pump	1	PC	
11	6.473-214.0	Suction cover	1	PC	
12	5.060-599.0	Valve housing	1	PC	
13	7.777-999.0	Stockpiling discontinued	4	PC	
14	7.777-999.0	Stockpiling discontinued	1	PC	
15	7.343-487.0	Snap ring 55 -1.4310 DIN 9925	2	PC	
16	7.777-999.0	Stockpiling discontinued	1	PC	
17	7.777-999.0	Stockpiling discontinued	1	PC	
18	6.362-475.0	O-Ring seal 44,17X 1,78-NBR 70	2	PC	
19	7.777-999.0	Stockpiling discontinued	1	PC	
20	6.362-638.0	O-Ring seal 6,0 X 3,0	1	PC	
21	5.115-645.0	Washer	1	PC	
22	5.402-546.0	Screw union	1	PC	
23	7.311-067.0	Hexagon nut M 6-A2-70 ISO 4032	2	PC	
24	7.777-999.0	Stockpiling discontinued	1	PC	
25	6.641-640.0	Wire protecting sleeve D21	1	PC	
26	5.046-893.0	Sheet metal component	1	PC	
27	5.046-892.0	Sheet metal component	1	PC	
28	6.414-453.0	Filter	1	PC	
29	7.311-400.0	Cap nut M 6-CU3-E2E DIN 1587	1	PC	
30	6.388-546.0	Hose clip	1	PC	




23 Immersion pump 36 V

POS	Article no.	Description	Quantity	Unit	Foot note text
0	4.540-064.0	Immersion pump 36V	1	PC	
1	4.645-332.0	HOSE CONNECTOR 1/2" / 5/8" OPP	1	PC	
2	6.388-248.0	Hose DN12,7	1	m	TO ORDER AS CUT GOODS
3	6.901-027.0	Shrink hose	1	m	TO ORDER AS CUT GOODS
4	6.641-474.0	Cable tape 8-210	1	PC	
5	6.414-521.0	Filter	1	PC	
6	6.473-215.0	Impeller immersion pump	1	PC	
7	5.115-778.0	Washer	1	PC	
8	5.001-800.0	Locking plate	1	PC	
9	5.060-639.0	Housing ilmpeller	1	PC	
10	5.001-662.0	Plate 2	1	PC	
11	7.303-118.0	Screw 5x40 -A2-70 (IN6Rd)	3	PC	
12	6.641-898.0	Receptacles for tabs 6,3	2	PC	



30 Shearing shackle

POS	Article no.	Description	Quantity	Unit	Foot note text
1	4.321-079.0	Handhold	1	PC	
2	7.303-193.0	Saucer-head screw M 8x16-4.6-A0P DIN 60	2	PC	
3	7.312-277.0	Washer 8-200HV-A2E ISO7093-1	2	PC	
4	7.311-427.0	Hexagon nut M8 -04-A2E DIN 985	2	PC	
5	7.306-129.0	Screw M6x40 -8.8-P2R (In6Rd)	2	PC	
6	7.312-003.0	Washer 6 -200HV-A3E ISO 7089	2	PC	
7	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	2	PC	
8	5.019-280.0	Angle	1	PC	
9	5.442-933.0	Piece of tube	2	PC	
10	5.190-051.0	Strip	1	PC	
11	5.190-053.0	Strip	1	PC	
12	7.303-139.0	Saucer-head screw M6x20 -A2 DIN 603	2	PC	
13	7.312-291.0	Washer 6-200HV-P2R ISO7093-1	2	PC	
14	7.311-380.0	Cap nut M6 -6-A2E DIN 1587	2	PC	
15	7.312-002.0	Washer 5-200HV-A3E ISO 7089	2	PC	VERSION 1
16	7.306-077.0	Screw M5x16 -8.8-R2R (In6Rd)	2	PC	VERSION 1
17	4.744-102.0	Switch complete	1	PC	VERSION 1
18	7.343-303.0	Locking ring 8-A2 DIN 6799	2	PC	VERSION 1
19	5.019-305.0	Angle	1	PC	VERSION 1
20	4.021-105.0	Angle complete	1	PC	VERSION 1
21	5.004-696.0	Strap	1	PC	VERSION 1
22	6.303-014.0	Self-tapping screw M3X 16-ST-A2E	2	PC	
23	6.631-852.0	Micro switch	1	PC	
24	7.303-030.0	Screw M4x8 -St-P2R (In6Rd)	2	PC	VERSION 1
25	5.332-160.0	Helical spring	1	PC	VERSION 1
26	5.560-038.0	Slide of a press	1	PC	VERSION 1
27	4.744-107.0	Switch complete	1	PC	VERSION 2
28	7.303-038.0	Screw M5x12 -St-P2R (In6Rd)	2	PC	
29	5.019-497.0	Angle	1	PC	VERSION 2
30	5.337-028.0	Plate spring	1	PC	VERSION 2




40 Piping

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
1	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	3	PC		
2	7.312-003.0	Washer 6 -200HV-A3E ISO 7089	6	PC		
3	6.490-099.0	Vacuum motor 36V 654W	1	PC		VERSION 1
4	6.388-713.0	Hose clip	1	PC		
5	5.363-321.0	Joint ring	1	PC		VERSION 1
6	6.339-021.0	Rubber buffer 2xM6-D20 H15	3	PC		
7	5.316-364.0	Distance pin	3	PC		VERSION 2
7	5.316-971.0	Distance pin	3	PC		VERSION 1
8	6.389-896.0	Spiral hose	1	PC		
9	6.388-713.0	Hose clip	1	PC		VERSION 1
10	4.446-016.0	Drain hose complete BR-BD TRIKE/550/700	1	PC	VERSION 1	FOR ASA 80
11	6.388-248.0	Hose DN12,7	1	m		TO ORDER AS CUT GOODS
12	6.641-474.0	Cable tape 8-210	1	PC		
13	6.389-898.0	Hose stem	2	PC		
14	6.385-108.0	Angle A1-3/8"-RG5	1	PC		
15	6.362-579.0	O-Ring seal 17,5 X 3,5	1	PC		
16	4.402-052.0	Screw union complete	1	PC		
17	7.311-554.0	Hexagon nut B G 3/8"-CU2 DIN 431	1	PC		
18	7.462-012.0	Fork head G 6x24-ST-A2E DIN 71752	2	PC		
19	5.107-159.0	Bar	1	PC		
21	4.042-703.0	Strap complete	1	PC		
22	6.412-289.0	Ball valve	1	PC		
23	6.388-546.0	Hose clip	1	PC		
24	4.645-332.0	HOSE CONNECTOR 1/2" / 5/8" OPP	1	PC		
25	6.490-305.0	Vacuum motor 36V EL KOM	1	PC		VERSION 2
26	5.363-574.0	Joint ring	1	PC		VERSION 2
27	2.639-909.0	Conversion kit turbine BR-BD 700	1	PC		VERSION 2
28	6.388-713.0	Hose clip	1	PC		VERSION 2
29	6.390-829.0	Drain hose DN38 BIG TRIKE, BR-BD 700	1	PC	VERSION 2	OIL RESISTANT
29	6.390-829.0	Drain hose DN38 BIG TRIKE, BR-BD 700	1	PC	VERSION 2	STANDARD
30	5.059-626.0	Sheet metal component hose hanger	1	PC		VERSION 2

40 Piping

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
31	7.303-112.0	Screw 6x20 -10.9-R2R (In6Rd)	2	PC		
32	7.343-203.0	Lock washer 4-A2 DIN 6799	1	PC		
33	5.316-292.0	Bolt	1	PC		



50 Switch box


POS	Article no.	Description	Quantity	Unit	valid from	valid until	Foot note text
1	6.644-277.0	Fuse insert -60A	1	PC			
2	6.644-275.0	Fuse holder	2	PC			
3	6.644-310.0	Safety cutout -25A	1	PC			
4	6.644-279.0	Fuse holder	5	PC			
6	6.633-337.0	Power relay	3	PC			
7	7.306-056.0	Screw M4x8 -8.8-R2R (In6Rd)	4	PC			
8	7.311-001.0	Hexagon nut M4 -6-A2E ISO 4032	8	PC			
9	7.777-999.0	Stockpiling discontinued	1	PC			GREEN CONNECTING STRIP THAT FITTS THE GREEN PLUG
9	6.682-571.0	Control circuit board	1	PC	13902		
9	6.682-341.0	Control circuit board	1	PC		13901	GREY CONNECTING STRIP THAT FITTS THE GREY PLUG
10	7.306-071.0	Screw M5x10 -8.8-R2R (In6Rd)	6	PC			
11	5.003-092.0	Plate	1	PC			
12	5.046-780.0	Sheet metal component	1	PC			
13	7.777-999.0	Stockpiling discontinued	1	PC			
14	6.682-293.0	Control system	1	PC			
15	5.046-781.0	Sheet metal component	1	PC			
16	6.644-278.0	Fuse insert -30A	1	PC			
17	6.644-311.0	Safety cutout -3A	3	PC			
18	7.644-007.0	Fuse insert C 7,5 DIN 72581-3	1	PC			
19	6.316-080.0	Distance pin M4	4	PC			
20	7.311-002.0	Hexagon nut M5 -6-A2E ISO 4032	9	PC			
21	7.306-632.0	Cylinder head screw M 4x25-4.8-A2E ISO	2	PC			
22	5.112-502.0	Bush	2	PC			
23	7.306-443.0	Cylinder head screw M5x12-4.8-A2E ISO 1	1	PC			
24	6.644-301.0	Fuse control system complete	1	PC			
25	7.311-003.0	Hexagon nut M6 -8-A2E ISO 4032	1	PC			
26	6.652-020.0	Isolator	1	PC			
27	7.312-003.0	Washer 6 -200HV-A3E ISO	1	PC			

50 Switch box

POS	Article no.	Description	Quantity	Unit	valid from	valid until	Foot note text
		7089					
28	6.652-019.0	Resistor	1	PC			
30	7.777-999.0	Stockpiling discontinued	1	PC			
33	7.304-382.0	Hexagonal head screw M 6x12-8.8-A2E ISO	1	PC			
34	6.644-276.0	Plate	1	PC			
35	7.306-077.0	Screw M5x16 -8.8-R2R (In6Rd)	1	PC			
36	6.664-037.0	Power diode	1	PC			
37	2.883-814.0	Spare part set	1	PC			

60 Control system

POS	Description	Quantity	Unit
61	Control system	1	PC
62	Control system	1	PC
63	Switch control system	1	PC



61 Control system

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
1	7.343-201.0	Lock washer 6-FST-PHR DIN 6799	1	PC		
2		Shim ring 8x14x1-St2K50 DIN 988	1	PC		
3	5.046-711.0	Sheet metal component	1	PC		
4	4.100-096.0	Shaft	1	PC		
5	5.481-160.0	Lever	1	PC		
7	7.303-039.0	Screw M5x16 -St-P2R (In6Rd)	1	PC		
8	7.312-278.0	Washer 5-200HV-A2E ISO7093-1	1	PC		
9	5.316-292.0	Bolt	1	PC		
10	7.462-012.0	Fork head G 6x24-ST-A2E DIN 71752	1	PC		
11	7.343-203.0	Lock washer 4-A2 DIN 6799	1	PC		
12	7.304-277.0	Hexagonal head screw M10x20 -8.8-ZFSLH I	1	PC		
13	5.363-352.0	Joint ring	2	PC		
14	7.311-512.0	Hexagon nut M 6-8-A2E ISO 7040	1	PC		
15	7.312-291.0	Washer 6-200HV-P2R ISO7093-1	1	PC		
16	7.306-118.0	Screw M 6x35 -8.8-R3R (In6Rd)	1	PC		
17	7.306-337.0	Oval head screw M 4x35-A2-70 ISO 7045	1	PC		
18	6.643-556.0	Terminal clamp	1	PC		
19	7.312-281.0	Washer 4 -200HV-A2E ISO7093-1	1	PC		
20	7.311-424.0	Hexagon nut M4 -8-A2E ISO 7040	1	PC		
21	7.306-203.0	Screw M3x8 -A2-70 ISO 14853	1	PC		
22	7.312-280.0	Washer 3 -200HV-A2E ISO7093-1	1	PC		
23	6.631-819.0	Switch	1	PC		
24	5.060-523.0	Housing	1	PC		
26	5.390-512.0	Label KLBZ	1	PC		
28	6.303-014.0	Self-tapping screw M3X 16-ST-A2E	1	PC		
29	6.631-818.0	Switch	1	PC		
30	6.631-851.0	Insulating plate	1	PC		
31	5.132-010.0	Plug	2	PC		
32	7.306-058.0	Screw M 4X 12- 8.8-R2R K-IN6RD	2	PC		
33	5.481-161.0	Lever	1	PC		
34	7.343-300.0	Lock washer 7-A2 DIN 6799	2	PC		
35	5.112-495.0	Bush	2	PC		

61 Control system


POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
37	5.100-161.0	Shaft	1	PC		
38	5.100-162.0	Joining piece	2	PC	VERS 3	FOR ORDERS PAY ATTENTION TO VERSION OFF POS. 39
39	4.034-084.0	Retaining bracket	1	PC		
40	5.481-169.0	Lever	1	PC		
41	5.332-160.0	Helical spring	1	PC		
43	7.316-337.0	Cotter 2,5x16-St-A2E ISO 1234	1	PC		VERSION 1
44	6.343-149.0	Quick-fastener	1	PC		VERSION 2
50	2.639-124.0	Conversion kit micro switch	1	PC		
51		Sheet metal component	1	PC		
52	7.312-043.0	Washer 3-A2 ISO 7089	8	PC		
53	6.630-098.0	Micro switch	1	PC		
54	7.303-386.0	Sheet metal screw ST2,2X13,0-ST-A2E ISO	2	PC		
55	7.312-080.0	Washer 10-C -100HV-tZn DIN 7989-1	1	PC		
56		Shaft	1	PC		
57	7.303-027.0	Screw M3x6-ST-R2R (IN6RD)	1	PC		

50 Conversion kit micro switch (2.639-124.0)

POS	Article no.	Description	Quantity	Unit
13	5.958-614.0	Spare parts list conversion kit micro sw	1	PC
Item text2: 26391240				


13 Spare parts list conversion kit micro sw (5.958-614.0)

POS	Description	Quantity	Unit
10	Micro switch	1	PC




10 Micro switch

POS	Article no.	Description	Quantity	Unit
1		Sheet metal component	1	PC
2	7.312-043.0	Washer 3-A2 ISO 7089	8	PC
3	6.630-098.0	Micro switch	1	PC
4	7.303-386.0	Sheet metal screw ST2,2X13,0-ST-A2E ISO	2	PC
5	7.312-080.0	Washer 10-C -100HV-tZn DIN 7989-1	1	PC
6		Shaft	1	PC
7	7.303-027.0	Screw M3x6-ST-R2R (IN6RD)	1	PC



62 Control system

POS	Article no.	Description	Quantity	Unit	Foot note text
1	6.600-108.0	Control panel -BR 700	1	PC	VERSION 1
1	6.600-175.0	Control panel only for replacement	1	PC	VERSION 2
2	6.600-111.0	Key switch	1	PC	
2	6.600-195.0	Key only for replacement	1	PC	
3	6.600-113.0	Pushbutton emergency stop	1	PC	
5	6.273-082.0	Cord cellular rubber	1	PC	
6	7.311-421.0	Hexagon nut M 5-04-A2E DIN 985	8	PC	
7	5.332-001.0	Helical spring	2	PC	
9	5.324-030.0	Pushbutton	1	PC	
10	5.105-206.0	Axle	1	PC	
11	7.343-203.0	Lock washer 4-A2 DIN 6799	2	PC	
12	7.312-002.0	Washer 5-200HV-A3E ISO 7089	2	PC	
13	6.682-387.0	Hour counter complete	1	PC	VERSION 2
14	7.303-186.0	Saucer-head screw M8x40 -St-A0P DIN 603	2	PC	
15	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	2	PC	
16	7.311-427.0	Hexagon nut M8 -04-A2E DIN 985	2	PC	
17	7.777-999.0	Stockpiling discontinued	5	PC	PAY ATTENTION TO VERSION
18	6.600-112.0	Switch element	1	PC	
19	6.600-114.0	Switch	1	PC	
20	6.600-110.0	Sleeve	7	PC	PAY ATTENTION TO VERSION




63 Switch control system

POS	Article no.	Description	Quantity	Unit
0	4.744-098.0	Switch	1	PC
1	7.306-045.0	Cylinder head screw M2x20-4.8-A2K DIN 84	2	PC
2	7.312-053.0	Washer 2,5-200HV-A3E ISO 7089	2	PC
3	6.631-816.0	Switch	2	PC
4	6.631-850.0	Insulating plate	1	PC
5	2.884-021.0	Spare parts set	1	PC
6	2.884-022.0	Spare parts set	1	PC


70 Suction mechanism

POS	Description	Quantity	Unit	valid from	valid until	Foot note text
71	Suction beam retraction	1	PC			
72	Suction bar	1	PC		12990	VERSION 1
73	Suction bar old	1	PC	12991		VERSION 2
74	Suction bar new	1	PC			VERSION 3




71 Suction beam retraction

POS	Article no.	Description	Quantity	Unit	Foot note text
1	5.311-185.0	Hexagon nut	1	PC	
2	7.306-193.0	Screw M6x16 -A2-70 (In6Rd)	1	PC	
3	5.112-497.0	Bush	1	PC	
4	7.343-011.0	Locking ring 35x1,5-FST-VZ DIN 471	1	PC	
5	4.054-101.0	Column complete	1	PC	
6	7.306-049.0	Cylinder head screw M 8x45-8.8-A2E ISO	1	PC	
7	7.311-427.0	Hexagon nut M8 -04-A2E DIN 985	1	PC	
8	7.311-224.0	Hexagon nut M 8-04-A2E ISO 4035	2	PC	
9	4.777-042.0	Suction bar suspension BR/BD 550/700 Ers	1	PC	
10	7.303-259.0	Eye screw BM 8x40-4.6-A2E DIN 444	1	PC	
16	6.431-121.0	Snap hook	1	PC	
17	4.172-010.0	Rope	1	PC	VERSION 1+2
18	6.390-228.0	Suction hose DN 38	1	PC	
	Item text1: / 4.777-030.0 / -031.0				
19	6.389-848.0	SUCTION HOSE BR700	1	PC	
	Item text1: / 4.777-021.0				
21	7.312-003.0	Washer 6 -200HV-A3E ISO 7089	2	PC	
22	5.112-419.0	Bush	2	PC	
23	5.048-234.0	Rocker suction bar	1	PC	
24	5.044-169.0	Holder suction bar	1	PC	
25	4.172-013.0	Rope suction beam retraction	1	PC	VERSION 3
26	7.303-139.0	Saucer-head screw M6x20 -A2 DIN 603	2	PC	
27	6.403-045.0	Plain bearing with collar D28	2	PC	
28	7.343-045.0	Lock washer 24-FST-A2E DIN 6799	2	PC	
29	7.312-060.0	Washer 24-100HV-A3E ISO 7091	2	PC	
30	6.343-132.0	Lock washer 8	2	PC	
31	5.107-202.0	Bar	1	PC	
32	7.306-151.0	Cylinder head screw M8x65 -8.8-A2E ISO4	1	PC	
33	7.321-011.0	Star handle K 32 DIN 6335	2	PC	
36	5.027-205.0	Rod holder suction bar	1	PC	
40	4.777-042.0	Suction bar suspension BR/BD 550/700 Ers	1	PC	



72 Suction bar

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
0	4.777-303.0	Suction bar 1060AB	1	PC		
1	6.321-133.0	Star handle	2	PC		
2	7.312-080.0	Washer 10-C -100HV-tZn DIN 7989-1	2	PC		
3	4.263-020.0	Tensioning part	1	PC		
4	7.311-421.0	Hexagon nut M 5-04-A2E DIN 985	4	PC		
5	7.312-002.0	Washer 5-200HV-A3E ISO 7089	4	PC		
6	7.311-380.0	Cap nut M6 -6-A2E DIN 1587	12	PC		
7	7.312-003.0	Washer 6 -200HV-A3E ISO 7089	12	PC		
8	6.273-136.0	Rubber lip kit	1	ZSA		GREY
8	6.273-137.0	Rubber lip kit	1	ZSA	T=5MM	BROWN
8	6.273-161.0	Rubber lip kit	1	ZSA	T=4MM	BROWN
9	4.777-022.0	Suction bar	1	PC		
10	4.263-018.0	Tensioning part	1	PC		
11	7.306-077.0	Screw M5x16 -8.8-R2R (In6Rd)	4	PC		
12	5.515-096.0	Roller	4	PC		
13	5.029-469.0	Tube	2	PC		
14	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	2	PC		
15	7.304-099.0	Hexagonal head screw M 8x90-8.8-A2E ISO	2	PC		
16	2.638-672.0	Add-on kit support wheels suction bar	1	PC		
17	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	1	PC		
18	7.312-026.0	Washer 6 -A2 ISO 7089	2	PC		
19	5.105-245.0	Axle	1	PC		
20	6.435-401.0	Wheel D54	1	PC		
21	7.306-199.0	Screw M 6x50-A2-70 (IN6RD)	1	PC		



73 Suction bar old


POS	Article no.	Description	Quantity	Unit
1	5.031-482.0	End piece right	2	PC
3	6.321-133.0	Star handle	2	PC
4	7.312-080.0	Washer 10-C -100HV-tZn DIN 7989-1	2	PC
5	5.308-057.0	Threaded bolt	2	PC
6	7.312-277.0	Washer 8-200HV-A2E ISO7093-1	2	PC
8	5.031-464.0	Suction nipple	1	PC
9	6.321-243.0	Star grip stainless steel D50x48	2	PC
10	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	2	PC
11	5.515-096.0	Roller	2	PC
12	5.029-469.0	Tube	2	PC
13	5.031-465.0	End piece left	1	PC
14	6.273-171.0	Rubber lip kit only for replacement NK	1	ZSA
14	6.273-172.0	Rubber lip kit only for replacement PU	1	ZSA
15	5.401-244.0	Insert curved	2	PC
16	5.401-243.0	Insert curved	2	PC
20	4.777-303.0	Suction bar 1060AB	1	PC
21	4.777-056.0	Suction bar curved BR-BD 700	1	PC
33	5.017-136.0	Angle	2	PC
34	2.639-561.0	Add-on kit support wheels suction bar	2	PC
35	4.042-871.0	Holder roller	2	PC
36	7.306-199.0	Screw M 6x50-A2-70 (IN6RD)	2	PC
37	6.435-401.0	Wheel D54	1	PC
38	5.105-245.0	Axle	2	PC
39	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	2	PC
40	7.312-026.0	Washer 6 -A2 ISO 7089	4	PC
41	6.321-069.0	Handhold M6x20	2	PC
49	5.007-217.0	Plate	1	PC

34 Add-on kit support wheels suction bar (2.639-561.0)

POS	Article no.	Description	Quantity	Unit
1	0.082-417.0	Spare parts list support wheels	1	PC
Item text2: 26395610				


1 Spare parts list support wheels (0.082-417.0)

POS	Description	Quantity	Unit
10	Support wheels	1	PC



10 Support wheels

POS	Article no.	Description	Quantity	Unit
2	5.044-304.0	Holder roller	2	PC
3	7.312-026.0	Washer 6 -A2 ISO 7089	4	PC
4	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	2	PC
5	6.435-401.0	Wheel D54	2	PC
6	5.105-320.0	Axle	2	PC
7	7.306-199.0	Screw M 6x50-A2-70 (IN6RD)	2	PC
8	7.303-037.0	Screw M5x10 -St-P2R (In6Rd)	4	PC
9	7.312-058.0	Washer 5 -A2 ISO 7089	4	PC



74 Suction bar new


POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
1	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	3	PC		
2	6.321-243.0	Star grip stainless steel D50x48	2	PC		VERSION 1
3	5.094-050.0	Tube	2	PC		VERSION 1
4	5.515-096.0	Roller	2	PC		VERSION 1
5	2.885-326.0	End piece left / right spare parts set	1	PC		
6	5.007-217.0	Plate	1	PC		
6	5.007-619.0	Plate suction bar	1	PC		STAINLESS STEEL CONSTRUCTION
7	5.031-989.0	Suction nipple	1	PC		
8	4.777-303.0	Suction bar 1060AB	1	PC		
9	2.885-294.0	End piece left / right spare parts set	1	PC		
10	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	1	PC		
11	7.312-026.0	Washer 6 -A2 ISO 7089	2	PC		
12	5.044-304.0	Holder roller	2	PC		
13	7.312-058.0	Washer 5 -A2 ISO 7089	2	PC		
14	7.303-037.0	Screw M5x10 -St-P2R (In6Rd)	2	PC		
15	6.435-401.0	Wheel D54	1	PC		
16	5.105-245.0	Axle	1	PC		
17	7.306-199.0	Screw M 6x50-A2-70 (IN6RD)	1	PC		
19	6.273-206.0	Rubber lip set anti stripe oil resistant	1	ZSA		ANTI-STRIP
19	6.273-209.0	Rubber lip set oil resistant	1	ZSA		OIL RESISTANT
19	6.273-215.0	Rubber lip set standard	1	ZSA		STANDARD
20	4.777-056.0	Suction bar curved BR-BD 700	1	PC		
21	2.639-561.0	Add-on kit support wheels suction bar	2	PC		
22	5.128-339.0	Additional weight suction bar	1	PC		
25	5.305-286.0	Wing screw M8x	2	PC	VERSION 2	
25	5.305-296.0	Wing screw M8x40 VA	2	PC	VERSION 2	STAINLESS STEEL CONSTRUCTION
26	5.112-748.0	Sleeve	2	PC	VERSION 2	
27	6.321-239.0	Star grip VA Ø50x43	2	PC	VERSION 2	STAINLESS STEEL CONSTRUCTION
28	5.094-231.0	Sleeve suction bar in VA	2	PC	VERSION 2	STAINLESS STEEL CONSTRUCTION
29	5.515-267.0	Deflector roll	2	PC	VERSION 2	
30	5.308-064.0	Threaded bolt	2	PC		VERSION 1
31	6.321-133.0	Star handle	2	PC		VERSION 1
32	7.312-066.0	Washer 10 -A2 ISO 7089	2	PC		VERSION 1

21 Add-on kit support wheels suction bar (2.639-561.0)

POS	Article no.	Description	Quantity	Unit
1	0.082-417.0	Spare parts list support wheels	1	PC
Item text2: 26395610				

1 Spare parts list support wheels (0.082-417.0)

POS	Description	Quantity	Unit
10	Support wheels	1	PC




10 Support wheels

POS	Article no.	Description	Quantity	Unit
2	5.044-304.0	Holder roller	2	PC
3	7.312-026.0	Washer 6 -A2 ISO 7089	4	PC
4	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	2	PC
5	6.435-401.0	Wheel D54	2	PC
6	5.105-320.0	Axle	2	PC
7	7.306-199.0	Screw M 6x50-A2-70 (IN6RD)	2	PC
8	7.303-037.0	Screw M5x10 -St-P2R (In6Rd)	4	PC
9	7.312-058.0	Washer 5 -A2 ISO 7089	4	PC

80 Suspension work head BR 700

POS	Description	Quantity	Unit	Foot note text
81	Suspension work head	1	PC	VERSION 1
82	Suspension work head	1	PC	VERSION 2




81 Suspension work head

POS	Article no.	Description	Quantity	Unit
1	6.647-619.0	Connection cable	1	PC
1	7.777-999.0	Stockpiling discontinued	1	PC
	Item text1: / 1.990-205.0			
2	6.646-319.0	Plug two-pole 80A	1	PC
2	6.646-455.0	Plug grey BAT. SB175	1	PC
	Item text1: / 1.990-205.0			
3	7.311-002.0	Hexagon nut M5 -6-A2E ISO 4032	2	PC
4	7.311-003.0	Hexagon nut M6 -8-A2E ISO 4032	5	PC
5	7.312-003.0	Washer 6 -200HV-A3E ISO 7089	5	PC
6	7.304-382.0	Hexagonal head screw M 6x12-8.8-A2E ISO	5	PC
7	5.019-312.0	Angle	1	PC
8	7.312-002.0	Washer 5-200HV-A3E ISO 7089	2	PC
9	7.306-184.0	Screw M5x30 -A2-70 (In6Rd)	2	PC
10	4.672-043.0	Bracket	1	PC
11	5.390-525.0	Label SKALA	1	PC
12	5.332-374.0	Extension spring	1	PC
13	5.132-038.0	Plug	1	PC
14	7.305-048.0	Countersunk screw M5x12 -A2-70 (In6Rd)	1	PC
15	5.321-486.0	Handhold	1	PC
16	5.115-641.0	Washer	1	PC
17	5.310-107.0	Nut	1	PC
18	5.001-458.0	Plate	1	PC
19	5.305-239.0	Shaped screw	1	PC
20	5.305-238.0	Shaped screw	1	PC
21	5.046-843.0	Sheet metal component	1	PC
22	7.312-005.0	Washer 10-200HV-A3E ISO 7089	5	PC
23	7.343-303.0	Locking ring 8-A2 DIN 6799	1	PC
24	6.645-023.0	Distribution box	1	PC
25	7.306-098.0	Cylinder head screw M 4X16-8.8-A2E DIN	2	PC
26	7.312-001.0	Washer 4 -200HV-A3E ISO 7089	2	PC
27	7.311-001.0	Hexagon nut M4 -6-A2E ISO 4032	2	PC
28	4.515-029.0	Roller	2	PC
29	7.304-395.0	Hexagonal head screw M8x16-8.8-A2E ISO	2	PC

81 Suspension work head

POS	Article no.	Description	Quantity	Unit
30	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	2	PC
31	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	2	PC
32	7.316-337.0	Cotter 2,5x16-St-A2E ISO 1234	1	PC
39	7.316-342.0	Cotter 3,2x20 -St-A2E ISO 1234	3	PC
41	7.316-206.0	Bolt B10,0x45-ST-A2E ISO 2341	1	PC
42	7.316-209.0	Bolt B10,0x55-ST-A2E ISO 2341	1	PC
43	7.316-225.0	Bolt B10,0x65-ST-A2E ISO 2341	1	PC
44	5.115-636.0	Washer	2	PC
45	4.481-090.0	Lever	1	PC
47	4.021-104.0	Angle guide	1	PC
50	7.316-226.0	Bolt B-10x60-St-A2E ISO 2341	1	PC
56	7.316-454.0	Spring clip 2,5-DR-vz DIN11024	1	PC
57	6.648-305.0	Reducing bush	2	PC
Item text1: / 1.990-205.0				



82 Suspension work head


POS	Article no.	Description	Quantity	Unit
1	6.647-619.0	Connection cable	1	PC
2	6.646-319.0	Plug two-pole 80A	1	PC
3	7.311-002.0	Hexagon nut M5 -6-A2E ISO 4032	2	PC
4	7.311-003.0	Hexagon nut M6 -8-A2E ISO 4032	3	PC
5	7.312-003.0	Washer 6 -200HV-A3E ISO 7089	3	PC
6	7.306-090.0	Screw M6x16 -8.8-P2R (In6Rd)	3	PC
7	5.019-312.0	Angle	1	PC
8	7.312-002.0	Washer 5-200HV-A3E ISO 7089	2	PC
9	7.306-184.0	Screw M5x30 -A2-70 (In6Rd)	2	PC
10	5.672-043.0	Bracket	1	PC
11	5.390-525.0	Label SKALA	1	PC
12	5.332-374.0	Extension spring	1	PC
13	5.132-038.0	Plug	1	PC
14	7.305-048.0	Countersunk screw M5x12 -A2-70 (In6Rd)	1	PC
15	5.321-486.0	Handhold	1	PC
16	5.115-641.0	Washer	1	PC
17	5.310-107.0	Nut	1	PC
18	5.001-458.0	Plate	1	PC
19	5.305-239.0	Shaped screw	1	PC
20	5.305-238.0	Shaped screw	1	PC
21	5.046-843.0	Sheet metal component	1	PC
22	7.312-005.0	Washer 10-200HV-A3E ISO 7089	3	PC
23	7.343-303.0	Locking ring 8-A2 DIN 6799	1	PC
24	6.645-023.0	Distribution box	1	PC
25	7.306-098.0	Cylinder head screw M 4X16-8.8-A2E DIN	2	PC
26	7.312-001.0	Washer 4 -200HV-A3E ISO 7089	2	PC
27	7.311-001.0	Hexagon nut M4 -6-A2E ISO 4032	2	PC
28	4.515-032.0	Roller complete	2	PC
29	7.305-637.0	Countersunk screw M8x16-A2-70 ISO 10642	4	PC
30	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	4	PC
31	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	4	PC
32	7.316-337.0	Cotter 2,5x16-St-A2E ISO 1234	2	PC
39	7.316-342.0	Cotter 3,2x20 -St-A2E ISO 1234	4	PC

82 Suspension work head

POS	Article no.	Description	Quantity	Unit
41	7.316-228.0	Bolt B-10x120 -St-A2E ISO 2341	1	PC
42	5.107-170.0	Bar	1	PC
44	5.115-636.0	Washer	2	PC
45	5.481-186.0	Lever	1	PC
47	4.021-104.0	Angle guide	1	PC
48	5.042-934.0	Holder	1	PC
49	6.303-134.0	Screw M6x12-ST-A2E DIN 7500-1	2	PC
50	7.316-226.0	Bolt B-10x60-St-A2E ISO 2341	1	PC
51	5.028-894.0	Tube	1	PC
52	5.028-895.0	Tube	1	PC
53	6.343-127.0	Quick-fastener	2	PC
54	5.110-597.0	Sleeve	2	PC
56	7.316-454.0	Spring clip 2,5-DR-vz DIN11024	1	PC

90 Transmission BR 700


POS	Description	Quantity	Unit	Foot note text
91	Transmission	1	PC	VERSION 1
92	Transmission	1	PC	VERSION 2



307014
DIN A 0
100 %

91 Transmission

POS	Article no.	Description	Quantity	Unit
1	6.435-255.0	Wheel cap	2	PC
2	7.343-040.0	Locking ring 20x1,2 -St-ph DIN 471	4	PC
3	5.515-073.0	Wheel	2	PC
4	5.112-496.0	Bush	2	PC
5	5.251-023.0	Bearing support	3	PC
6	7.401-171.0	Ball bearing 6304-2RS Wälzl.St DIN 625	3	PC
7	7.343-116.0	Locking ring 52x2 -St-vz DIN 472	3	PC
8	7.318-067.0	Parallel key 6x6x45-C45K DIN 6885-1	2	PC
9	6.613-016.0	Direct current motor	1	PC
10	7.306-090.0	Screw M6x16 -8.8-P2R (In6Rd)	4	PC
11	7.777-999.0	Stockpiling discontinued	1	PC
12	7.777-999.0	Stockpiling discontinued	1	PC
13	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	10	PC
14	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	4	PC
15	6.321-046.0	Coating pedal	1	PC
16	6.330-088.0	Extension spring	1	PC
17	6.631-852.0	Micro switch	1	PC
18	7.777-999.0	Stockpiling discontinued	1	PC
19	7.306-129.0	Screw M6x40 -8.8-P2R (In6Rd)	1	PC
20	7.777-999.0	Stockpiling discontinued	1	PC
21	7.306-406.0	Cylinder head screw M3x16-4.8-A2E ISO 1	2	PC
22	7.304-397.0	Hexagonal head screw M8x20-8.8-A2E ISO	6	PC
23	6.610-102.0	Carbon brush set	1	ZSA
24	7.312-018.0	Washer 20-200HV-A3E ISO 7090	2	PC
25	7.316-361.0	Cotter 5x36-St-A2E ISO 1234	2	PC
26	5.004-696.0	Strap	1	PC
27	7.312-003.0	Washer 6 -200HV-A3E ISO 7089	1	PC
28	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	1	PC
29	6.437-640.0	Axle left Amer 4018568	1	PC
30	6.437-641.0	Axle right Amer 4018578	1	PC




92 Transmission

POS	Article no.	Description	Quantity	Unit
1	6.435-255.0	Wheel cap	2	PC
2	7.343-040.0	Locking ring 20x1,2 -St-ph DIN 471	4	PC
3	5.515-073.0	Wheel	2	PC
4	5.112-496.0	Bush	2	PC
5	5.251-023.0	Bearing support	3	PC
6	7.401-171.0	Ball bearing 6304-2RS Wälzl.St DIN 625	3	PC
7	7.343-116.0	Locking ring 52x2 -St-vz DIN 472	3	PC
8	7.318-067.0	Parallel key 6x6x45-C45K DIN 6885-1	2	PC
9	6.613-016.0	Direct current motor	1	PC
10	7.306-090.0	Screw M6x16 -8.8-P2R (In6Rd)	4	PC
11	4.480-012.0	Leverage	1	PC
13	7.312-004.0	Washer 8 -200HV-A3E ISO 7089	8	PC
14	7.311-004.0	Hexagon nut M8 -8-A3E ISO 4032	2	PC
15	6.321-046.0	Coating pedal	1	PC
16	6.330-190.0	Extension spring	1	PC
17	6.631-852.0	Micro switch	1	PC
20	5.004-717.0	Strap	1	PC
21	7.306-406.0	Cylinder head screw M3x16-4.8-A2E ISO 1	2	PC
22	7.304-397.0	Hexagonal head screw M8x20-8.8-A2E ISO	6	PC
23	6.610-102.0	Carbon brush set	1	ZSA
30	6.343-122.0	Lock washer	2	PC
31	7.312-280.0	Washer 3 -200HV-A2E ISO7093-1	2	PC
32	7.303-193.0	Saucer-head screw M 8x16-4.6-A0P DIN 60	2	PC
33	6.437-640.0	Axle left Amer 4018568	1	PC
34	6.437-641.0	Axle right Amer 4018578	1	PC

100 Work head

POS	Description	Quantity	Unit
101	Top part	1	PC
102	Bottom part	1	PC
103	Brush and motor	1	PC




101 Top part

POS	Article no.	Description	Quantity	Unit	valid from	valid until
1	5.305-233.0	Shaped screw	1	PC		
2	5.481-166.0	Lever	1	PC		
3	5.053-058.0	Brush beam	1	PC		
4	4.002-051.0	Strap complete	1	PC		11286
4	5.004-721.0	Strap	1	PC	11287	
5	5.310-107.0	Nut	1	PC		
6	5.305-240.0	Shaped screw	1	PC		
8	5.305-232.0	Shaped screw	4	PC		
9	7.306-074.0	Cylinder head screw M10x35-8.8-A3E ISO4	1	PC		
10	5.332-358.0	Helical spring	4	PC		
11	5.116-028.0	Thrust piece	4	PC		
12	5.003-061.0	Cover plate motor	2	PC		
13	7.303-047.0	Screw M6x16 -St-R3R (In6Rd)	8	PC		
14	5.060-497.0	Motor housing	2	PC		
15	5.316-373.0	Bolt	2	PC		
16	5.031-025.0	Guide	2	PC		
17	5.251-022.0	Bearing support	8	PC		
18	5.046-769.0	Sheet metal component	1	PC		
19	7.311-431.0	Hexagon nut M 5-1.4305 DIN 985	2	PC		
20	7.305-276.0	Countersunk screw M 5x30-A2-70 ISO 7046	1	PC		
21	5.058-503.0	Sheet metal component sweep tank	1	PC		
22	7.303-058.0	Countersunk screw M5x12 -St-A2R (In6Rd)	8	PC		
23	5.031-024.0	Profile dirt-absorbing	1	PC		
24	5.031-106.0	Profile	2	PC		
25	5.115-650.0	Washer	2	PC		
26	5.112-507.0	Bush	1	PC		
27	5.181-043.0	Strip	1	PC		
28	5.046-869.0	Plate	1	PC		
29	5.060-496.0	Brush housing	1	PC		
30	5.019-295.0	Angle guide	2	PC		
31	5.042-898.0	Holder	1	PC		
32	7.303-067.0	Screw M8x16-ST-R3R (IN6RD)	2	PC		
33	7.306-068.0	Cylinder head screw M10x45-8.8-A2K DIN 912	1	PC		


101 Top part

POS	Article no.	Description	Quantity	Unit	valid from	valid until
34	7.305-050.0	Countersunk screw M5x20 -A2-70-s (In6Rd	1	PC		
35	7.312-052.0	Washer 5 -A2 ISO 7089	2	PC		
36	5.112-506.0	Bush	1	PC		
37	7.306-207.0	Screw M4x12 -A2-70 (In6Rd)	6	PC		
38	7.311-516.0	Hexagon nut M 4-A2-70 DIN 985	6	PC		
39	7.343-205.0	Lock washer 9-St-A2E DIN 6799	1	PC		
40	7.311-423.0	Hexagon nut M10 -04-A2E DIN 985	1	PC		
41	7.312-005.0	Washer 10-200HV-A3E ISO 7089	4	PC		
42	5.028-821.0	Tube	2	PC		
43	7.343-303.0	Locking ring 8-A2 DIN 6799	2	PC		
44	4.820-915.0	Cable complete	1	PC		
45	7.303-047.0	Screw M6x16 -St-R3R (In6Rd)	6	PC		
46	6.321-131.0	Snap lock	1	PC		
47	5.305-244.0	Shaped screw	1	PC		



102 Bottom part

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
1	7.305-052.0	Countersunk screw M6x12 -A2-70 (In6Rd)	2	PC		
2	5.316-371.0	Arbor	2	PC		
3	4.042-723.0	Retainer plate complete	2	PC		
4	7.305-639.0	Countersunk screw M8x20 -A2-70 ISO 10642	4	PC		
5	5.060-496.0	Brush housing	2	PC		VERSION 1
5	5.060-587.0	Brush housing	2	PC		VERSION 2
7	5.023-181.0	Strip ram protection	1	PC		
8	7.777-999.0	Stockpiling discontinued	1	PC	VERSION 1	ORDER ACCORDING TO CONSUMPTION
9	5.023-171.0	Strip EPDM	1	PC		
10	7.303-048.0	Screw M6x20 -St-R3R (In6Rd)	12	PC		
11	5.028-800.0	Tube	2	PC		VERSION 1
11	5.028-880.0	Tube	2	PC		VERSION 2
12	5.115-646.0	Washer	14	PC		
13	5.379-023.0	Rubber bushing rubber	2	PC		
14		Hose nozzle angle	2	PC		
15	6.388-194.0	Hose DN 7	1	m		TO ORDER AS CUT GOODS
16	7.373-019.0	Hose clip A 10-16x9-W4 DIN3017	4	PC		
17	6.389-874.0	T-Hose nozzle	1	PC		
18	6.388-546.0	Hose clip	1	PC		
19	5.443-375.0	Hose stem	1	PC		
20	6.362-170.0	O-Ring seal 11,3 X 2,4-NBR 70	1	PC		
21	6.362-176.0	O-Ring seal 6,07x1,78	4	PC		
22	5.042-867.0	Holder	1	PC		
23	6.388-248.0	Hose DN12,7	1	m		TO ORDER AS CUT GOODS
24	5.115-673.0	Washer	6	PC		VERSION 2
25	6.368-040.0	Protective plug	1	PC		VERSION 2
26	5.044-077.0	Holder only for replacement	1	PC	VERSION 1A	



103 Brush and motor


POS	Article no.	Description	Quantity	Unit
1	6.613-546.3	Direct current motor	1	PC
2	6.613-022.0	Direct current motor	1	PC
3	5.762-130.0	Roller brush red	2	PC
3	5.762-131.0	Roller brush white (old colour black)	2	PC
3	5.762-132.0	Roller brush orange (old colour red)	2	PC
3	5.762-133.0	Roller brush green (old colour grey)	2	PC
3	5.762-232.0	Roller brush white (old colour black)	2	PC
4	7.306-131.0	Screw M6x45 -8.8-P2R (In6Rd)	3	PC
5	5.031-736.0	Additional weight BR700	3	PC
6	5.110-680.0	Sleeve	3	PC
10	6.613-037.0	Direct current motor	1	PC
11	6.613-038.0	Direct current motor	1	PC
100	6.610-102.0	Carbon brush set	2	ZSA

1 Direct current motor (6.613-546.3)

POS	Article no.	Description	Quantity	Unit
9999	6.610-058.0	Carbon brush set	1	PC


110 Transmission work head

POS	Description	Quantity	Unit
111	Transmission right	1	PC
112	Transmission left	1	PC




111 Transmission right

POS	Article no.	Description	Quantity	Unit	Foot note text
1	6.348-272.0	Toothed belt	1	PC	
2	7.343-003.0	Locking ring 12x1-Rf-St DIN 471	1	PC	
3	5.625-272.0	Toothed belt pulley	1	PC	
4	7.343-231.0	Locking ring 32x1,2 -St-ph DIN 472	1	PC	
5	7.401-169.0	Ball bearing 6201-2RS-WAELZLAGST DIN 625	2	PC	
6	5.110-569.0	Sleeve	1	PC	
7	5.003-090.0	Cover plate	1	PC	
8	7.303-517.0	Self-tapping screw M6x16-ST-A2E DIN 7500	2	PC	
9	7.306-090.0	Screw M6x16 -8.8-P2R (In6Rd)	1	PC	
10	5.115-631.0	Washer	1	PC	
11	5.625-271.0	Toothed belt pulley	1	PC	
12	5.115-630.0	Washer	1	PC	
13	5.042-839.0	PLATE	1	PC	
14	7.312-276.0	Washer 6 -200HV-A2E ISO7093-1	4	PC	
15	7.306-092.0	Screw M6x20-ST- 8.8-R3R (IN6RD)	4	PC	
16	7.318-070.0	Parallel key 5x5x20-C45K DIN 6885-1	1	PC	
17	7.303-048.0	Screw M6x20 -St-R3R (In6Rd)	6	PC	
18	6.613-025.0	Blower wheel	1	PC	
19	7.343-304.0	Lock washer 15 -A2 DIN 6799	1	PC	
20	5.100-170.0	Driveshaft	1	PC	
21	7.318-007.0	Parallel key 4x4x16-C45K DIN 6885	2	PC	
22	6.343-149.0	Quick-fastener	1	PC	
23	5.515-078.0	Roller	1	PC	
24	5.316-370.0	Bolt	1	PC	
25	6.643-047.0	Plug red complete 75A 12mm ²	1	PC	RED
26	6.643-048.0	Plug blue complete 75A 12mm ²	1	PC	BLUE




112 Transmission left

POS	Article no.	Description	Quantity	Unit	Foot note text
1	6.613-025.0	Blower wheel	1	PC	
2	7.303-048.0	Screw M6x20 -St-R3R (In6Rd)	6	PC	
3	7.318-070.0	Parallel key 5x5x20-C45K DIN 6885-1	1	PC	
4	7.312-276.0	Washer 6 -200HV-A2E ISO7093-1	4	PC	
5	7.306-092.0	Screw M6x20-ST- 8.8-R3R (IN6RD)	4	PC	
6	5.042-839.0	PLATE	1	PC	
7	5.115-630.0	Washer	1	PC	
8	5.625-271.0	Toothed belt pulley	1	PC	
9	5.115-631.0	Washer	1	PC	
10	7.306-090.0	Screw M6x16 -8.8-P2R (In6Rd)	1	PC	
11	6.348-272.0	Toothed belt	1	PC	
12	7.303-517.0	Self-tapping screw M6x16-ST-A2E DIN 7500	2	PC	
13	5.003-090.0	Cover plate	1	PC	
14	7.343-003.0	Locking ring 12x1-Rf-St DIN 471	1	PC	
15	5.625-272.0	Toothed belt pulley	1	PC	
16	7.343-231.0	Locking ring 32x1,2 -St-ph DIN 472	1	PC	
17	7.401-169.0	Ball bearing 6201-2RS-WAELZLAGST DIN 625	2	PC	
18	5.110-569.0	Sleeve	1	PC	
19	5.515-078.0	Roller	1	PC	
20	5.316-370.0	Bolt	1	PC	
21	7.343-304.0	Lock washer 15 -A2 DIN 6799	1	PC	
22	5.100-170.0	Driveshaft	1	PC	
23	7.318-007.0	Parallel key 4x4x16-C45K DIN 6885	1	PC	
24	6.343-149.0	Quick-fastener	1	PC	
25	6.643-047.0	Plug red complete 75A 12mm ²	1	PC	RED
26	6.643-048.0	Plug blue complete 75A 12mm ²	1	PC	BLUE




120 Battery and battery charger

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
0	6.654-049.0	Battery kit NASS 6V175AH	1	ZSA	36V/175AH	LOW-MAINTENANCE
0	7.777-999.0	Stockpiling discontinued	1	PC	36V/180AH	MAINTENANCE-FREE
1	6.647-737.0	Cable battery 16 mm ²	1	PC		
2	6.654-063.0	Battery charger	1	PC	36V/20A	
3	6.647-619.0	Connection cable	1	PC		
5	6.654-064.0	Battery charger	1	PC	36V/22A	
6	6.654-124.0	Battery 6V180AH	6	PC	6V/180AH	MAINTENANCE-FREE
7	6.647-738.0	Cable battery 16 mm ²	4	PC		
8	6.654-051.0	Battery charger	1	PC	36V/25A	
9	6.650-113.0	Power cable only for replacement	1	PC		




130 Hoisting motor individual parts

POS	Article no.	Description	Quantity	Unit
0	2.884-047.0	Spare parts set hoisting motor	1	PC
1	6.613-036.0	Electric motor	1	PC
2	6.362-534.0	O-Ring seal 18,0 X 2,0-NBR 70	1	PC
4		Cylinder head screw M 4x60-4.8-A2E DIN	2	PC
5	6.631-955.0	Micro switch	2	PC
6	7.312-032.0	Washer 5-CuZn-E2E ISO7090	1	PC
7	7.343-204.0	Lock washer 6 -CuSn8 DIN 6799	1	PC
8		Cam	2	PC
9	7.307-512.0	Threaded pin M5x5 -45H-A2E ISO 4027	2	PC
10	7.306-401.0	Cylinder head screw M3x25 -4.8-A2E ISO	2	PC
11	6.641-278.0	Cable gland PG7	1	PC
12	6.641-483.0	Locknut PG7	1	PC
13		Cover	1	PC
14	7.306-057.0	Screw M4x10 -8.8-ZNBHL (In6Rd)	2	PC



140 Pad roll

POS	Article no.	Description	Quantity	Unit
0	4.762-188.0	Roll pad BR 700	1	PC
1	4.115-004.0	Washer closure	1	PC
3	7.401-169.0	Ball bearing 6201-2RS-WAELZLAGST DIN 625	1	PC
4	5.112-736.0	Bush hexagon 19mm	1	PC
6	6.369-454.0	Pad yellow 105-20ST	1	ZSA
7	6.369-455.0	Pad green 105-20ST	1	ZSA
8	6.369-456.0	Pad red 105-20ST	1	ZSA
9	5.005-267.0	Ronde	1	PC
10	7.343-037.0	Locking ring 50x2-FST-RF DIN 471	1	PC



150 Add-on kit valve

POS	Article no.	Description	Quantity	Unit	Foot note text
0	4.580-370.0	Valve ball valve	1	PC	VERSION 1
0	4.580-605.0	Valve	1	PC	VERSION 2
1	4.623-467.0	Motor complete ball valve	1	PC	
2	6.347-076.0	Spacer sleeve	2	PC	
3	7.303-096.0	Screw 4x22-ST-10.9-R2R (IN6RD)	2	PC	
4	7.777-999.0	Stockpiling discontinued	1	PC	
5	5.006-192.0	Plate right ball valve	1	PC	
6	7.303-107.0	Screw 5x16 -10.9-P2R (K-In6Rd)	7	PC	
7	6.682-488.0	Electronics ball valve	1	PC	
8	6.388-752.0	Hose stem DN13	2	PC	
9	6.641-474.0	Cable tape 8-210	4	PC	
10	6.388-248.0	Hose DN12,7	1	m	TO ORDER AS CUT GOODS
11	6.389-898.0	Hose stem	2	PC	
12	6.412-289.0	Ball valve	1	PC	
13	5.044-325.0	Holder ball valve	1	PC	
14	7.312-045.0	Washer 6-200HV-P4E ISO 7089	1	PC	
15	7.303-047.0	Screw M6x16 -St-R3R (In6Rd)	1	PC	
16	2.884-162.0	Spare part set	1	PC	
17	7.306-211.0	Screw M 4x25-A2-70 (IN6RD)	2	PC	
18	7.311-028.0	Hexagon nut M 4-04-A2E ISO 4035	2	PC	
19	7.311-000.0	Hexagon nut M3 -6-A2E ISO 4032	3	PC	
20	7.312-011.0	Washer 3-200HV-A2E ISO 7092	3	PC	
21	7.303-501.0	Self-tapping screw M3x20-ST-A2E DIN 7500	4	PC	
22	7.312-043.0	Washer 3-A2 ISO 7089	4	PC	
23	6.630-635.0	Micro switch lever suction bar	2	PC	
24	7.303-129.0	Screw 4x16-10.9-R2R (K-In6Rd)	2	PC	
25	5.050-120.0	Frame ball valve electrically	1	PC	
26	5.006-193.0	Plate left ball valve	1	PC	
27	6.648-230.0	Wire protecting sleeve	2	PC	
28	6.648-245.0	Cable ball valve electrically	1	PC	VERSION 1
28	6.648-847.0	Cable	1	PC	VERSION 2
29	7.777-999.0	Stockpiling discontinued	1	PC	
30	7.777-999.0	Stockpiling discontinued	1	PC	

150 Add-on kit valve

POS	Article no.	Description	Quantity	Unit	Foot note text
31	5.820-075.0	Cable	1	PC	
32	5.064-135.0	Housing ball valve	1	PC	
33	6.303-318.0	Screw 3,5x12-10.9-R2R (IN6RD)	2	PC	
34	6.373-319.0	Cable clamp R 8	1	PC	
35	5.032-761.0	Elbow connector ball valve	1	PC	
36	6.648-064.0	Cable bushing	1	PC	
37	7.303-095.0	Screw 4x12-ST-10.9-R2R (IN6RD)	4	PC	
38	5.006-796.0	Plate left	1	PC	