



## 40 Brush-head

Professional \ Floor cleaner \ Compact \ BD 38/12 C \*EU \ Brush-head



| POS | Article no. | Description                             | Quantity | Unit | Foot note text |
|-----|-------------|---|----------|------|----------------|
| 10  | 5.037-020.0 | Cover disk                              | 1        | PC   |                |
| 20  | 5.037-021.0 | Cover                                   | 1        | PC   |                |
| 30  | 5.037-026.0 | Rope guide suction beam retraction      | 2        | PC   |                |
| 40  | 5.037-023.0 | Pedal suction bar                       | 1        | PC   |                |
| 50  | 5.035-498.0 | Fixing deflector roll                   | 2        | PC   |                |
| 60  | 5.035-499.0 | Deflector roll                          | 2        | PC   |                |
| 70  | 5.037-025.0 | Pedal bearing                           | 1        | PC   |                |
| 80  | 6.613-414.0 | Motor Rotomag                           | 1        | PC   |                |
| 81  | 7.318-109.0 | Parallel key A5x5x20 -A4 DIN 6885-1     | 1        | PC   |                |
| 90  | 6.680-190.0 | Flange worked BD 40/12 C                | 1        | PC   |                |
| 100 | 6.907-151.0 | Disc brush red                          | 1        | PC   |                |
| 110 | 5.050-654.0 | Retainer micro switch                   | 1        | PC   |                |
| 130 | 4.037-067.0 | Suction bar replacement                 | 1        | PC   |                |
| 140 | 6.647-513.0 | Strain relief                           | 2        | ZST  |                |
| 150 | 6.631-818.0 | Switch                                  | 1        | PC   |                |
| 160 | 5.037-051.0 | Splash guard                            | 1        | PC   |                |
| 170 | 5.037-063.0 | Bolt                                    | 2        | PC   |                |
| 180 | 7.303-104.0 | Screw 5x16 -A2-70 (In6RD)               | 4        | PC   |                |
| 190 | 5.037-058.0 | Blank holder                            | 1        | PC   |                |
| 200 | 6.306-004.0 | Screw M6x25-A2/70-DIN7045 (In6RD)       | 3        | PC   |                |
| 210 | 7.312-020.0 | Serrated lock washer A6,4-1.4310 DIN679 | 3        | PC   |                |
| 220 | 6.373-700.0 | Eye screw LAM8x80-4.6-A3E DIN 444       | 1        | PC   |                |
| 230 | 7.311-004.0 | Hexagon nut M8 -8-A3E ISO 4032          | 2        | PC   |                |
| 240 | 5.037-090.0 | Sleeve                                  | 1        | PC   |                |
| 250 | 5.037-052.0 | Splash-proof profile                    | 1        | PC   |                |
| 260 | 7.343-300.0 | Lock washer 7-A2 DIN 6799               | 1        | PC   |                |
| 280 | 5.050-411.0 | Angle bushing water distribution        | 1        | PC   |                |
| 290 | 7.303-026.0 | Screw 4x16 -A2-70 (In6Rd)               | 4        | PC   |                |
| 300 | 7.303-108.0 | Screw 5x20 -10.9-R2R (In6Rd)            | 9        | PC   |                |
| 310 | 6.313-002.0 | Spring clip 2,0                         | 1        | PC   |                |
| 320 | 7.306-213.0 | Screw M5x6 -A2-70 (In6Rd)               | 3        | PC   |                |
| 330 | 7.312-041.0 | Serrated lock washer A5,3-1.4310 DIN 67 | 3        | PC   |                |
| 340 | 5.337-033.0 | Plate spring                            | 3        | PC   |                |

## 40 Brush-head

Professional \ Floor cleaner \ Compact \ BD 38/12 C \*EU \ Brush-head

**KÄRCHER**

| POS | Article no. | Description                      | Quantity | Unit | Foot note text        |
|-----|-------------|----------------------------------|----------|------|-----------------------|
| 350 | 5.037-367.0 | Cover cover                      | 1        | PC   |                       |
| 360 | 6.330-011.0 | Extension spring                 | 1        | PC   |                       |
| 370 | 7.312-004.0 | Washer 8 -200HV-A3E ISO 7089     | 2        | PC   |                       |
| 380 | 7.343-015.0 | Locking ring 15x1-FST-RF DIN 471 | 1        | PC   |                       |
| 390 | 6.388-216.0 | Hose DN 5                        | 1        | m    | TO ORDER AS CUT GOODS |
| 400 | 7.312-026.0 | Washer 6 -A2 ISO 7089            | 3        | PC   |                       |
| 410 | 5.037-391.0 | Cord suction beam retraction     | 1        | PC   |                       |
| 420 | 6.641-463.0 | Cable tape                       | 3        | PC   |                       |
| 430 | 6.648-638.0 | Cable tie T 30L                  | 1        | PC   |                       |
| 500 | 5.037-028.0 | Bearing suction bar disk         | 1        | PC   |                       |
| 510 | 5.037-030.0 | Bracket suction bar              | 1        | PC   |                       |
| 520 | 5.037-029.0 | Joint suction beam retraction    | 1        | PC   |                       |