



K 5 Compact

Features innovative hose storage: the K 5 Compact pressure washer is easy to transport and store and ideal for occasional use when tackling moderate dirt. 40 m²/h area performance.














- 1 Hose storage concept
- The hose can be wound up, fixed in place with an elastic strap and quickly removed again ready for the next job.
- 3 Telescopic handle
- The aluminium telescopic handle can be extended for transport and retracted again for storage.
- 2 Water-cooled motor and outstanding performance
- The water-cooled motor impresses with its particularly long service life and high power.
- 4 Integrated accessory storage on the device
- Convenient and space-saving accessory storage.

TECHNICAL DATA AND EQUIPMENT





K 5 Compact

- Quick Connect: the high-pressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
- Integrated suction mechanism for detergents

Technical data		
Order no.		1.630-750.0
EAN code		4054278498041
Pressure	bar / MPa	20-145 / 2-14.5
Flow rate	l/h	500
Max. inlet temperature	°C	max. 40
Connection load	kW	2.1
Weight without accessories	kg	12
Dimensions (L × W × H)	mm	354 × 308 × 520
Current type	V / Hz	230 / 50

Equipment				
High-pressure gun		G 180 Q	Rubber band for attaching the high- pressure hose	•
Vario Power Jet			Click VPS	-
Dirt blaster				
High-pressure hose	m	8		
Quick Connect on the side of the device				
Detergent application via		Suction hose		
Water suction				
Integrated water filter				
A3/4" garden hose connector adapter				
Telescopic handle				
Water-cooled motor				

■ Included in the scope of supply.

K 5 COMPACT 1.630-750.0































				1					\top
		Order no.					Price	Description	
Spray lances		I.							
VP 145 vario power jet Full Con-	1	2.642-725.0						Vario power spray lance for pressure washers in classes K 4	1
trol for K 4-K 5								to K 5. Continuously adjustable from low-pressure detergen	t 🔳
								jet to high-pressure jet, simply by turning the spray lance.	
DB 145 dirt blaster Full Control for	2	2.642-728.0						Dirt blaster with powerful middle rotary nozzle for Kärcher	
K 4-K 5								pressure washers in classes K 4 and K 5. For particularly stubborn dirt like that on mossy or weathered surfaces.	
Splash guard	3	2.642-706.0						Transparent splash guard for class K 2 to K 7 Kärcher pres-	\top
								sure washers protects the operator and surrounding area	
								from spray water. Ideal for cleaning corners and edges.	
Angled spray lance	4	2.638-817.0						Extra-long angled spray lance (about 1 m) for easy cleaning	
								of difficult to reach areas, e.g. roof gutters or vehicle under-	- 🗆
1-step lance extension	5	2.643-240.0						bodies. Extends spray lance by 0.4 m. For effective cleaning of	\vdash
1-step latice extension)	2.043-240.0						difficult to reach areas. Suitable for all Kärcher accessories.	
Telescopic spray lance	6	2.642-347.0						Telescopic spray lance (1.20 m - 4 m) for easy cleaning of	т
								difficult to reach areas. With shoulder strap, bayonet con-	
								nection and integrated, ergonomically adjustable trigger gur	1.
VD 400 Consideration of the set		2.542.254.0						Weight: ca. 2 kg	+-'
VP 180 S vario power jet short 360° for K 2-K 7	7	2.643-254.0						VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is	
300 TOFR 2 IV 7								ideal for cleaning areas that are difficult to reach.	-
MP 145 multi power jet for K 3-K	8	2.643-239.0						Multi power jet with 5 types of jets: Cleaning agent jet, HP	
5								fan jet, rotary nozzle, pencil jet and wide reduced-pressure	
1.140.45		0.540.440.0						fan jet. The suitable jet can be selected by simply twisting.	₩
Multi-power jet K3 - K5	9	2.642-440.0						Multi-power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure	
								fan jet. The suitable jet can be selected by simply twisting.	
Trigger guns			'						
G 180 Q Quick Connect trigger gun	10	2.642-889.0						The new G 180 Q spray gun with Quick Connect is 13 cm	П
								longer and is now even more convenient to use and more	
								ergonomic when cleaning with Kärcher pressure washers.	\perp
Surface cleaners	ا	1	I	1	ı	ı		lee to	
PS 40 power scrubber surface cleaner	11	2.643-245.0						PS 40 power scrubber with three integrated high-pressure nozzles. Powerful cleaning action removes stubborn dirt	
Cleaner								from surfaces quickly and easily. Ideal for stairs and edges.	
T 450 T-Racer surface cleaner	12	2.643-214.0						Cleans large surfaces without splashing: T-Racer surface	т
								cleaner T 450. Extra power nozzle for corners and edges,	П
								handle for vertical cleaning, protection grid for gravel sur-	-
T.050.T.D. ()	40	0.540.050.0						faces, cleaning pressure adjustment.	₩
T 350 T-Racer surface cleaner	13	2.643-252.0						With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjust-	
								ment for hard and sensitive surfaces. Handle for vertical	
								cleaning.	
Replacement nozzles accessories	14	2.643-338.0						High-quality replacement nozzles for all T-Racer surface	
								cleaners (except T 350) for unit classes K 2 to K 7, gutter	
								cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for k	-
Replacement nozzles accessories	15	2.643-335.0						2 to K 5. The high-quality replacement nozzles guarantee easy repla-	+
for T 350	13	2.073 333.0						cement of nozzles and are suitable for the T-Racer T 300 / 1	-
								350 surface cleaners for the pressure washer unit classes K	
								2 to K 7.	

K 5 COMPACT 1.630-750.0





























	Order no.				Price	Description
16	2.642-194.0					T 250 T-Racer for spray-free surface cleaning. With extra handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, classes K 2 - K 7.
17	2.643-251.0					T-Racer surface cleaner T 550 for splash-free cleaning of large surfaces. With detergent application system, power nozzle for corners/edges, protection grid for gravel surfaces, pressure adjustment and handle.
			•			
18	2.643-237.0					WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.
19	2.644-060.0					Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.
20	2.644-129.0					Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.
21	2.643-233.0					Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.
22	2.643-234.0					Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.
23	2.640-732.0					Adapter for garden hose connection – suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.
24	6.903-276.0					Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.
vith an	ti-twist system a	nd Quick Connec	system			,
25	2.643-585.0					Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.
vstem	from 2009 with 0	Duick Connect sv	stem			The state of the s
ì	1					9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.
t syste	m from 1992					
27	2.643-037.0					Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.
em for	devices with Qu	ick Connect syste	em			
28	2.641-710.0					High-pressure hose extension for greater flexibility. 10 m robust DN 8 quality hose for excellent durability. For K 3 to K 7 devices from 2008 or later with Quick Connect adapter.
	17 18 19 20 21 22 23 24 /ith an 25 /stem 26 27	16 2.642-194.0 17 2.643-251.0 18 2.643-237.0 19 2.644-060.0 20 2.644-129.0 21 2.643-233.0 22 2.643-234.0 23 2.640-732.0 24 6.903-276.0 26 2.643-585.0 27 2.643-585.0 28 2 2 2 2 2 27 2.643-037.0 28 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2 2 27 2 2 2	16 2.642-194.0	16 2.642-194.0	16 2.642-194.0 17 2.643-251.0 18 2.643-237.0 19 2.644-060.0 20 2.644-129.0 21 2.643-233.0 22 2.643-234.0 23 2.640-732.0 24 6.903-276.0 //ith anti-twist system and Quick Connect system 25 2.643-585.0 //stem from 2009 with Quick Connect system 26 2.641-721.0 t system from 1992 27 2.643-037.0 em for devices with Quick Connect system	16 2642-194.0 17 2643-251.0 18 2643-237.0 19 2644-060.0 20 2644-129.0 21 2643-233.0 22 2643-234.0 23 2640-732.0 24 6.903-276.0

[■] Included in the scope of supply.

Available accessories.

K 5 COMPACT 1.630-750.0































		Order no.		Price	Description	
XH 6 Q extension hose Quick Connect	29	2.641-709.0			High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	, C
XH 10 QR extension hose Quick Connect rubber	30	2.641-708.0			High-pressure extension rubber hose for greater flexibility.	
Pipe cleaning						
PC 15 pipe cleaning kit	31	2.637-767.0			Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	32	2.637-729.0			Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	
PC 20 roof gutter and pipe cleaning kit	33	2.642-240.0			The gutter and pipe cleaning kit works all by itself – with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	
Miscellaneous			<u> </u>			
Vario joint	34	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	
Water filter	35	4.730-059.0			Water filter protects pressure washer pumps against dirt particles from dirty water.	Г
O-ring set	36	2.640-729.0			Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	
Organiser	37	2.641-630.0			Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting. Ideal for protecting wash brushes and bristles from bending.	
SH 5 suction hose	38	2.643-100.0			Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	
Sand and wet-blasting kit	39	2.638-792.0			Sand and wet-blasting kit for removing rust, paint and stub- born dirt using Kärcher abrasive.	
Underbody cleaner	40	2.642-561.0			Highly effective chassis cleaner for removing dirt, mud, sludge, sand and encrusted salt. With care nozzle for applying chassis wax (incl. 250 ml free tester).	
Suction hose ecologic	41	2.642-743.0			The suction hose from the ecologic range is suitable for all K 3 to K 7 devices and makes it possible to draw water from alternative sources such as water butts and barrels. The hose is free of phthalates and PVC, up to 90% recyclable and also uses highly eco-friendly packaging.	
Foam jet						
FJ 6 foam jet	42	2.643-147.0			FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	
FJ 10 C foam jet Connect 'n' Clean with ultra foam cleaner 3-in-1	43	2.643-143.0			Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	44	2.643-144.0			Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
Foam nozzle, 0.3 litre	45	2.641-848.0			Foam nozzle with powerful foam effortlessly cleans all types of surfaces, e.g. car or motorcycle paint, glass or stone, 0.3 litre container.	

K 5 COMPACT 1.630-750.0







		Order no.			Price	Description	
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	46	2.643-145.0				Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	1
Accessory kits							1
Accessory Kit Bike Cleaning	47	2.643-551.0				Cleaning and care to perfection! The accessories kit for motorbike and bicycle cleaning includes 1 wheel washing brush, 1 universal wash brush, 1 litre of Car Shampoo 3-in-1 and 1 VPS 160 S.	i
Accessories set for wood cleaning	48	2.643-553.0				Accessories kit for wood cleaning. With Power scrubber PS 40, Wood Cleaner 3-in-1 and Connect 'n' Clean FJ 10 C foam jet. Ideal for cleaning and maintaining wood and stone surfaces.	

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.

K 5 COMPACT 1.630-750.0





















		Order no.		B	rice	Description	
		order no.			TICC	Description	\bot
Hose storage and hose trolley Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0				Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0				Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	
Hoses							
Hose set for pressure washers	4	2.645-156.0				Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex* hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	
Water supply hose set	5	2.645-258.0				Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex® hose (½"), hose connector with and without Aqua Stop, universal connection for taps without thread.	
PrimoFlex* hose 1/2" - 20 m	6	2.645-138.0				The robust PrimoFlex* (1/2") garden hose is a 20 m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	
PrimoFlex* hose 3/4" - 25 m	7	2.645-142.0				PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	
Hose connection systems				<u> </u>			
Universal hose coupling Plus	8	2.645-193.0				Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal hose coupling Plus with Aqua Stop	9	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal Hose Connector with Aqua Stop	10	2.645-192.0				Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	
Universal Hose Connector	11	2.645-191.0				Universal hose connector in ergonomic design for comfortable handling.	

[■] Included in the scope of supply.

Available accessories.