

IVS 100/75 M

Our most powerful industrial vacuum from the super-class range with dust class M certification: IVS 100/75 M with 7.5 kW side channel blower for very large quantities of dusts that are hazardous to health.



Made in Germany



Order no. **1.573-822.0**

- Certified for dust class M
- Extra-large filter area
- Pole reverse plug

Technical data

EAN code		4054278325644
Supply voltage	Ph / V / Hz	3 / 400 / 50
Air flow	l/s / m³/h	148 / 536
Vacuum	mbar / kPa	290 / 29
Container content	l	100
Container material		Stainless steel
Rated input power	kW	7.5
Vacuuming type		Electric
Filter areas	m²	2.2
Connection nominal diameter		ID 70
Accessory nominal diameter		ID 70 / ID 50
Sound pressure level	dB(A)	73
Weight without accessories	kg	165
Weight incl. packaging	kg	177
Dimensions (L × W × H)	mm	1202 × 686 × 1465

Users must receive training on this device.

Equipment

Accessories included in the scope of delivery	no
Container emptying	Set-down trolley

- Included in the scope of supply.



Wear-resistant side channel blower

- With 7.5 kW power and soft start for large quantities of dust and solids.
- For strong suction power and service life of at least 20,000 hours.
- Suitable for multiple shift operation and/or with multiple suction points.

Dust class M

- Complete device certified according to DIN EN 60335-2-69 for dust class M.

Manual IVS filter cleaning

- Effortless operation by means of an ergonomically placed lever if required.
- Extends the life of the filter and thus reduces the maintenance effort.
- Identical cleaning results, regardless of the amount of force used.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



1-2



3



4



5



6



9-10



11-12



13-14

		Order no.	Description	
FILTERS				
Bag/star filter				
Star filter PE M 2.2 m ²	1	6.907-611.0	Star filter for dust class M, antistatic, with 448 mm diameter and 2.2 m ² filter area, colour: white.	<input type="checkbox"/>
Star filter PE/PTFE M 2.2 m ²	2	6.907-651.0		<input type="checkbox"/>
EMPTYING SUPPORTS				
Emptying bags				
Disposal bag PE Ø 510 mm 100 l	3	6.904-348.0	Disposal bags made from PE for low-dust container emptying.	<input type="checkbox"/>
Disposal bag PE Ø 460 mm 120 l	4	6.907-646.0		<input type="checkbox"/>
Other emptying aids				
Longopac add-on system IVS	5	2.013-092.0		<input type="checkbox"/>
OTHER ACCESSORIES				
Universal accessories holder	6	9.989-789.0	Universal accessories holder for simple storage of suction tubes directly on industrial vacuums from the IVC, IVM and IVS product lines from Kärcher.	<input type="checkbox"/>
IVS remote control	7	2.273-001.0	Remote control for control of IVS machines up to 30 m away.	<input type="checkbox"/>
HANDLES				
Elbow aluminium 45° DN50	8	9.989-547.0	Handle with 45° bend. Made from aluminium, DN 50.	<input type="checkbox"/>
Handle stainless steel AISI 304	9	9.989-896.0		<input type="checkbox"/>
	10	9.989-897.0		<input type="checkbox"/>
Handle straight stainless steel AISI 304	11	9.989-898.0		<input type="checkbox"/>
	12	9.989-899.0		<input type="checkbox"/>
Handle carbon DN-F40	13	9.989-916.0		<input type="checkbox"/>
Handle carbon DN-F50	14	9.989-917.0		<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



15-16



17




18




19



20-21



22-23



24-25




26-31

	Order no.	Description	
HANDLES			
Handle carbon 110° DN-F40	15 9.989-918.0		<input type="checkbox"/>
Handle carbon 110° DN-F50	16 9.989-919.0		<input type="checkbox"/>
Handle DN 50	17 9.977-678.0	Electroconductive and 45° curved handle made from stainless steel. Inner cone DN 50.	<input type="checkbox"/>
Handle DN 70	18 9.977-677.0		<input type="checkbox"/>
Stainless steel handle NW50	19 9.988-111.0	Curved and electroconductive handle made from stainless steel. Angle 45°, inner cone NW 50.	<input type="checkbox"/>
SUCTION TUBES			
Carbon suction tube 1500 mm DN40	20 9.989-552.0	Very light carbon extension tube, electroconductive, DN 40. Length: 1500 mm.	<input type="checkbox"/>
Carbon suction tube 1500 mm DN50	21 9.989-553.0	Electroconductive, very light carbon extension tube. Inner cone DN 50, 1500 mm long.	<input type="checkbox"/>
Suction tube stainless steel AISI 304 DN	22 9.989-912.0		<input type="checkbox"/>
	23 9.989-913.0		<input type="checkbox"/>
Suction tube carbon 1500 mm DN-F40 conical	24 9.989-920.0		<input type="checkbox"/>
Suction tube carbon 1500 mm DN-F50 conical	25 9.989-921.0		<input type="checkbox"/>
Suction tube aluminium high temperature	26 9.989-928.0		<input type="checkbox"/>
	27 9.989-929.0		<input type="checkbox"/>
	28 9.989-930.0		<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.


ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
SUCTION TUBES			
Suction tube aluminium high temperature	29	9.989-931.0	<input type="checkbox"/>
	30	9.989-932.0	<input type="checkbox"/>
	31	9.989-933.0	<input type="checkbox"/>
Suction tube 850 mm DN 40	32	9.977-531.0 850 mm long extension tube made from steel. Electroconductive and with inner cone DN 50.	<input type="checkbox"/>
Suction tube 850 mm DN 70	33	9.981-910.0 Electroconductive extension tube, internal cone DN 70, 750 mm total length.	<input type="checkbox"/>
Aluminium suction tube 1500 mm NW40	34	9.989-038.0 Stainless steel extension tube, electroconductive, NW 50. Length: 1500 mm.	<input type="checkbox"/>
Aluminium suction tube 1500 mm NW50	35	9.989-035.0 Electrically conductive suction tube (1500 mm) made of aluminium with 50 mm diameter.	<input type="checkbox"/>
Stainless steel suction tube 850 mm NW40	36	9.989-039.0 Stainless steel extension tube, electroconductive, NW 40. Length: 850 mm.	<input type="checkbox"/>
Stainless steel suction tube 850 mm NW50	37	9.988-114.0 Electroconductive extension tube made from stainless steel. Inner cone NW 50.	<input type="checkbox"/>
ADAPTERS / REDUCERS / DISTRIBUTORS			
Accessories adapter			
Adapter accessories DN 50 to DN 51	38	9.989-603.0 Steel adapter for connection of DN 50 to DN 51. Electroconductive.	<input type="checkbox"/>
Adapter accessories DN 51 to DN 50	39	9.989-601.0 Steel adapter for connection of DN 51 to DN 50. Electroconductive.	<input type="checkbox"/>
Adapter accessories DN50 to DN61	40	9.989-602.0 Steel adapter for connection of DN 50 to DN 61. Electroconductive.	<input type="checkbox"/>
Adapter accessories DN 61 to DN 50	41	9.989-604.0 Steel adapter for connection of DN 61 to DN 50. Electroconductive.	<input type="checkbox"/>
Reducers/expanders			
Reduction in AISI 304 stainless steel	42	9.989-893.0	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



43-44, 48




45



42, 46-47



49-50



51



52-55



56-57, 59-60

	Order no.	Description	
ADAPTERS / REDUCERS / DISTRIBUTORS			
Reducers/expanders			
Reduction DN70 to DN50	43 9.977-772.0		<input type="checkbox"/>
Reduction DN70 to DN40	44 9.989-690.0	Electroconductive steel reducer for reduction from DN 70 to DN 40.	<input type="checkbox"/>
Reduction DN50 to DN40	45 9.981-231.0	Reducer from DN 50 to DN 40. Material: Steel. Electroconductive.	<input type="checkbox"/>
Stainless steel reducer DN 70 to DN 50	46 9.989-712.0		<input type="checkbox"/>
Stainless steel reducer DN 70 to DN 40	47 9.989-713.0		<input type="checkbox"/>
Expander			
Expansion DN50 to DN70	48 9.981-921.0	Reducer from external cone DN 50 to internal cone DN 70. Material: Steel. Electroconductive.	<input type="checkbox"/>
Distributor			
AISI 304 stainless steel manifold	49 9.989-894.0		<input type="checkbox"/>
Distributor Y-piece stainless steel AISI 304 DN70 to DN40	50 9.989-895.0		<input type="checkbox"/>
Y-piece fitting DN70 to DN50	51 9.989-611.0	Electroconductive steel fitting, DN 70/DN 50 / DN 50.	<input type="checkbox"/>
HOSES			
PVC			
Hose PVC DN40 3 m	52 9.989-962.0		<input type="checkbox"/>
Hose PVC DN40 5 m	53 9.989-963.0		<input type="checkbox"/>
Hose PVC DN50 3 m	54 9.989-964.0		<input type="checkbox"/>
Hose PVC DN50 5 m	55 9.989-965.0		<input type="checkbox"/>
Hose PVC DN50 3 m	56 9.989-615.0	Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 3 m.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.


ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
HOSES			
PVC			
Hose PVC DN50 5 m	57	9.989-616.0	Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 5 m. <input type="checkbox"/>
PVC hose DN50 15 m without connectors	58	9.989-634.0	PVC hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m. <input type="checkbox"/>
Hose PVC DN70 3 m	59	9.989-635.0	Electroconductive PVC hose, DN 70. Temperature-resistant up to 85 °C. Length: 3 m. <input type="checkbox"/>
Hose PVC DN70 5 m	60	9.989-643.0	PVC hose, DN 70. Temperature-resistant up to 85 °C and electroconductive. Length: 5 m. <input type="checkbox"/>
PVC hose DN70 15 m without connectors	61	9.989-636.0	PVC hose without tap adapter, DN 70. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m. <input type="checkbox"/>
EVA hoses			
Hose EVA DN40 3 m	62	9.989-982.0	<input type="checkbox"/>
Hose EVA DN40 5 m	63	9.989-983.0	<input type="checkbox"/>
Hose EVA DN50 3 m	64	9.989-984.0	<input type="checkbox"/>
Hose EVA DN50 5 m	65	9.989-985.0	<input type="checkbox"/>
Hose EVA NW50 3 m	66	9.988-090.0	Electroconductive hose with NW50. Suitable for temperatures up to 65°C. Length: 3 m. <input type="checkbox"/>
Hose EVA NW50 5 m	67	9.988-091.0	<input type="checkbox"/>
EVA hose DN50 15 m without connectors	68	9.989-631.0	EVA hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 65 °C. Length: 15 m. <input type="checkbox"/>
Hose EVA DN70 3 m	69	9.989-613.0	Electroconductive EVA hose, DN 70. Temperature-resistant up to 65 °C. Length: 3 m. <input type="checkbox"/>
Hose EVA DN70 5 m	70	9.989-624.0	Electroconductive EVA hose, DN 70. Temperature-resistant up to 65 °C. Length: 5 m. <input type="checkbox"/>

Available accessories.


ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
HOSES			
EVA hoses			
EVA hose DN70 15 m without connectors	71 9.989-632.0	EVA hose without tap adapter, DN 70. Electroconductive and temperature-resistant up to 65 °C. Length: 15 m.	<input type="checkbox"/>
Hose installation sets			
Hose installation kit DN50	72 9.989-628.0	Multipiece hose connection kit, DN 50.	<input type="checkbox"/>
Hose installation kit DN70	73 9.989-629.0	Multipiece hose connection kit, DN 70.	<input type="checkbox"/>
Hose connection kit DN40	74 9.989-986.0		<input type="checkbox"/>
Hose connection kit DN50	75 9.989-987.0		<input type="checkbox"/>
PU hoses			
Hose PU DN40 3 m	76 9.989-966.0		<input type="checkbox"/>
Hose PU DN40 5 m	77 9.989-967.0		<input type="checkbox"/>
Hose PU DN50 3 m	78 9.989-968.0		<input type="checkbox"/>
Hose PU DN50 5 m	79 9.989-969.0		<input type="checkbox"/>
Hose PU FDA DN40 3 m	80 9.989-970.0		<input type="checkbox"/>
Hose PU FDA DN40 5 m	81 9.989-971.0		<input type="checkbox"/>
Hose PU FDA DN40 15 m	82 9.989-972.0		<input type="checkbox"/>
Hose PU FDA DN50 3 m	83 9.989-973.0		<input type="checkbox"/>
Hose PU FDA DN50 5 m	84 9.989-974.0		<input type="checkbox"/>

Available accessories.


ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
HOSES			
PU hoses			
Hose PU FDA DN50 15 m	85	9.989-975.0	<input type="checkbox"/>
Hose PU DN50 3 m	86	9.989-619.0 Oil-resistant, electroconductive PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 3 m.	<input type="checkbox"/>
Hose PU DN50 5 m	87	9.989-620.0 Oil-resistant, electroconductive PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 5 m.	<input type="checkbox"/>
PU hose DN50 15 m without connectors	88	9.989-638.0 PU hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 80 °C. Length: 15 m.	<input type="checkbox"/>
Hose PU DN70 3 m	89	9.989-644.0 Oil-resistant, electroconductive PU hose, DN 70. Temperature-resistant up to 80 °C, suitable for abrasive suction media. Length: 3 m.	<input type="checkbox"/>
Hose PU DN70 5 m	90	9.989-645.0 Oil-resistant, electroconductive PU hose, DN 70. Temperature-resistant up to 80 °C, suitable for abrasive suction media. Length: 5 m.	<input type="checkbox"/>
PU hose DN70 15 m without connectors	91	9.989-639.0 PU hose without tap adapter, DN 70. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m.	<input type="checkbox"/>
ME-PU-hoses			
Hose ME DN40 3 m	92	9.989-976.0	<input type="checkbox"/>
Hose ME DN40 5 m	93	9.989-977.0	<input type="checkbox"/>
Hose without connection ME DN40 15 m	94	9.989-978.0	<input type="checkbox"/>
Hose ME DN50 3 m	95	9.989-979.0	<input type="checkbox"/>
Hose ME DN50 5 m	96	9.989-980.0	<input type="checkbox"/>
Hose without connection ME DN50 15 m	97	9.989-981.0	<input type="checkbox"/>
NOZZLES			
Standard nozzles			
Standard nozzle silicon FDA blue DN-F40	98	9.989-835.0	<input type="checkbox"/>

Available accessories.




ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
NOZZLES			
Standard nozzles			
Standard nozzle silicon FDA green DN-F40	99 9.989-836.0		<input type="checkbox"/>
Standard nozzle silicon FDA red DN-F40	100 9.989-837.0		<input type="checkbox"/>
Standard nozzle silicon FDA transparent	101 9.989-838.0		<input type="checkbox"/>
Standard nozzle silicon FDA white DN-F40	102 9.989-839.0		<input type="checkbox"/>
Standard nozzle silicon FDA yellow DN-F4	103 9.989-840.0		<input type="checkbox"/>
Standard nozzle silicon FDA blue DN-F50	104 9.989-841.0		<input type="checkbox"/>
Standard nozzle silicon FDA green DN-F50	105 9.989-842.0		<input type="checkbox"/>
Standard nozzle silicon FDA red DN-F50	106 9.989-843.0		<input type="checkbox"/>
Standard nozzle silicon FDA transparent	107 9.989-844.0		<input type="checkbox"/>
Standard nozzle silicon FDA white DN-F50	108 9.989-845.0		<input type="checkbox"/>
Standard nozzle silicon FDA yellow DN-F5	109 9.989-846.0		<input type="checkbox"/>
Standard PVC nozzle DN50	110 9.989-673.0	Electroconductive standard PVC nozzle. DN 50.	<input type="checkbox"/>
Standard PVC nozzle DN70	111 9.989-676.0	Electroconductive standard PVC nozzle. DN 70.	<input type="checkbox"/>
Standard nozzle silicone DN40	112 9.988-401.0	Stretchy standard nozzle made from silicone, inner cone DN 40.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description		
NOZZLES				
Standard nozzles				
Standard nozzle silicone DN50	113	9.988-402.0	<input type="checkbox"/>	
Standard silicone nozzle DN70	114	9.989-672.0	Electroconductive standard silicone nozzle. DN 70.	<input type="checkbox"/>
Standard nozzle cuttable rubber DN50	115	9.989-675.0	Standard nozzle, electroconductive, made from cuttable rubber. DN 50.	<input type="checkbox"/>
Standard aluminium nozzle DN50	116	9.980-749.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.	<input type="checkbox"/>
Standard aluminium nozzle DN70	117	9.989-663.0	Standard nozzle made from aluminium. Electroconductive. DN 70.	<input type="checkbox"/>
Flexible standard nozzles				
Standard nozzle flexible PVC DN50	118	9.981-421.0	Electroconductive, flexible round nozzle made from galvanised steel, DN 50, with rubber mouthpiece DN 30.	<input type="checkbox"/>
Standard nozzle flexible PVC DN70	119	9.981-422.0	Flexible, electroconductive standard nozzle, DN 70, with rubber mouthpiece.	<input type="checkbox"/>
Standard nozzle, flexible, angled 90° PP DN50	120	9.981-430.0	Flexible, electroconductive angled nozzle, DN 50, length: 800 mm.	<input type="checkbox"/>
Floor nozzles				
Floor nozzle stainless steel AISI 304	121	9.989-861.0	<input type="checkbox"/>	
Bottom nozzle Edelstahl AISI 316L blue	122	9.989-862.0	<input type="checkbox"/>	
Floor nozzle stainless steel AISI 316L g	123	9.989-863.0	<input type="checkbox"/>	
	124	9.989-864.0	<input type="checkbox"/>	
Floor nozzle stainless steel AISI 316L r	125	9.989-865.0	<input type="checkbox"/>	
	126	9.989-866.0	<input type="checkbox"/>	

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
NOZZLES			
Floor nozzles			
Floor nozzle stainless steel AISI 316L t	127	9.989-867.0	<input type="checkbox"/>
	128	9.989-868.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L w	129	9.989-869.0	<input type="checkbox"/>
	130	9.989-870.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L y	131	9.989-871.0	<input type="checkbox"/>
	132	9.989-872.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40	133	9.989-914.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50	134	9.989-915.0	<input type="checkbox"/>
Floor nozzle stainless steel 400 mm DN-F	135	9.989-934.0	<input type="checkbox"/>
	136	9.989-935.0	<input type="checkbox"/>
Floor nozzle aluminium 400 mm DN-F40	137	9.989-936.0	<input type="checkbox"/>
Floor nozzle aluminium 400 mm DN-F50	138	9.989-937.0	<input type="checkbox"/>
Aluminium floor nozzle 200 mm DN50	139	9.981-426.0	Floor nozzle, DN 50, with 200 mm suction width. <input type="checkbox"/>
Aluminium floor nozzle 370 mm DN50	140	9.989-664.0	Floor nozzle. 370 mm, made from aluminium. Electroconductive. DN 50. <input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M


1.573-822.0



	Order no.	Description	
NOZZLES			
Floor nozzles			
Aluminium floor nozzle, el, 370 mm, DN50	141	9.987-612.0	Electroconductive multi-purpose floor nozzle. 370 mm wide, DN 50. <input type="checkbox"/>
Aluminium floor nozzle 500 mm DN50	142	9.989-684.0	Floor nozzle, 500 mm, made from aluminium. Electroconductive. DN 50. <input type="checkbox"/>
Aluminium floor nozzle, el, 500 mm, DN50	143	9.981-925.0	Floor nozzle with 500 mm suction width and hinge. DN 50, electroconductive. <input type="checkbox"/>
Stainless steel floor nozzle el 370 mm DN50	144	9.988-115.0	Floor nozzle (370 mm) made from stainless steel, electroconductive, DN 50. <input type="checkbox"/>
Floor nozzle rubber strip oil-resistant. 220 mm	145	9.981-923.0	Squeegee with plastic strip for floor nozzle, 220 mm wide. <input type="checkbox"/>
Floor nozzle rubber strip 370 mm	146	9.981-914.0	Squeegee with profiled strip for floor nozzle, 370 mm wide. <input type="checkbox"/>
Floor nozzle rubber strip 500 mm	147	9.981-915.0	Oil-resistant squeegee with profiled strip for floor nozzle, 500 mm wide. <input type="checkbox"/>
Floor nozzle brush strip el. 370 mm	148	9.984-939.0	Electroconductive squeegee for floor nozzle, 370 mm wide. <input type="checkbox"/>
Floor nozzle brush strip 500 mm	149	9.980-764.0	Brush strip set for floor nozzle 500 mm, with profiled strip. <input type="checkbox"/>
Crevice nozzles			
Crevice nozzle PP 15 mm × 145 mm DN50	150	9.988-117.0	Electroconductive, flat multi-purpose crevice nozzle made from plastic, DN 52. <input type="checkbox"/>
Crevice nozzle PU 22 mm × 175 mm DN50	151	9.981-482.0	Crevice nozzle made from PU, DN 50. <input type="checkbox"/>
Crevice nozzle 18 mm × 120 mm DN50	152	9.981-442.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 17 mm slot width. <input type="checkbox"/>
Crevice nozzle 25 mm × 120 mm DN50	153	9.981-465.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width. <input type="checkbox"/>
Crevice nozzle 28 mm × 120 mm DN70	154	9.981-444.0	Electroconductive crevice nozzle made from sheet steel, DN 70, with 30 mm slot width. <input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description		
NOZZLES				
Crevice nozzles				
Stainless steel crevice nozzle 22 mm × 220 mm DN50	155	9.988-123.0	Stainless steel crevice nozzle, DN 42, suitable for use with foods.	<input type="checkbox"/>
Flexible crevice nozzles				
Crevice nozzle flexible silicone	156	9.989-847.0		<input type="checkbox"/>
Standard nozzle flexible Silikon FDA tra	157	9.989-848.0		<input type="checkbox"/>
Flexible crevice nozzle silicone 65 mm DN50	158	9.988-403.0	Flexible crevice nozzle made from silicone, DN 50.	<input type="checkbox"/>
Flexible crevice nozzle 11 mm × 58 mm DN40	159	9.989-681.0	Electroconductive and flexible crevice nozzle, 11 × 58 mm.	<input type="checkbox"/>
Flexible crevice nozzle 12 mm × 45 mm DN50	160	9.981-424.0	Flexible, electroconductive galvanised crevice nozzle, DN 50, with 13 mm slot width.	<input type="checkbox"/>
Flexible crevice nozzle 20 mm × 45 mm DN50	161	9.981-425.0	Flexible and electroconductive crevice nozzle made from galvanised steel with 20 mm slot width, DN 50.	<input type="checkbox"/>
Surface nozzles				
Rubber nozzle silicon FDA blue DN-F40	162	9.989-849.0		<input type="checkbox"/>
Standard nozzle silicon FDA blue DN-F40	163	9.989-850.0		<input type="checkbox"/>
	164	9.989-851.0		<input type="checkbox"/>
	165	9.989-852.0		<input type="checkbox"/>
	166	9.989-853.0		<input type="checkbox"/>
	167	9.989-854.0		<input type="checkbox"/>
	168	9.989-855.0		<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
NOZZLES			
Surface nozzles			
Standard nozzle silicon FDA blue DN-F40	169	9.989-856.0	<input type="checkbox"/>
	170	9.989-857.0	<input type="checkbox"/>
	171	9.989-858.0	<input type="checkbox"/>
	172	9.989-859.0	<input type="checkbox"/>
	173	9.989-860.0	<input type="checkbox"/>
Silicone surface nozzle 120 mm DN50	174	9.988-119.0	Electroconductive rubber nozzle, angled, DN 50, suitable for use with foods. <input type="checkbox"/>
Aluminium surface nozzle 150 mm DN50	175	9.989-665.0	Surface nozzle, 150 mm, made from aluminium. DN 50. <input type="checkbox"/>
Liquid nozzles			
Liquid nozzle 900 mm DN50	176	9.981-427.0	Bypass nozzle, DN 50, overall length: 1000 mm. <input type="checkbox"/>
Borehole nozzles			
Blind hole nozzle DN40	177	9.989-671.0	90° curved blind hole nozzle with 60 mm diameter. <input type="checkbox"/>
Blind hose nozzle angled 60° DN40	178	9.989-669.0	90° curved blind hole nozzle with 48 mm diameter. DN 40. <input type="checkbox"/>
Blind hose nozzle angled 90° DN40	179	9.989-667.0	90° curved blind hole nozzle with 60 mm diameter. DN 40. <input type="checkbox"/>
Blind hose nozzle angled 90° 200 mm extension DN40	180	9.989-670.0	90° curved blind hole nozzle with 48 mm diameter. DN 40. <input type="checkbox"/>
BRUSHES			
Standard brushes			
Standard brush 40 mm DN50	181	9.981-432.0	Flat brush nozzle DN 50. <input type="checkbox"/>
End brushes			
Brush FDA blue ø 75 mm DN-F40	182	9.989-873.0	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
BRUSHES			
End brushes			
Brush FDA blue ø 75 mm DN-F50	183	9.989-874.0	<input type="checkbox"/>
Brush Nozzle FDA ø 75 mm DN-F40 green	184	9.989-875.0	<input type="checkbox"/>
Brush FDA green ø 75 mm DN-F50	185	9.989-876.0	<input type="checkbox"/>
Brush FDA red ø 75 mm DN-F40	186	9.989-877.0	<input type="checkbox"/>
Brush FDA red ø 75 mm DN-F50	187	9.989-878.0	<input type="checkbox"/>
Brush FDA white ø 75 mm DN-F40	188	9.989-879.0	<input type="checkbox"/>
Brush FDA white ø 75 mm DN-F50	189	9.989-880.0	<input type="checkbox"/>
Brush FDA yellow ø 75 mm DN-F40	190	9.989-881.0	<input type="checkbox"/>
Brush FDA yellow ø 75 mm DN-F50	191	9.989-882.0	<input type="checkbox"/>
End brush Ø 82 mm DN50	192	9.989-608.0 Electroconductive end brush with 82 mm diameter. DN 50.	<input type="checkbox"/>
Surface brushes			
Surface brush 300 mm DN50	193	9.981-912.0 Vacuum brush, 300 mm, with 45° connection, with star screw, horsehair bristles.	<input type="checkbox"/>
Cylinder brushes			
Cylinder brush ø 100 mm F-DN40	194	9.989-922.0	<input type="checkbox"/>
Cylinder brush ø 200 mm F-DN40	195	9.989-923.0	<input type="checkbox"/>
Cylinder brush ø 100 mm F-DN50	196	9.989-925.0	<input type="checkbox"/>

Available accessories.