



22 Cylinder head

Professional \ High pressure cleaner hotwater \ Electric motor \ H 2600 *EU \ Spare parts list H_2600 \ Pump set \ Cylinder head



| POS | Article no. | Description | Quantity | Unit | Remark | Foot note text |
|-----|-------------|--|----------|------|-----------------------|-----------------------|
| 46 | 4.550-458.0 | Cylinder head complete only for replacem | 1.000 | ST | VERSION 1 + VERSION 2 | |
| 46 | 4.550-924.0 | Cylinder head only for replacement | 1.000 | ST | VERSION 3 | |
| 50 | 7.306-043.0 | Cylinder head screw M8x30 -8.8-A2E ISO | 5.000 | ST | | |
| 45 | 7.306-125.0 | Cylinder head screw M10x70-8.8-A3E ISO4 | 4.000 | ST | | |
| 2 | 5.367-030.0 | Diaphragm | 2.000 | ST | | |
| 54 | 5.321-579.0 | Handle | 1.000 | ST | | |
| 35 | 5.332-414.0 | Helical spring | 1.000 | ST | | |
| 22 | 5.332-444.0 | Helical spring | 1.000 | ST | | |
| 5 | 5.332-268.0 | Helical spring | 2.000 | ST | | |
| 18 | 5.304-070.0 | Hexagonal head screw | 1.000 | ST | | |
| 16 | 7.311-002.0 | Hexagon nut M5 -8-A2E ISO 4032 | 1.000 | ST | | |
| 24 | 5.311-204.0 | Hexagon nut M22x1,5 | 1.000 | ST | | |
| 56 | 6.391-596.0 | High pressure hose DN 13 | 1.000 | ST | | |
| 21 | 5.404-082.0 | Hollow screw | 1.000 | ST | | |
| 39 | 6.390-426.0 | Hose DN 5 | 1.000 | M | | |
| 57 | 6.388-167.0 | Hose DN15 | 1.000 | M | | TO ORDER AS CUT GOODS |
| 44 | 5.443-455.0 | Hose stem | 1.000 | ST | | |
| 55 | 6.362-151.0 | O-Ring d. 10 x 2 NBR 70 | 1.000 | ST | | |
| 12 | 6.362-853.0 | O-Ring seal 4,47x1,78 | 1.000 | ST | | |
| 59 | 6.362-386.0 | O-Ring seal 5,0 x 1,5-NBR 80 | 1.000 | ST | | |
| 61 | 6.362-703.0 | O-Ring seal 6,0x1,5-NBR 70 | 1.000 | ST | | |
| 14 | 6.362-101.0 | O-Ring seal 8 X 2 | 1.000 | ST | | |
| 41 | 6.362-077.0 | O-Ring seal 10 x 2,2 NBR 70 | 1.000 | ST | | |
| 34 | 6.362-169.0 | O-Ring seal 12,0 X 2,0 | 1.000 | ST | | |
| 30 | 6.363-003.0 | O-Ring seal 13,0 X 2,0-NBR 90 | 6.000 | ST | | |
| 31 | 6.362-381.0 | O-Ring seal 13x2 - NBR 70 | 1.000 | ST | | |
| 7 | 6.362-481.0 | O-Ring seal 14,0 x 2,0 NBR 80 | 6.000 | ST | | |
| 49 | 6.362-547.0 | O-Ring seal 20,0x1,5-NBR 70 | 2.000 | ST | | |
| 11 | 6.363-037.0 | O-Ring seal complete 1ST.-R. | 2.000 | ST | | |
| 26 | 6.362-468.0 | O-Ring seal complete 1ST.-R. | 1.000 | ST | | |
| 25 | 4.553-198.0 | Piston complete only for replacement | 1.000 | ST | | |
| 10 | 4.553-197.0 | Piston complete only for replacement | 2.000 | ST | | |

22 Cylinder head

Professional \ High pressure cleaner hotwater \ Electric motor \ H 2600 *EU \ Spare parts list H_2600 \ Pump set \ Cylinder head



| POS | Article no. | Description | Quantity | Unit | Remark | Foot note text |
|-----|-------------|---|----------|------|-----------|----------------|
| 13 | 6.421-215.0 | Pressure gauge 0-300 BAR | 1.000 | ST | | |
| 3 | 5.034-494.0 | Retaining bracket | 2.000 | ST | | |
| 53 | 4.580-729.0 | Safety valve kpl. Ersatz | 1.000 | ST | VERSION 2 | |
| 27 | 4.580-731.0 | Safety valve only for replacement | 1.000 | ST | VERSION 3 | |
| 4 | 5.411-148.0 | Screw plug | 2.000 | ST | | |
| 15 | 5.411-070.0 | Screw plug | 1.000 | ST | | |
| 52 | 5.110-800.0 | Sleeve | 1.000 | ST | | |
| 47 | 5.110-608.0 | Sleeve | 2.000 | ST | | |
| 100 | 2.883-892.0 | Spare part set pump HDS 798 C | 1.000 | ST | | |
| 19 | 7.401-931.0 | Sphere 5 KI3 -1.4401 DIN 5401 | 1.000 | ST | | |
| 1 | 5.402-686.0 | Threaded part | 1.000 | ST | | |
| 17 | 7.307-009.0 | Threaded pin M5x35 -St-45H-A2E ISO 4026 | 1.000 | ST | | |
| 32 | 2.884-512.0 | Valve (3 Stueck) | 1.000 | ST | | |
| 8 | 4.580-262.0 | Valve complete | 1.000 | ST | | |
| 42 | 4.580-349.0 | Valve complete chemistry | 1.000 | ST | | |
| 20 | 5.582-121.0 | Valve disc | 1.000 | ST | | |
| 37 | 4.582-019.0 | Valve disc complete | 1.000 | ST | | |
| 51 | 5.587-192.0 | Valve housing | 1.000 | ST | | |
| 23 | 5.584-114.0 | Valve pin | 1.000 | ST | | |
| 36 | 5.584-060.0 | Valve pin | 1.000 | ST | | |
| 6 | 5.583-161.0 | Valve screw | 1.000 | ST | | |
| 29 | 5.583-146.3 | Valve screw | 3.000 | ST | | |
| 33 | 5.583-130.0 | Valve screw | 1.000 | ST | | |
| 58 | 5.581-239.0 | Valve seat | 1.000 | ST | | |
| 60 | 5.581-231.0 | Valve seat | 1.000 | ST | | |
| 38 | 4.580-376.0 | Ventilating valve | 1.000 | ST | | |
| 9 | 5.115-796.0 | Washer | 2.000 | ST | | |