



## T 12/1 Hf

The specialist for thorough and efficient cleaning in aircraft: the T 12/1 Hf dry vacuum cleaner operates with on-board voltage (110 V, 400 Hz) for use in all aircraft worldwide.

### 1 The specialist for cleaning aircraft cabins

- The T 12/1 Hf operates with on-board voltage and has a 25 m long cord. Perfect for aircraft.

## T 12/1 Hf

- On-board voltage with 110 V and 400 Hz
- 25 metre cable
- Ergonomic foot switch

### Technical data

<b>Order no.</b>	1.355-147.0	
<b>EAN code</b>	4054278190921	
<b>Air flow rate</b>	<b>l/s</b>	53
<b>Vacuum</b>	<b>mbar / kPa</b>	240 / 24
<b>Container capacity</b>	<b>l</b>	12
<b>Max. rated input power</b>	<b>W</b>	900
<b>Standard nominal width</b>		32
<b>Cable length</b>	<b>m</b>	25
<b>Sound pressure level</b>	<b>dB(A)</b>	62
<b>Sound power level</b>	<b>dB(A)</b>	78
<b>Weight</b>	<b>kg</b>	7.8
<b>Dimensions (L × W × H)</b>	<b>mm</b>	410 × 315 × 340
<b>Energy efficiency class (out of A+++ to D)</b>		C

### Equipment

<b>Suction hose</b>	<b>m</b>	2.5
<b>Suction tube, metal 2 x 0.5 m</b>		■
<b>Telescopic suction tube</b>		-
<b>Filter bag</b>		fleece
<b>Switchable floor nozzle</b>	<b>mm</b>	285
<b>Container material</b>		plastic
<b>Clip system for hose extension</b>		■
<b>Protection class</b>		II
<b>Permanent filter basket, nylon</b>		■

■ Included in the scope of supply.

# ACCESSORIES FOR T 12/1 HF

## 1.355-147.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Main filter baskets</b>									
Permanent main filter basket	1	4.731-011.0	1 piece(s)					Plastic frames with reinforced fleece material, washably to 40°C.	■
<b>Bend, plastic</b>									
Bend, plastic	2	4.408-051.0	1 piece(s)	ID 32				Plastic with C-32 clip system.	■
<b>Suction hoses (clip system)</b>									
Suction hose	3	4.440-911.0	1 piece(s)	ID 32	2.5 m			2.5 m suction hose with dry vacuum cleaner connection, clip connection (C 32).	■
<b>Exhaust air filter</b>									
Standard exhaust filter	4	6.414-802.0	3 piece(s)					Standard exhaust filter and diffusor for reducing filtered air. Made of foam.	■
Motor protection filter	5	6.414-611.0	5 piece(s)					Motor protection filter, removable fleece, which can be replaced when heavily soiled.	■
<b>Fleece filter bags (three-ply)</b>									
Fleece filter bags	6	6.904-315.0	10 piece(s)					Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 10/1 and T 12/1.	■
<b>Combi-nozzles, dry</b>									
Parquet nozzle	7	2.889-196.0	1 piece(s)	ID 35		360 mm		Parquet nozzle with wide working width	□
<b>Suction tubes, metal</b>									
Suction tube	8	6.906-618.0	1 piece(s)	ID 32	0.5 m			Metal suction tube (DN 32, length 0.5 m) with black plastic coating, suitable as an extension, e.g. vacuuming ceilings.	■

■ Included in the scope of supply. □ Available accessories.