

Spare parts list

(1.673-200.0) K 2.300 *EU

Table of contents

K 2.300 *EU (1.673-200.0)	4
Spare parts list K2 Modulrange Standard *EU (5.971-242.0)	5
10 Housing	6
8 Spare parts set strain relief with cable (2.885-486.0)	8
10 Chassis complete replacement K2 MR Stand (4.520-205.0)	10
20 Pump set	12
21 Pump set	14
22 Housing	15
23 Thrust guidance	17
24 Pump set R V	19
4 Spare parts set control piston with nipp (2.885-397.0)	21
5 Cylinder head for replacement (981) RV (4.551-144.0)	23
1 Cylinder head complete RV K2.0X	24
Cylinder head only for replacement (4.551-159.3)	26
40 Cylinder head RV K2.0X	28
45 Spare parts set control piston with nipp (2.885-397.0)	30
43 Thrust guidance complete quadruple	32
7 Inlett fitting for replacement with SV5 (4.063-913.0)	34
12 High-pressure outlet for replacement wit (4.063-914.0)	36
30 Motor	38
31 Motor	40
32 Motor	42
10 Spare part set planet wheel (4.100-662.0)	44
40 Accessories	46
41 Hand trigger gun	47
4 HK 7,5 high pressure hose set+trigger gu (2.643-910.0)	49
1 G 180 Q Trigger gun Quick Connect (2.642-889.0)	51
2 H 9 Q high pressure hose Quick Connect (2.641-721.0)	53
42 Hand trigger gun	55
1 Pistol entry (4.775-236.3)	57
3 High pressure hose 12MPa/10 40°C NQC B (6.396-228.0)	59
3 High pressure hose 12MPa/4 40°C NQCS B (6.396-525.0)	61
43 Jet pipe	63
2 Dirt blaster K2 027 St (4.764-243.0)	65
3 VPS K2 025 (4.760-535.0)	67
3 VPS K2 0287 (4.760-723.0)	69
4 SH 5 suction hose (2.643-100.0)	71
5 WB 60 soft washing brush (2.643-233.0)	73

Table of contents


9 WB 100 washing brush (2.643-236.0)	75
44 Surface cleaner	77
3 Single-step jet pipe extension (2.643-240.0)	79
8 Spare parts nozzles T-Racer (2.643-338.0)	81
45 Foam lance	84
46 Joint high pressure	86
1 Spare parts list K2.3XX *EU (2017)	88
1 KP -2/0-N-UM*EU-220-240/50-60-5,5/7,4+INA	90
103 Gear complete 6°12'/4,02 RV upr. (INA)	92
901 Spare part set planet wheel (4.100-662.0)	94
901 Inlett fitting for replacement with SV5 (4.063-913.0)	96
902 High-pressure outlet with clamp for repl (4.064-047.0)	98
903 Cylinder head for replacement (981) RV (4.551-144.0)	100
1 Cylinder head complete RV K2.0X	101
Cylinder head only for replacement (4.551-159.3)	103
40 Cylinder head RV K2.0X	105
45 Spare parts set control piston with nipp (2.885-397.0)	107
43 Thrust guidance complete quadruple	109
7 Dirt blaster entry 026 ST (4.764-342.3)	111
8 VPS entry 026 K	113
10 Pistol entry (4.775-236.3)	114
13 High pressure hose 13,5MPa/4 40°C QCS B (6.396-723.3)	116
85 Switch with axle RV	118
122 Filter with hose RM 0,50 *	120
9001 Chassis complete replacement K2 (gg/QC) (4.520-508.0)	122

K 2.300 *EU (1.673-200.0)

POS	Article no.	Description	Quantity	Unit	Foot note text
1		Spare parts list K2.3XX *EU (2017)	1	PC	NEW VERSION
0	5.971-242.0	Spare parts list K2 Modulrange Standard *EU	1	PC	
	Item text2: 13205500				


Spare parts list K2 Modulrange Standard *EU (5.971-242.0)

POS	Description	Quantity	Unit
10	Housing	1	PC
20	Pump set	1	PC
30	Motor	1	PC
40	Accessories	1	PC




10 Housing

POS	Article no.	Description	Quantity	Unit
8	2.885-486.0	Spare parts set strain relief with cable	1	PC
	Item text1: 1.673-201.0 /-208.0 /-209.0 /-212.0 /-213.0 / -214.0 /-215.0 /-218.0 /-219.0			
10	4.520-205.0	Chassis complete replacement K2 MR Stand	1	PC
5	5.037-237.0	Holder accessories K2 Modul-Range	1	PC
	Item text1: 1.673-203.0 /-205.0 /-207.0 /-209.0 /			
	Item text2: -214.0 /-217.0 /-219.0 /-260.0			
3	5.067-550.0	Housing pair replacement KÄRCHER	1	PC
11	5.105-659.0	Axle UZS 75.5mm	1	PC
1	5.322-037.0	Handhold large K2 Modul-Range	1	PC
	Item text1: 1.673-200.0 /-201.0 /-202.0 /-206.0 /-208.0 -210.0 /-211.0 /-212.0 /-213.0 /-215.0 /-216.0 /-218.0 /-270.0 /-271.0			
13	5.322-038.0	Handhold small K2 Modul-Range	1	PC
	Item text1: 1.673-203.0 /-205.0 /-207.0 /-209.0 /			
	Item text2: -214.0 /-217.0 /-219.0 /-260.0			
12	5.322-039.0	Handhold switch Modul Range	1	PC
7	5.322-041.0	Handhold Trolley K2 Modul-Range	1	PC
	Item text1: 1.673-203.0 /-205.0 /-207.0 /-209.0 /			
	Item text2: -214.0 /-217.0 /-219.0 /-260.0			
9	5.515-357.0	Wheel D120 K2 Modul-Range	2	PC
2	6.630-357.0	Switch complete UL/CSA+Ers. (ohne Fluege	1	PC
14	6.630-768.0	Switch replacement + UL/CSA RV	1	PC
8	6.648-181.0	Cable with plug *EU (H05VV-F 2x1-5,5m)	1	PC
	Item text1: 1.673-200.0 /-203.0 /-206.0 /-207.0			
	Item text2: /-210.0 /-211.0 /-216.0 /-260.0			
8	6.650-029.0	Cable complete with plug *BR 220V INMETR	1	PC
	Item text1: 1.673-271.0			
8	6.650-106.0	Power cord H05VV-F 2X1*BR 127V	1	PC
	Item text1: 1.673-270.0			
8	6.651-860.0	Cable with plug *CH (IP55,H05VV-F 2x1)	1	PC
	Item text1: 1.673-202.0 /-205.0 /-217.0			
6	7.303-096.0	Screw 4x22-ST-10.9-R2R (IN6RD)	11	PC
4	9.760-372.0	strain relief	1	PC





8 Spare parts set strain relief with cable (2.885-486.0)

POS	Article no.	Description	Quantity	Unit
2	9.760-372.0	strain relief	1	PC



10 Chassis complete replacement K2 MR Stand (4.520-205.0)

POS	Article no.	Description	Quantity	Unit
1	5.515-357.0	Wheel D120 K2 Modul-Range	2	PC




20 Pump set

POS	Description	Quantity	Unit	Foot note text
21	Pump set	1	PC	VERSION 1
24	Pump set R V	1	PC	VERSION 2


21 Pump set

POS	Description	Quantity	Unit
22	Housing	1	PC
23	Thrust guidance	1	PC




22 Housing

POS	Article no.	Description	Quantity	Unit	Foot note text
3	2.885-285.0	Spare parts set control piston with nipp	1	PC	
10	2.885-325.0	Spare parts set nipple chemistry (-90°)	1	PC	
5	4.063-783.0	Outlet high-pressure with O-Ring seal	1	PC	
6	4.063-855.0	Inlett fitting and safety valve (K2.14/1	1	PC	
11	4.551-056.0	Cylinder head for replacement (684)	1	PC	
4	5.048-406.0	Clamp	2	PC	
8	5.731-004.0	Fine filter short (2015/17)	1	PC	
1	5.731-652.0	Filter with weight	1	PC	
12	6.288-072.0	Silicon grease	1	PC	
13	6.362-151.0	O-Ring d. 10 x 2 NBR 70	1	PC	
2	6.388-216.0	Hose DN 5 (PVC)	1	m	TO ORDER AS CUT GOODS
7	6.465-031.0	Connection cpl. 3/4	1	PC	
9	6.506-016.0	O-Ring seal 15,54x2,62-NBR 70	1	PC	




23 Thrust guidance

POS	Article no.	Description	Quantity	Unit
5	2.884-859.0	Spare part set piston GSF	3	PC
3	5.060-853.0	Thrust guidance PA6.6	1	PC
6	6.288-112.0	Engine oil 10W-60, 1L	1	PC
1	6.303-497.0	Screw M8x35-8.8-A2E (IN6RD)	4	PC
4	6.362-902.0	O-Ring 60x2,5 NBR 70	1	PC
2	6.365-393.0	Oil sealing 12x20x4/6	3	PC



24 Pump set R V

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
3	2.885-396.0	Spare parts set nipple chemistry RV	1	PC		
4	2.885-397.0	Spare parts set control piston with nipp	1	PC		
17	2.885-398.0	Spare parts set piston with spring RV	3	PC		
7	4.063-913.0	Inlett fitting for replacement with SV5	1	PC		
12	4.063-914.0	High-pressure outlet for replacement wit	1	PC		
5	4.551-144.0	Cylinder head for replacement (981) RV	1	PC		
19	4.645-332.0	HOSE CONNECTOR 1/2" / 5/8" OPP	1	PC		
	Item text1: 1.673-138.0					
15	5.062-412.0	Thrust guidance V2 R V	1	PC		
9	5.731-004.0	Fine filter short (2015/17)	1	PC		
1	5.731-652.0	Filter with weight	1	PC		
13	6.288-072.0	Silicon grease	1	PC		
18	6.288-112.0	Engine oil 10W-60, 1L	1	PC		
6	6.303-519.0	Screw M5x25-10.9-A2E (IN6RD/T25)	4	PC	7 +/-1 Nm	
11	6.362-113.0	O-Ring seal 6,0 x 2,0 NBR 70	1	PC		
8	6.362-427.0	O-Ring seal 15,0x2,0	1	PC		
16	6.362-826.0	O-Ring seal 61,6x2,62	1	PC		
14	6.365-581.0	Grooved ring oil 12x18x4/6 NBR 75 Shore A	3	PC		
2	6.388-216.0	Hose DN 5 (PVC)	1	m		TO ORDER AS CUT GOODS
10	6.465-031.0	Connection cpl. 3/4	1	PC		




4 Spare parts set control piston with nipp (2.885-397.0)

POS	Article no.	Description	Quantity	Unit
2	2.885-396.0	Spare parts set nipple chemistry RV	1	PC
900	6.288-088.0	Grease Molikote 55 M	1	PC


5 Cylinder head for replacement (981) RV (4.551-144.0)

POS	Description	Quantity	Unit
1	Cylinder head complete RV K2.0X	1	PC




1 Cylinder head complete RV K2.0X

POS	Article no.	Description	Quantity	Unit
43		Thrust guidance complete quadruple	1	PC
0	4.551-159.3	Cylinder head only for replacement	1	PC
42	5.051-384.0	Sheet metal component 4-fach	1	PC




Cylinder head only for replacement (4.551-159.3)

POS	Article no.	Description	Quantity	Unit
40		Cylinder head RV K2.0X	1	PC
45	2.885-397.0	Spare parts set control piston with nipp	1	PC




40 Cylinder head RV K2.0X

POS	Article no.	Description	Quantity	Unit
18	6.362-113.0	O-Ring seal 6,0 x 2,0 NBR 70	1	PC
19	6.362-427.0	O-Ring seal 15,0x2,0	1	PC




45 Spare parts set control piston with nipp (2.885-397.0)

POS	Article no.	Description	Quantity	Unit
2	2.885-396.0	Spare parts set nipple chemistry RV	1	PC
900	6.288-088.0	Grease Molikote 55 M	1	PC



43 Thrust guidance complete quadruple

POS	Article no.	Description	Quantity	Unit
63	2.885-398.0	Spare parts set piston with spring RV	3	PC
61	5.062-412.0	Thrust guidance V2 R V	1	PC
67	6.362-826.0	O-Ring seal 61,6x2,62	1	PC
64	6.365-581.3	Grooved ring 12x18x4/6 NBR 75 Shore A	3	PC





7 Inlett fitting for replacement with SV5 (4.063-913.0)

POS	Article no.	Description	Quantity	Unit
1	5.731-004.0	Fine filter short (2015/17)	1	PC
2	6.362-427.0	O-Ring seal 15,0x2,0	1	PC




12 High-pressure outlet for replacement wit (4.063-914.0)

POS	Article no.	Description	Quantity	Unit
2	6.362-113.0	O-Ring seal 6,0 x 2,0 NBR 70	1	PC




30 Motor

POS	Description	Quantity	Unit
31	Motor	1	PC
32	Motor	1	PC




31 Motor

POS	Article no.	Description	Quantity	Unit
6	4.067-071.0	Motor housing set replacement K2 RV	1	PC
1	4.120-196.0	Wobble plate complete 5-parts 6°40'/4,32	1	PC
	Item text1: 1.673-200.0 /-201.0 /-202.0 /-203.0 /-205.0 /-206.0 /-207.0 /-208.0 /-209.0 /-210.0 /-211.0 /-212.0 /-213.0 /-214.0 /-215.0 /-216.0 /-217.0 /-218.0 /-219.0 /-260.0 /-270.0			
1	4.120-228.3	Wobble plate complete 5-parts 6°12'/4,02	1	PC
	Item text1: 1.673-271.0			
10	5.352-093.0	Planet wheel N-cor (z22) - FEES	2	PC
5	6.288-112.0	Engine oil 10W-60, 1L	1	PC
3	6.303-260.0	Screw 5x26,4	4	PC
2	6.362-902.0	O-Ring 60x2,5 NBR 70	1	PC
4	6.363-340.0	O-Ring 50 x 2,2 NBR 80	1	PC
7	6.648-389.3	Cable with capacitor 220nF (225/280mm)	1	PC
	Item text1: 1.673-200.0 /-201.0 /-202.0 /-203.0 /-205.0 /-206.0 /-207.0 /-208.0 /-209.0 /-210.0 /-211.0 /-212.0 /-213.0 /-214.0 /-215.0 /-216.0 /-217.0 /-218.0 /-219.0 /-260.0			
8	6.648-586.0	Cable motor brown AWG18x280mm	1	PC
	Item text1: 1.673-270.0 /-271.0			
9	6.648-587.0	Cable motor red AWG18x225mm	1	PC
	Item text1: 1.673-270.0 /-271.0			



32 Motor

POS	Article no.	Description	Quantity	Unit
12	2.100-023.0	Special tool motor K2	1	PC
	Item text1: Pay attention to Assembly instruction!			
	Item text2: Montageanleitung beachten!			
6	4.067-071.0	Motor housing set replacement K2 RV	1	PC
11	4.100-622.0	Motor only for replacement	1	PC
	Item text1: all other 1.673-xxx.0			
11	4.100-623.0	Motor only for replacement	1	PC
	Item text1: 1.673-270.0			
10	4.100-662.0	Spare part set planet wheel	2	PC
1	4.120-228.3	Wobble plate complete 5-parts 6°12'/4,02	1	PC
5	6.288-112.0	Engine oil 10W-60, 1L	1	PC
3	6.303-260.0	Screw 5x26,4	4	PC
2	6.362-826.0	O-Ring seal 61,6x2,62	1	PC
4	6.363-657.0	O-Ring seal 50x2.35 NBR 70	1	PC
7	6.648-389.3	Cable with capacitor 220nF (225/280mm)	1	PC
8	6.648-586.0	Cable motor brown AWG18x280mm	1	PC
9	6.648-587.0	Cable motor red AWG18x225mm	1	PC




10 Spare part set planet wheel (4.100-662.0)

POS	Article no.	Description	Quantity	Unit
4	6.362-826.0	O-Ring seal 61,6x2,62	1	PC
3	6.363-657.0	O-Ring seal 50x2.35 NBR 70	1	PC

40 Accessories

POS	Description	Quantity	Unit	Foot note text
41	Hand trigger gun	1	PC	VERSION 1
42	Hand trigger gun	1	PC	VERSION 2
43	Jet pipe	1	PC	
44	Surface cleaner	1	PC	
45	Foam lance	1	PC	
46	Joint high pressure	1	PC	



41 Hand trigger gun

POS	Article no.	Description	Quantity	Unit
0	2.641-959.0	G 160 pistol	1	PC
4	2.643-910.0	HK 7,5 high pressure hose set+trigger gu	1	PC
5	2.880-990.0	Spare part set O-Ring 5x -Kaercher	1	PC
1	5.037-185.0	Clamp	1	PC
2	5.332-464.0	Pressure spring	1	PC
6	6.362-498.0	O-Ring seal 6,75x1,78 NBR 70	1	PC



4 HK 7,5 high pressure hose set+trigger gu (2.643-910.0)

POS	Article no.	Description	Quantity	Unit
2	2.641-721.0	H 9 Q high pressure hose Quick Connect	1	PC
1	2.642-889.0	G 180 Q Trigger gun Quick Connect	1	PC
3	4.470-041.0	High pressure quick-fitting pipe union A	1	PC





1 G 180 Q Trigger gun Quick Connect (2.642-889.0)

POS	Article no.	Description	Quantity	Unit
1	5.332-464.0	Pressure spring	1	PC




2 H 9 Q high pressure hose Quick Connect (2.641-721.0)

POS	Article no.	Description	Quantity	Unit
999	2.640-729.0	O-Ring seal set	1	PC




42 Hand trigger gun

POS	Article no.	Description	Quantity	Unit
5	2.880-990.0	Spare part set O-Ring 5x -Kaercher	1	PC
1	4.775-236.3	Pistol entry	1	PC
2	5.037-333.0	Clamp pistol Entry	1	PC
6	5.332-464.0	Pressure spring	1	PC
4	6.363-410.0	O-Ring seal 5,7x1,78 NBR 90Shore	1	PC
3	6.396-228.0	High pressure hose 12MPa/10 40°C NQC B	1	PC
3	6.396-525.0	High pressure hose 12MPa/4 40°C NQCS B	1	PC
Item text1: 1.601-506.0/-520.0/-521.0				




1 Pistol entry (4.775-236.3)

POS	Article no.	Description	Quantity	Unit
2	5.037-333.0	Clamp pistol Entry	1	PC
5	5.332-464.0	Pressure spring	1	PC




3 High pressure hose 12MPa/10 40°C NQC B (6.396-228.0)

POS	Article no.	Description	Quantity	Unit
999	2.640-729.0	O-Ring seal set	1	PC




3 High pressure hose 12MPa/4 40°C NQCS B (6.396-525.0)

POS	Article no.	Description	Quantity	Unit
9500	2.640-729.0	O-Ring seal set	1	PC



43 Jet pipe

POS	Article no.	Description	Quantity	Unit	Remark
8	2.640-589.0	Brush lengthwise	1	PC	
1	2.640-729.0	O-Ring seal set	1	PC	
6	2.640-733.0	Vario Joint	1	PC	
4	2.643-100.0	SH 5 suction hose	1	PC	
5	2.643-233.0	WB 60 soft washing brush	1	PC	
9	2.643-236.0	WB 100 washing brush	1	PC	
3	4.760-535.0	VPS K2 025	1	PC	RATIO V
3	4.760-723.0	VPS K2 0287	1	PC	RATIO IV
2	4.764-243.0	Dirt blaster K2 027 St	1	PC	
7	5.332-464.0	Pressure spring	1	PC	
11	5.332-464.0	Pressure spring	1	PC	
10	5.762-331.0	Carrier brushes	1	PC	
4	6.392-247.0	Suction hose 3m Eco!ogic	1	PC	



2 Dirt blaster K2 027 St (4.764-243.0)


POS	Article no.	Description	Quantity	Unit
1	2.640-729.0	O-Ring seal set	1	PC
2	5.063-729.0	Cover	1	PC



POS	Article no.	Description	Quantity	Unit
1	2.640-729.0	O-Ring seal set	1	PC



POS	Article no.	Description	Quantity	Unit
1	2.640-729.0	O-Ring seal set	1	PC




4 SH 5 suction hose (2.643-100.0)

POS	Article no.	Description	Quantity	Unit
6	6.363-679.0	O-Ring seal 12,5x2,5 EPDM70	1	PC





5 WB 60 soft washing brush (2.643-233.0)

POS	Article no.	Description	Quantity	Unit
1	2.640-729.0	O-Ring seal set	1	PC



9 WB 100 washing brush (2.643-236.0)

POS	Article no.	Description	Quantity	Unit
1	2.640-729.0	O-Ring seal set	1	PC
2	5.762-331.0	Carrier brushes	1	PC




44 Surface cleaner


POS	Article no.	Description	Quantity	Unit
1	2.640-729.0	O-Ring seal set	2	PC
3	2.643-240.0	Single-step jet pipe extension	1	PC
8	2.643-338.0	Spare parts nozzles T-Racer	1	PC
5	2.883-994.0	Spare part set set of gaskets neutrally	1	PC
9	2.884-530.0	Spare part set rotor T 50	1	PC
9	2.884-530.3	Spare part set rotor for replacement T 50	1	PC
2	5.310-160.0	Nut Kaercher	2	PC
4	5.332-464.0	Pressure spring	2	PC
10	6.369-484.0	Strip brush complete	1	PC
7	7.303-106.0	Screw 4x12-10.9-R2R (In6Rd)	3	PC
0	7.777-999.0	Stockpiling discontinued	1	PC



3 Single-step jet pipe extension (2.643-240.0)

POS	Article no.	Description	Quantity	Unit
3	2.640-729.0	O-Ring seal set	1	PC
10	5.310-160.0	Nut Kaercher	1	PC
8	5.332-464.0	Pressure spring	1	PC



T 50, T 70, T 80, T 100 T 150, T 200, T 250, T 300, T 400, T 450, T 550	K 2 - K 5		
	K 6 - K 7		
T 400, T 450 T 550			
T 200, T 250	K 6 - K 7		
T 350 Gas			

	K 3 - K 5	
	K 6 - K 7	


	K 2	
	K 3 - K 5	

8 Spare parts nozzles T-Racer (2.643-338.0)

POS	Article no.	Description	Quantity	Unit	Remark	Foot note text
3		Nozzle complete 15027	1	PC		BLACK
	Item text1: 027					
4	4.764-190.0	Nozzle kpl. 75047	1	PC		GREEN
	Item text1: 047					
5	5.037-151.0	Clamp	2	PC		
1	7.777-999.0	Stockpiling discontinued	1	PC	<13 MPa (<130 bar)	GREY
	Item text1: 015					
2	7.777-999.0	Stockpiling discontinued	1	PC	13 MPa (130 bar) - 16 MPa (160 bar)	YELLOW
	Item text1: 020					


45 Foam lance

POS	Article no.	Description	Quantity	Unit	Foot note text
5	2.640-729.0	O-Ring seal set	2	PC	
6	5.071-202.0	Tank cleaning agents 0,6 l	1	PC	
1	5.071-203.0	Tank cleaning agents 0,3 l	1	PC	
4	5.367-026.0	Diaphragm	1	PC	
3	6.362-874.0	O-Ring seal 21x3 - NBR 70	2	PC	
2	6.388-216.0	Hose DN 5 (PVC)	1	m	TO ORDER AS CUT GOODS




46 Joint high pressure

POS	Article no.	Description	Quantity	Unit
1	2.640-729.0	O-Ring seal set	1	PC
3	2.640-733.0	Vario Joint	1	PC
2	5.332-464.0	Pressure spring	1	PC




1 Spare parts list K2.3XX *EU (2017)

POS	Article no.	Description	Quantity	Unit
1		KP -2/0-N-UM*EU-220-240/50-60-5,5/7,4+INA	1	PC
8		VPS entry 026 K	1	PC
85		Switch with axle RV	1	PC
122		Filter with hose RM 0,50 *	1	PC
9000	4.067-071.0	Motor housing set replacement K2 RV	1	PC
9001	4.520-508.0	Chassis complete replacement K2 (gg/QC)	1	PC
7	4.764-342.3	Dirt blaster entry 026 ST	1	PC
10	4.775-236.3	Pistol entry	1	PC
102	5.037-237.0	Holder accessories K2 Modul-Range	1	PC
	Item text1: 1.673-203.0/-260.0			
101	5.067-616.3	Housing pair	1	PC
165	5.322-037.0	Handhold large K2 Modul-Range	1	PC
	Item text1: 1.673-200.0			
164	5.322-038.0	Handhold small K2 Modul-Range	1	PC
	Item text1: 1.673-203.0/-260.0			
86	5.322-039.0	Handhold switch Modul Range	1	PC
163	5.322-041.0	Handhold Trolley K2 Modul-Range	1	PC
	Item text1: 1.673-203.0/-260.0			
104	5.387-620.0	Warning sign new	1	PC
110	6.303-150.0	Screw 4,2x 22	11	PC
13	6.396-723.3	High pressure hose 13,5MPa/4 40°C QCS B	1	PC
113	6.465-031.0	Connection cpl. 3/4	1	PC
87	6.648-181.0	Cable with plug *EU (H05VV-F 2x1-5,5m)	1	PC




1 KP -2/0-N-UM*EU-220-240/50-60-5,5/7,4+INA

POS	Article no.	Description	Quantity	Unit
103		Gear complete 6°12'4,02 RV upr. (INA)	1	PC
904	2.100-023.0	Special tool motor K2	1	PC
901	4.063-913.0	Inlett fitting for replacement with SV5	1	PC
902	4.064-047.0	High-pressure outlet with clamp for repl	1	PC
100	4.100-622.0	Motor only for replacement	1	PC
903	4.551-144.0	Cylinder head for replacement (981) RV	1	PC
102	6.303-260.0	Screw 5x26,4	4	PC
109	6.303-519.0	Screw M5x25-10.9-A2E (IN6RD/T25)	4	PC
101	6.363-657.0	O-Ring seal 50x2.35 NBR 70	1	PC




103 Gear complete 6°12'/4,02 RV upr. (INA)

POS	Article no.	Description	Quantity	Unit
901	4.100-662.0	Spare part set planet wheel	1	PC
73	4.120-288.3	Wobble plate complete 5-parts 6°12'/4,02	1	PC
70	5.062-124.3	Housing gear RV	1	PC




901 Spare part set planet wheel (4.100-662.0)

POS	Article no.	Description	Quantity	Unit
4	6.362-826.0	O-Ring seal 61,6x2,62	1	PC
3	6.363-657.0	O-Ring seal 50x2.35 NBR 70	1	PC



901 Inlett fitting for replacement with SV5 (4.063-913.0)

POS	Article no.	Description	Quantity	Unit
1	5.731-004.0	Fine filter short (2015/17)	1	PC
2	6.362-427.0	O-Ring seal 15,0x2,0	1	PC




902 High-pressure outlet with clamp for repl (4.064-047.0)

POS	Article no.	Description	Quantity	Unit
1	5.037-463.0	Clamp for high-pressure outlet	1	PC
2	6.362-113.0	O-Ring seal 6,0 x 2,0 NBR 70	1	PC


903 Cylinder head for replacement (981) RV (4.551-144.0)

POS	Description	Quantity	Unit
1	Cylinder head complete RV K2.0X	1	PC




1 Cylinder head complete RV K2.0X

POS	Article no.	Description	Quantity	Unit
43		Thrust guidance complete quadruple	1	PC
0	4.551-159.3	Cylinder head only for replacement	1	PC
42	5.051-384.0	Sheet metal component 4-fach	1	PC




Cylinder head only for replacement (4.551-159.3)

POS	Article no.	Description	Quantity	Unit
40		Cylinder head RV K2.0X	1	PC
45	2.885-397.0	Spare parts set control piston with nipp	1	PC




40 Cylinder head RV K2.0X

POS	Article no.	Description	Quantity	Unit
18	6.362-113.0	O-Ring seal 6,0 x 2,0 NBR 70	1	PC
19	6.362-427.0	O-Ring seal 15,0x2,0	1	PC



45 Spare parts set control piston with nipp (2.885-397.0)

POS	Article no.	Description	Quantity	Unit
2	2.885-396.0	Spare parts set nipple chemistry RV	1	PC
900	6.288-088.0	Grease Molikote 55 M	1	PC



43 Thrust guidance complete quadruple


POS	Article no.	Description	Quantity	Unit
63	2.885-398.0	Spare parts set piston with spring RV	3	PC
61	5.062-412.0	Thrust guidance V2 R V	1	PC
67	6.362-826.0	O-Ring seal 61,6x2,62	1	PC
64	6.365-581.3	Grooved ring 12x18x4/6 NBR 75 Shore A	3	PC



7 Dirt blaster entry 026 ST (4.764-342.3)


POS	Article no.	Description	Quantity	Unit
9500	2.640-729.0	O-Ring seal set	1	PC

POS	Article no.	Description	Quantity	Unit
9500	2.640-729.0	O-Ring seal set	1	PC




10 Pistol entry (4.775-236.3)

POS	Article no.	Description	Quantity	Unit
2	5.037-333.0	Clamp pistol Entry	1	PC
5	5.332-464.0	Pressure spring	1	PC




13 High pressure hose 13,5MPa/4 40°C QCS B (6.396-723.3)

POS	Article no.	Description	Quantity	Unit
9500	2.640-729.0	O-Ring seal set	1	PC




85 Switch with axle RV

POS	Article no.	Description	Quantity	Unit
96	5.105-659.0	Axle UZS 75.5mm	1	PC
95	6.630-768.0	Switch replacement + UL/CSA RV	1	PC
97	6.648-389.3	Cable with capacitor 220nF (225/280mm)	1	PC



122 Filter with hose RM 0,50 *

POS	Article no.	Description	Quantity	Unit
1	5.731-652.0	Filter with weight	1	PC
2	6.388-216.0	Hose DN 5 (PVC)	0,5	m



9001 Chassis complete replacement K2 (gg/QC) (4.520-508.0)

POS	Article no.	Description	Quantity	Unit
1	5.515-357.0	Wheel D120 K2 Modul-Range	2	PC