




TTB3045NX



Service Engineer Exploded Drawings



DISCLAIMER:

These drawings are for part order reference only and intended for service engineers use.

The installation of Genuine Numatic spare parts should only be executed by Certified Numatic service engineers who specialised and familiar with all relevant safety regulations.

Numatic International Ltd do not accept responsibility or liability for any loss or damage to property or person if repairs or servicing of products are carried out by non-certified persons.

Specifications and parts are subject to change without notice.

HAFTUNGSAUSSCHLUSS:**DE**

Diese Zeichnungen dienen nur als Referenz für Teilebestellungen und sind nur für den Gebrauch durch Servicetechniker bestimmt.

Die Montage von originalen Numatic-Ersatzteilen darf nur von zertifizierten Numatic-Servicetechnikern ausgeführt werden, die mit allen relevanten Sicherheitsvorschriften vertraut sind.

Numatic International Ltd übernimmt keine Verantwortung oder Haftung für Verluste oder Schäden an Eigentum oder Personen, wenn Reparaturen oder Wartungsarbeiten an Produkten von nicht zertifizierten Personen durchgeführt werden.

Technische Daten und Teile können ohne vorherige Ankündigung geändert werden.

CLAUDE DE NON-RESPONSABILITÉ:**FR**

Ces schémas sont fournis à titre de référence de commande de pièces uniquement et sont destinés aux techniciens de maintenance.

L'installation de pièces de rechange Numatic d'origine doit être effectuée uniquement par des techniciens de maintenance Numatic certifiés spécialisés et familiarisés avec toutes les règles de sécurité applicables.

Numatic International Ltd décline toute responsabilité en cas de perte ou de dommage matériel ou personnel si des réparations ou l'entretien des produits sont effectués par des personnes non certifiées.

Les spécifications et les pièces sont susceptibles d'être modifiées sans préavis.

DISCLAIMER:**NL**

Deze tekeningen zijn uitsluitend bedoeld als referentie voor het bestellen van onderdelen en voor gebruik door servicemonteurs.

De installatie van originele reserveonderdelen van Numatic mag alleen worden uitgevoerd door gecertificeerde servicemonteurs van Numatic die gespecialiseerd zijn en bekend zijn met alle relevante veiligheidsvoorschriften.

Numatic International Ltd aanvaardt geen verantwoordelijkheid of aansprakelijkheid voor verlies of schade aan eigendommen of personen als reparaties of onderhoud aan producten worden uitgevoerd door niet-gecertificeerde personen.

Specificaties en onderdelen kunnen zonder voorafgaande kennisgeving worden gewijzigd.

RENÚNCIA DE RESPONSABILIDADE:**PT**

Estes desenhos servem apenas como referência para a encomenda de peças e destinam-se a ser utilizados pelos técnicos de assistência.

A instalação de peças sobresselentes genuínas da Numatic só deve ser efetuada por técnicos de assistência certificados da Numatic que se especializem e familiarizem com todos os regulamentos de segurança relevantes.

A Numatic International Ltd não aceita qualquer responsabilidade por perdas ou danos materiais ou pessoais se as reparações ou a manutenção dos produtos forem efetuadas por pessoas não certificadas.

As especificações e as peças estão sujeitas a alterações sem aviso prévio.

ESCLUSIONE DI RESPONSABILITÀ:**IT**

Questi disegni sono forniti solo come riferimento per l'ordine dei componenti e sono destinati all'uso da parte dei tecnici dell'assistenza.

L'installazione di ricambi originali Numatic deve essere eseguita esclusivamente da tecnici dell'assistenza certificati Numatic specializzati e a conoscenza di tutte le norme di sicurezza pertinenti.

Numatic International Ltd non si assume alcuna responsabilità per eventuali perdite o danni alla proprietà o alle persone se le riparazioni o la manutenzione dei prodotti vengono eseguite da persone non certificate.

Le specifiche e le parti sono soggette a modifiche senza preavviso.

EXENCIÓN DE RESPONSABILIDAD:

ES

Estos esquemas solo se muestran como referencia para pedir piezas y para su uso por parte de ingenieros de mantenimiento.

La instalación de recambios originales de Numatic solo deben realizarla los ingenieros de mantenimiento homologados de Numatic que estén especializados y familiarizados con las normativas de seguridad pertinentes.

Numatic International Ltd no acepta la responsabilidad de cualquier pérdida o daño a la propiedad o a las personas si las reparaciones o el mantenimiento de los productos se llevan a cabo por personas sin certificación.

Las especificaciones y piezas están sujetas a cambios sin previo aviso.

ZASTRZEŻENIE:

PL

Rysunki te służą wyłącznie do celów referencyjnych podczas zamawiania części i są przeznaczone do użytku przez inżynierów serwisowych.

Montaż oryginalnych części zamiennych Numatic powinien być wykonywany wyłącznie przez certyfikowanych serwisantów firmy Numatic, którzy posiadają odpowiednie kwalifikacje i znają wszystkie odpowiednie przepisy bezpieczeństwa.

Firma Numatic International Ltd nie ponosi odpowiedzialności za jakiegokolwiek straty lub szkody majątkowe i osobiste, jeśli naprawy lub serwisowanie produktów są przeprowadzane przez osoby nieposiadające certyfikatu.

Dane techniczne i części mogą zostać zmienione bez powiadomienia.

FRISKRIVNINGSKLAUSUL:

SV

Dessa ritningar är endast avsedda för referens vid beställning av reservdelar och är avsedda för servicetekniker.

Installation av originalreservdelar från Numatic får endast utföras av certifierade Numatic-servicetekniker som specialiserar sig på och känner till alla relevanta säkerhetsföreskrifter.

Numatic International Ltd påtar sig inget ansvar för förlust eller skada på egendom eller person om reparationer eller service av produkter utförs av icke-certifierade personer.

Specifikationerna och produktens delar kan ändras utan föregående meddelande.

VASTUUVAPAUSLAUSEKE:

FI

Nämä piirrokset on tarkoitettu ainoastaan osien tilaamisen avuksi ja ainoastaan huoltoinsinöörien käyttöön. Aitoja Numatic-varaosia saavat asentaa vain sertifioidut Numatic-huoltoinsinöörit, jotka ovat perehtyneet kaikkiin asiaankuuluviin turvamääräyksiin.

Numatic International Ltd ei ole vastuussa mistään omaisuus- tai henkilövahingoista, jos sertifioidut henkilöt ovat korjanneet tai huoltaneet tuotteita.

Teknisiä ominaisuuksia ja osia voidaan muuttaa ilman erillistä ilmoitusta.

ANSVARSRASKRIVELSE:

DA

Disse tegninger er kun til reference for reservedelsordrer og er beregnet til serviceteknikere.

Montering af originale Numatic-reservedele må kun udføres af certificerede Numatic-serviceteknikere, der er specialiseret i og har kendskab til alle relevante sikkerhedsbestemmelser.


Numatic International Ltd påtager sig intet ansvar for tab eller skade på ejendom eller person, hvis reparationer eller service på produkter foretages af ikke-certificerede personer.

Specifikationer og dele kan ændres uden varsel.

Numatic International Spare Parts

Model No: TGB 3045 (& HGB) TOP TANK ASSEMBLY EXPLODED VIEW

903638
DRAWING: DRW-21692 ISS:A21
07/09/2021



Numatic International Spare Parts

Model No: TGB 3045 (& HGB) TOP TANK ASSEMBLY EXPLODED VIEW

ITEM:	PART No:	Description	Comments	QTY
1	N/A	TGB3045 TOP TANK MOULDING		1
	904727	HGB3045 TOP TANK MOULDING (BLACK)	HGB	
3	237381	INTEGRATED CHASSIS SEPARATOR		1
4	237526	38MM RED DRAIN HOSE CONNECTOR		1
5	237018	38MM DRAIN HOSE CONNECTOR		1
6	206116	BLACK NUT		2
7	237718	HOSE GUIDE		1
8	237090	SEPARATOR FLOAT MOULDING (MK 2)		1
9	219852	N06 X 1/2 LONG POZI PAN STAINLESS STEEL SELF TAP SCREW		4
10	219569	N08 X 1/2 INCH LONG POZI PAN STAINLESS STEEL PLASTITE SCREW		4
11	219310	RUBBER WASHER		2
12	219919	32MM-50MM STAINLESS STEEL HOSE CLIP		1
13	206315	TUBE END PLUG		3
14	206265	TT/B 345 BARREL FILTER		1
15	208591	NEW SEPARATOR GASKET		1
16	N/A	35MM X 690MM LONG 3:1 STRETCH HOSE (SHORT & LONG CUFF)		1
17	392200	FILTER GASKET RING		1
18	902919	CLIP MOULDING (RED)		2
19	906070	MESHLESS FILTER BASKET		1
20	N/A	35MM X 250MM STRETCH HOSE (3:1 C/W ADJUSTABLE CUFF + CAP		1
21	237382	ACETAL HOSE CLIP MOULDING		1
22	291135	M5 X 10MM LONG STAINLESS STEEL POZI PAN SEMS SCREW		2
23	905520	VAC HOSE 580MM X Ø38MM		1


Numatic International Spare Parts

Model No: TTB3045 NX BOTTOM TANK ASSEMBLY EXPLODED DRAWING

913984
DRAWING: DRW-36510 ISS:A13
09/03/2023

NB: FOR WIRING SEE DRAWING: 913984 - DRW-36752

TELEMATICS CONFIGURATION - DRW-40720, DRW-40721



Numatic International Spare Parts

Model No: TTB3045 NX BOTTOM TANK ASSEMBLY EXPLODED DRAWING


ITEM:	ITEM No:	DESCRIPTION	COMMENTS	Default/QT.Y.
1	N/A	TTB3045-NX BOTTOM TANK MouldING (GRAPHITE)		1
2	914293	WEIGHTS SPACER (PP)		1
3	208564	FILLER CAP SEALING RING		1
4	237174	FILLER CAP WITH FILLER HOSE HOLE		1
5	903695	28MM X 270MM LONG 3:1 STRETCH HOSE C/W RED CAP & STRAP		1
6	219569	No8 X 1/2 INCH LONG POZI PAN STAINLESS STEEL PLASTITE SCREW	Torque Setting 2.6NM	6
7	913966	NX3045 SECONDARY PCB ASSEMBLY	Wired version	1
8	914653	NX3045 SECONDARY PCB ASSEMBLY		1
9	913965	NX3045 MAIN PCB ASSEMBLY	Wired version	1
10	905074	GASKET-MODULE-ELECTRONICS		2
11	913958	3045 NX BATTERY COMPARTMENT		1
12	913686	BATTERY 37.8100		2
13	208382	MAGNET(19MM O/D)		3
14	910635	BATTERY RETAINER		2
15	914505	M4 X 25MM LG. POZI CSK 5-ST MC SCREW NYLON PATCH	Torque Setting 1.6NM	5
16	913960	NX 3045 BATTERY COMPARTMENT COVER		1
17	219720	M5 X 30MM LONG STAINLESS STEEL POZI PAN SCREW		2
18	204599	SPRING 10.65MM OD 16.5MM FREE LENGTH		2
19	291035	M5 NYLON INSERT NUT (STAINLESS STEEL)	Torque Setting 2.6NM	6
20	208956	SILENCER FOAM TUBE 150MM		1
21	208583	DIP MOULDED ELBOW (MAINS VERSION)		1
22	901539	ELBOW ANGLE CONNECTOR 3/8 PARALLEL THREAD C/W O-RING TO 12MM PUSH IN		1
23	904403	BARRED RIVET BLACK		2
24	903341	32MM HOSE CAP RED (C/W 8MM HOLE)		1
25	213025	DUMP HOSE		1
26	902133	SPRING WIRE CLAMP (VDNAC-Y8010356)		1
27	904109	FLOAT STOP MOULDING		1
28	904108	FLOAT STOP MOULDING		2
29	291135	M5 X 10MM LONG STAINLESS STEEL POZI PAN SEMS SCREW	Torque Setting 2.6NM	5
30	901916	28mm HOSE CLIP		1
31	291126	M8 X 120 LONG HEX BOLT STAINLESS STEEL		4
32	219716	M8 FORM G STAINLESS STEEL WASHER		8
33	904283	CABLE RESTRAINT		1
34	291132	M5 X 1.6MM LONG STAINLESS STEEL POZI PAN SEMS SCREW	Torque Setting 2.6NM	2
35	903612	TGB 3045 HANDLE MOUNT WELD ASSEMBLY Z/PL		1
36	219558	M5 STAINLESS STEEL NUISERT		2
37	219639	M8 STAINLESS STEEL NYLON INSERT NUT		4
38	903539	HANDLE MOUNT COVER PAINTED SILVER	Torque Setting 10NM	1
39	913964	3045 NX HANDLE MOUNT LEFT COVER PAINTED SILVER		1
40	237754	35-38MM HOSE CLIP		2
41	902324	RED SQUEEGEE LIFT HANDLE		1
42	219687	M4 STAINLESS STEEL NYLON INSERT NUT		1
43	219897	M10 STAINLESS STEEL NYLON INSERT NUT		1
44	914266	M10 X 30 X 1.5 A4 S/ST FENDER WASHER		2
45	915176	M10 X 30MM STAINLESS STEEL HEX SCREW		1
46	901758	ET SQUEEGEE LIFTING WIRE		1
47	291118	M5 STAINLESS STEEL WASHER 19MM OD		1
48	219686	M4 X 20MM LONG STAINLESS STEEL POZI PAN MACHINE SCREW		1
49	900986	NYLON GROMMET NUT (PLASTIC INSERT TO SUIT NO 8 PLASTITE SCREW)		4
50	208799	TT MOTOR PLATE GASKET		1
51	219644	M5 FORM G STAINLESS STEEL WASHER		14
52	219568	NO8.3/4 INCH LG. POZI PAN SCREW STAINLESS STEEL PLASTITE	Torque Setting 2.6NM	4
53	914296	3045NX AV MOUNT VAC MOTOR PLATE GASKET		1
54	914298	WDS 710 ANTI VIBRATION MOUNT (710-15130555A2)		4
55	902275	VAC PLATE GASKET		1
56	392449	HANDLE MOUNT LINK PLATE PAINT SILVER		2
57	291020	M5 STAINLESS STEEL EXTERNAL SHAKEPROOF LOCK WASHER		4
58	915298	VAC PLATE REAR GASKET		1
59	907553	VAC MOTOR PLATE MOULDING		1
60	915486	CINDERSON VAC HOUSING - ASSEMBLY (200W)		1
61	915303	CINDERSON VAC MOTOR MOUNT PLATE (TTB3045NX)		1
62	915483	TTB3045NX CINDERSON VAC MOTOR PLATE (FRONT)		1
63	915302	VAC MOTOR GASKET (TTB3045NX)		1
64	219497	M5 NYLON WASHER		4
65	915659	WEIGHTED PLATE ASSEMBLY TTB3045NX - DIP MOULDED		1
66	291131	M5 X 12MM LONG STAINLESS STEEL POZI PAN SEMS SCREW		4
67	915765	TTB3045NX BOTOM TANK SELF ADHESIVE TAPE		1

Numatic International Spare Parts

Model No: TGB 3045 (& HGB) CHASSIS ASSEMBLY EXPLODED VIEW

NB: FOR WIRING SEE DRAWING: DRW-22779

903635
DRAWING: DRW-22933 ISSA15
04/02/2022



Numatic International Spare Parts

Model No: TGB 3045 (& HGB) CHASSIS ASSEMBLY EXPLODED VIEW


ITEM:	PART No:	DESCRIPTION	COMMENTS:	QTY.
1	219644	M5 FORM G STAINLESS STEEL WASHER		2
2	219647	M6 FORM G STAINLESS STEEL WASHER		5
3	219642	M6 STAINLESS STEEL NYLON INSERT NUT		1
4	219568	NO8 3/4 INCH LG POZI-PAN SCREW STAINLESS STEEL PLASTITE		2
5	902353	M6 EXTERNAL SHAKEPROOF WASHER STAINLESS STEEL		5
6	291125	M6 X 40 LONG HEX BOLT T STAINLESS STEEL		1
7	219569	NO8 1/2 INCH LG POZI-PAN SCREW STAINLESS STEEL PLASTITE		17
8	219578	M8 FORM A STAINLESS STEEL WASHER		2
9	901006	FILTER MOUNTING BRACKET	DETAIL A	1
10	901280	LATCH BLOCK BOTTOM MOULDING		1
11	901279	LATCH BLOCK TOP MOULDING		1
12	206964	SLIDE NYLON SPACER		4
13	206954	SPIRO SPACER		2
14	208312	IGUS BEARING (GFM 101205)		6
15	208619	FLOOR TOOL SPRING		1
16	219903	M10 FORM A STAINLESS STEEL WASHER		4
17	901558	M5 X 60MM STAINLESS STEEL POZI PAN MACHINE SCREW		3
18	219633	M5 STAINLESS STEEL NYLON INSERT NUT		3
19	206713	80MM DIAMETER WHITE WHEEL		2
20	208888	EXTENDED STRAINER		1
21	901543	12MM SWIVEL ELBOW PUSH FIT TO 10MM HOSE TAIL BALL VALVE ASSEMBLY		1
22	208578	DECK LOCK SPRING		1
23	208638	160mm WHEEL WITH POLYURETHENE TYRE		2
24	206953	DETENT PINS		2
25	304356	FLOOR TOOL PIVOT TUBE		1
26	304359	TT/TTB/4045/4055 SQUEEGEE MOUNT WELD ASSEMBLY		1
27	304466	FLOOR TOOL BRACKET ASSEMBLY (TT/TTB4045/4055)		1
28	903589	TT/B PLASTIC CHASSIS		1
	904902	HGB PLASTIC CHASSIS (BLACK)	HGB	1
30	903575	AXLE BAR ST/ST 10MM DIA. 75MM LONG		1
31	903576	AXLE BAR ST/ST 12.7MM DIA. 60MM LONG		2
32	903577	AXLE BAR ST/ST 10MM DIA. 68MM LONG		2
33	903597	AXLE CLIP		4
	905060	AXLE CLIP (BLACK)	HGB	
35	219825	M5 x 25MM LONG STAINLESS STEEL HEX SCREW		5
36	903594	TAP PLATE		2
37	903596	AXLE PLATE		6
38	903573	NYLON TUBE 12MM OD X 10MM ID (96MM +-1.0)		1
39	903566	M8X16MM LONG STAINLESS STEEL SOCKET BUTTON HEAD BOLT		1
40	903580	SILICON TUBE 640MM LONG X 8MM ID X 14.4MM OD		1
41	903565	M8 STAINLESS STEEL HEADED NUTSERT		1
42	903581	SILICON TUBE 155MM LONG X 8MM ID X 14.4MM OD		1
43	208827	STRAINER BLACK TOP	PART OF ITEM 20 (208888)	1
44	208880	68MM EXTENDED STRAINER CLEAR BOWL	PART OF ITEM 20 (208888)	1
45	208889	EXTENDED STRAINER 50 MESH SCREEN	PART OF ITEM 20 (208888)	1
46	208830	STRAINER GASKET	PART OF ITEM 20 (208888)	1
47	902520	M8 INTERNAL WASHER SHAKEPROOF STAINLESS STEEL		1
48	904440	DECK LATCH BAR		1
49	219465	P-CLIP		3

Numatic International Spare Parts

Model No: TTB 3045 NX HANDLE ASSEMBLY EXPLODED DRAWING

NB: FOR WIRING SEE DRAWING: 913989 - DRW-36752
914049 - DRW-40720, DRW-40721

913989, 914049, 919641
DRAWING: DRW-36522 ISS:A06
04/09/2024



Numatic International Spare Parts


Model No: TTB 3045 NX HANDLE ASSEMBLY EXPLODED DRAWING

ITEM NO.	Part No.	DESCRIPTION	COMMENTS	QTY.
1	23692	HANDLE CABLE COVER 1/H		1
2	23693	HANDLE CABLE COVER 1/H		1
3	21942	M6 STAINLESS STEEL NYLON INSERT HALF NUT	Torque Setting 8NM	1
4	90346	HANDLE PLUG MOUNTING (RED)		1
5	90345	ADJUSTMENT LEVER MOUNTING (RED)		1
6	22946	40MM HANDLE LOCKING ROD		1
7	90340	TGB/ITG 40MM PROCESSED AL HANDLE PAINT SILVER		1
8	90098	HANDLE CASTING MACHINED (HNS VERSION)		1
9	29125	M6 X 40 LONG HEX BOLT STAINLESS STEEL	Torque Setting 8NM	4
10	29131	M5 X 12MM LONG STAINLESS STEEL POZI PAN SEAM SCREW	Torque Setting 2.6NM	3
11	22909	BLANKING PLUG		1
12	22907	GEAR LOCKING PIN		1
13	90096	ADJUSTMENT GEAR SPACER		2
14	22780	HAND GRIP MOUNTING		2
15	22949	LOOSE HANDLE CABLE CLAMP		2
16	21943	M6 NYLON WASHER		1
17	21910	N06. 5/8 INCH LG POZI PAN SCREW 1/PL PLASTIC	Torque Setting 1.6NM	6
18	21926	M4 FORM A WASHER		4
19	21936	N08 X 5/8 INCH LONG POZI PAN SELF TAPPING SCREW	Torque Setting 2.6NM	2
20	21905	4MM SPIREX		1
21	21981	N08 X 1 INCH LONG POZI PAN SELF TAP SCREW	Torque Setting 2.6NM	2
22	20638	19MM BLACK TUBE END STOP		1
23	22785	LEFT HAND SWITCH OPERATING LEVER MOUNTING		1
24	22786	RIGHT HAND SWITCH OPERATING LEVER MOUNTING		1
25	22787	CENTRE SWITCH OPERATING LEVER MOUNTING		1
26	21904	SWITCH COMPRESSION SPRING		1
27	21903	TRIGGER COMPRESSION SPRING		2
28	33629	CROSS TUBE		1
29	22948	SNAP ACTION SWITCH		2
30	90347	TRIGGER MOUNTING (RED)		2
31	21974	M6 STAINLESS STEEL DOME NUT		4
32	22938	SPRING 13.85MM OD 7.63MM FREE LENGTH		1
33	90097	MINI ADJUSTMENT GEAR		1
34	21957	M8 FORM A STAINLESS STEEL WASHER		6
35	21909	M6 HALF NUT		1
36	21922	M8 X 50MM LONG SOCKET BUTTON HEAD STAINLESS STEEL BOLT		3
37	29150	N06 X 1 INCH LONG POZI PAN SCREW 5/5	Torque Setting 1.6NM	1
38	90340	M8 BOLT AND NUT CAP		2
39	22909	26MM DIA HOLE PLUG		1
40	21939	M8 STAINLESS STEEL NYLON INSERT NUT	Torque Setting 8NM	3
41	90253	M6 EXTERNAL SHAKEPROOF WASHER STAINLESS STEEL		4
42	21947	M6 FORM G STAINLESS STEEL WASHER		8
43	21920	N08 X 5/8 INCH LONG PLASTIC STAINLESS STEEL SCREW	Torque Setting 2.6NM	12
44	22757	REAR INNER HALF MOUNTING (GRAPHITE TAILC FILLED)		1
45	22784	INTERLOCK LEVER MOUNTING		1
46	22756	TALC FILLED FRONT INNER HALF MOUNTING		1
47	91143	ASSEMBLY 180 DISPLAY		1
48	91148	TB 1840 36V CONTROL PANEL OVERLAY		1
49	91142	TB 1840 36V FRONT COVER MOUNTING		1
50	21940	M4 X 16MM LONG POZI PAN COUNTERSINK SCREW		2
51	20821	NYLON WASHER 10.0 OD X 4.1 ID X 1.0MM		4
52	21903	M4 NYLON INSERT NUT	Torque Setting 1.6NM	2
53	21968	M4 FORM A STAINLESS STEEL WASHER		2
54	91946	TB 1840 HANDLE REAR COVER - TELEMATICS	TELEMATICS/HOURS METER CONFIGURATION ONLY (914049/919641)	1
55	91945	TELEMATICS MODULE ASSEMBLY - GRAPHITE GREY	TELEMATICS CONFIGURATION ONLY (914049)	1
56	91947	Hours meter assembly - Graphite	HOURS METER CONFIGURATION ONLY (919641)	1
57	21949	N08 X 1 INCH LONG POZI PAN STAINLESS STEEL PLASTIC SCREW	Torque Setting 2.6NM TELEMATICS/HOURS METER CONFIGURATION ONLY (914049/919641)	4
58	91426	TB 3045NX HANDLE FRONT LABEL	DOC-44472	1
59	91251	ADHESIVE PAD - TELEMATICS	TELEMATICS/HOURS METER CONFIGURATION ONLY (914049/919641)	1
60	22759	REAR COVER MOUNTING	STANDARD CONFIGURATION ONLY (913989)	1

Numatic International Spare Parts
Model No: 650 TWINTEC ALUMINIUM FLOOR TOOL (38MM HOSE, RED TRIM, SERILOR BLADES)

903347
DRAWING: DRW-22621 ISS:A09
27/03/2018

NB: FOR WIRING SEE DRAWING: N/A



Numatic International Spare Parts

Model No: 650 TWINTEC ALUMINIUM FLOOR TOOL (38MM HOSE, RED TRIM, SERILOR BLADES)


ITEM:	PART No:	Description	Qty
1	208198	(650MM SCRUB WIDTH) ALUMINIUM SQUEEGEE CASTING (38MM HOSE FITTING)	1
2	903345	(650MM SCRUB WIDTH) RED BLADE HOLDER MouldING (SLOPING PROFILE) (32MM & 38MM HOSE FITTING)	1
	900518	650 REPLACEMENT SERILOR GREEN POLYURETHANE BLADES SET	
4	208970	(650MM SCRUB WIDTH) REPLACEMENT (4.0MM / 35-45 SHORE A) REAR LAMINATED SERILOR POLY/BLADE (847MM LONG)	1
5	208967	(650MM SCRUB WIDTH) REPLACEMENT (3.2MM / 40 SHORE A) FRONT MONOLAYER SERILOR POLY/BLADE (819MM LONG)	1
6	903281	M10 LOBE KNOB (RED)	4
7	219899	M10 SINGLE COIL STAINLESS STEEL WASHER	2
8	219933	M6 X 35MM SOCKET BUTTON HEAD BOLT STAINLESS STEEL	6
9	219647	M6 FORM G STAINLESS STEEL WASHER	6
10	206953	DETENT PINS	4
11	219642	M6 STAINLESS STEEL NYLON INSERT NUT	6
12	219909	M10 X 25MM LONG HEXAGONAL STAINLESS STEEL SCREW	2
13	237322	RIGHT HAND FLOOR TOOL CLIP MouldING	1
14	237323	LEFT HAND FLOOR TOOL CLIP MouldING	1
15	208796	4 INCH WHEEL	2
16	229175	CONICAL SPRING	2
17	907759	50MM DIAMETER GREY TPR TYRED SWIVEL CASTOR C/W M10 X 60 SWAGED STEM.	2
18	219891	13MM WAVEY WASHER	2
19	908860	ADJUSTABLE FLOOR TOOL CASTOR PLASTIC PLATE LEFT	1
20	908859	ADJUSTABLE FLOOR TOOL CASTOR PLASTIC PLATE RIGHT	1
21	291124	M10 PENNY WASHER STAINLESS STEEL	2
22	219951	A4 (STAINLESS STEEL) M10 HEX LOCK NUT (HALF NUT)	2

Numatic International Spare Parts

Model No: TTB 3045 NX BRUSH DECK EXPLODED DRAWING

NB: FOR WIRING SEE DRAWING: DRW-367 52

913986
DRAWING: DRW-36512 ISS:A03
08/09/2022



Numatic International Spare Parts

Model No: TTB 3045 NX BRUSH DECK EXPLODED DRAWING

ITEM:	PART No:	DESCRIPTION	COMMENTS	QTY.
1	229258	TT 345 GRAPHITE BASE MOULDING		1
2	206013	BUFFER WHEEL PIN		2
3	219644	M5 FORM G STAINLESS STEEL WASHER		4
4	291132	M5 X 16MM LONG STAINLESS STEEL POZI PAN SEMS SCREW	Torque Setting 2.6NM	4
5	229644	450MM DIAMETER SPLASH SKIRT MOULDING		1
6	219890	M4 X 12MM LONG POZI PAN STAINLESS STEEL SCREW	Torque Setting 2.6NM	4
7	291145	M4 SHAKEPROOF WASHER STAINLESS STEEL		2
8	237380	AMER MOTOR COVER		1
9	913100	AMER MOTOR DCM-4222 36V PMDC 16:1		1
10	914306	TTB3045 NX 36V AMER MOTOR ADAPTOR PLATE PAINT SILVER GREY		1
11	208727	DRIVE SHAFT		1
12	291079	6MM X 30MM STAINLESS STEEL ROLL PIN		1
13	219647	M6 FORM G STAINLESS STEEL WASHER		8
14	902353	M6 EXTERNAL SHAKEPROOF WASHER STAINLESS STEEL		8
15	219719	M6 X 16MM LONG HEXAGONAL STAINLESS STEEL HEAD BOLT	Torque Setting 8NM	8
16	230207	DIE CAST CHUCK MACHINED		1
17	230048	26MM EXTERNAL CIRCLIP		1
18	291127	M6 X 35 LONG HEX BOLT STAINLESS STEEL	Torque Setting 8NM	4
19	219870	M6 FORM A WASHER STAINLESS STEEL		4
20	208011	MOTOR MOUNTING SPACER		4
21	206236	PIVOT PIN		2
22	392248	DECK MOUNT BRACKET		1
23	219606	BRACKET SPACER		4
24	204021	12.7MM STAINLESS STEEL HUB CAP		2
25	204068	3 INCH GREY WHEEL		4
26	392249	DECK MOUNT RH		1
27	219639	M8 STAINLESS STEEL NYLON INSERT NUT	Torque Setting 8NM	2
28	915039	SOLENOID CABLE & FERRITE ASSEMBLY		1
29	902556	SOLENOID MOUNT MOULDING		1
30	219687	M4 STAINLESS STEEL NYLON INSERT NUT		2
31	219345	12MM EXTERNAL CIRCLIP		2
32	229382	REAR WHEEL PIN		2
33	229128	PLUNGER MOULDING BLACK		1
34	219394	COMPRESSION SPRING		1
35	223242	PLUNGER MOUNTING PLATE MOULDING		1
36	219569	No8 X 1/2 INCH LONG POZI PAN STAINLESS STEEL PLASTITE SCREW	Torque Setting 2.6NM	4
37	219642	M6 STAINLESS STEEL NYLON INSERT HALF NUT	Torque Setting 8NM	4
38	229025	STANDARD GROMMET		4

**Numatic International Limited (Head Office)**

Chard, Somerset TA20 2GB, UNITED KINGDOM

Tel: 01460 68600 numatic.com

Numatic International GmbH

Fränkische Straße 15-19, 30455 Hannover, DEUTSCHLAND

Tel: +49 (0) 511 984 2160 numatic.de

Numatic International Denmark

Fränkische Straße 15-19, 30455 Hannover, DEUTSCHLAND

Tel: +45 (0) 316 40808 numatic-online.dk

Numatic International S.A.S

13/17 rue du Valengelier, EAE la Tuilerie, 77500 Chelles, FRANCE

Tel: +33 (0) 164 726 161 numatic.fr

Numatic International BV

Vennootsweg 15, 2404 CG, Alphen aan den Rijn, NEDERLAND

Tel: +31 (0) 172 467 999 numatic.nl

Numatic International Schweiz AG.

Sihlbruggstrasse 3A, 6340 Baar, SCHWEIZ

Tel: +41 (0) 41 768 0760 numatic.ch

Numatic International (PTY) Ltd.

Cnr. 16th & Pharmaceutical Road, Randjes Park, Midrand 1685, SOUTH AFRICA

Tel: +27 (0) 861 686 284 numatic.co.za

Numatic International ULDA

Rua Francisco da Silva Duarte, nº79,

4475-269 Santa Maria de Avioso, Castelo da Maia, PORTUGAL

Tel: +351 220 047 700 numatic.pt

Numatic International Spain, S.L.U.

Av. Baix Llobregat, 5-7, Oficina bajos 1 (Parc Negocis Mas Blau II)

08820 El Prat de Llobregat (Barcelona), SPAIN

Tel: +34 93 647 22 22 numatic.es

Numatic International Italy S.R.L

Via Luigi Galvani, 2, Z.I. Talponedo, 33080 Porcia (PN), ITALY

Tel: +39 (0) 434 046 211 numatic.it

