



B 40 C Bp

Battery-powered walk-behind scrubber dryers in the 40 litre class without traction drive. Ideal for areas of 400 to 1100 m^2 . With innovative KIK system. With roller or disc brush head.

1 3 batteries to choose from

- Battery types: maintenance-free 70 Ah (C5), low-maintenance 80 Ah (C5) or maintenance-free 105 Ah (C5).
- The built-in charger can be adjusted to the various battery types.

2 EASY Operation

- Simple to use.
- The basic functions are controlled with the EASY switch.

3 eco!efficiency

- For significantly reduced energy consumption and substantially longer battery runtime.
- The ecolefficiency mode is extra quiet and optimal for noise-sensitive areas (e.g. hospitals or hotels).

4 Straight or curved squeegee

- For perfect suction on every floor.
- There are also different suction lips to choose from: Natural rubber or oil-resistant polyurethane, slotted suction lips for sensitive floors or closed for rough floors.

TECHNICAL DATA AND EQUIPMENT

KARCHER



B 40 C Bp

Technical data		
Order No.		2.533-202.0
EAN code		4039784557956
Brush working width	mm	430
Working width, vacuuming	mm	850
Fresh/dirty water tank	I	40 / 40
Rated input power	W	1100
Weight	kg	60
Dimensions (L × W × H)	mm	1209 × 498 × 1145
Battery voltage	V	24
Equipment		
FACT		-
Dose		-
Tank-in-tank construction style		I Contraction of the second
Included in delivery.		

KÄRCHER



























-		
8		
-		

								Т
		Order No.	Length	Colour	Quanti- ty	Price	Description	
Miscellaneous		order no.	Length	COIDOI	(y	FILE	Description	
KIK key, yellow	1	5.035-344.0	1	vellow	1		The yellow KIK key does not offer the operator any possibil	1
Kirk Key, yenow	1	5.055 544.0		yenow	piece(s)		ities to make adjustments.	
KIK key, grey	2	5.035-348.0		grey	1		The grey KIK key is reserved for the supervisor, who can	
KIK key est velleur	2	4.035-408.0		velleur	piece(s) 5		grant access rights with it for the operator's key.	
KIK key set, yellow	3	4.035-408.0		yellow	piece(s)			
KIK key, red	4	5.035-337.0		red	1			
					piece(s)			+-
Filling hose	5	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	
Cover without tank flushing sys-	6	4.035-334.0	720 mm		1			1
tem complete					piece(s)			
Cover for tank flushing system	7	4.035-369.0	73 cm		1			
complete	8	4.035-370.0	18 cm		piece(s)		-	\vdash
		4.000 070.0	10 cm		piece(s)			
Add-on kit eco!zero	9	5.388-133.0			1			
Home Base accessories					piece(s)			1
Home Base mop holder kit	10	4.035-374.0	1		1		The Homebase Mop kit contains mop clip, mop support and	I.
Home base mop holder kit	10	4.000 07 4.0			piece(s)		bottle holder - the perfect solution for securely carrying the	2
							mop directly on the scrubber drier.	\downarrow
Home Base Box Kit	11	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags,	
					piece(s)		gloves, etc.	
Adapter Homebase	12	5.035-488.0			1		Fastener for various hooks and clips on the machine.	
	10				piece(s)			_
Double hook	13	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine Only for use with the Homebase adapter 5.035-488.0.	. [
Holder handhold grey	14	6.980-078.0			1		Mop clip for attaching a mop to the machine. Only for use	
					piece(s)		with the Homebase adapter 5.035-488.0.	╧
Holder bottle	15	6.980-080.0			1 piece(s)			
Universal hook kit	16	4.070-075.0			1		Hook and adaptor kit for attachment to the Home Base rail	+
					piece(s)		scrubber drier by Kärcher. Ideal for space-saving storage of	
							hoses (for example, spray suction attachment kit) on the	
	17	5.035-655.0	105 mm		1		machine.	+
	1/	5.055 055.0	103 1111		piece(s)			
	18	5.035-656.0	17 cm		1			
RM Dosierstation			<u> </u>		piece(s)			
DS 3 Cleaning Agent Dosing Sta-	19	2.641-811.0			1		After connecting to a tap, cleaning agent can be filled into	
tion	15				piece(s)		the fresh water tank diluted as required. Can also be used	
							with the filling system attachment kit. Includes backflow	
■ Included in delivery □ A	inilak!	accessories					preventer (DIN EN 1717).	



Dellas have bee		Order No.	Hardness / Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes Roller brush	1	4.762-405.0	soft	450 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing.	
	2	4.762-392.0	medium	450 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 448 mm.With wear-resistant star-wheel mechanism. For normal use. Bris- tles: Polypropylene, 0.4 mm thick, 20 mm long.	
	3	4.762-406.0	high / low	450 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	
	4	4.762-407.0	hard	450 mm	green	1 piece(s)		Roller brush, green, hard. Length: 450 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	
	5	4.762-408.0	very hard	450 mm	black	1 piece(s)		Very hard (GRIT), for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.	
	6	4.762-409.0	soft	550 mm	white	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing.	
Roller brush complete for replace- ment BR	7	4.035-184.0	medium	550 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 550 mm.For normal use. Also suitable for sensitive floors. Bristles: Polypropyl- ene, 0.4 mm thick, 20 mm long.	
Roller brush	8	4.762-410.0	high / low	550 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	
	9	4.762-411.0	hard	550 mm	green	1 piece(s)		Hard, for heavy soilings und for deep cleaning; for unsensi- tive floors only.	
	10	4.762-412.0	very hard	550 mm	black	1 piece(s)		Very hard (GRIT), for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only.	

KÄRCHER



12-13

	1	1			1	1			T-
		Order No.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description	
Roller pad shaft			-	-					
Pad roller shaft	1	4.762-413.0		450 mm				Roller pad shaft, aluminium For roller pads or microfibre rollers, length 450 mm.	
	2	4.762-415.0		550 mm				550 mm	
Roller pads									
Roller pad on sleeve	3	6.367-105.0	soft	450 mm	96 mm	yellow			
	4	6.367-107.0	medium	450 mm	96 mm	red			
	5	6.367-106.0	hard	450 mm	96 mm	green			
	6	6.369-732.0	soft	530 mm	96 mm	yellow			
	7	6.369-734.0	medium	530 mm	96 mm	red			
	8	6.369-733.0	hard	530 mm	96 mm	green			
Roller pad	9	4.114-011.0		450 mm		brown			
	10	8.635-692.0		550 mm		brown			
Microfibre shaft									
Microfibre roller BR 45/22	11	4.037-093.0	Microfibre	450 mm	96 mm	light green			
Microfibre roller	12	4.114-009.0	Microfibre	450 mm	96 mm	light green		World innovation: Application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with rolle pad shaft 4.762-413.0.	
	13	4.114-010.0	Microfibre	550 mm	96 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with rolle pad shaft 4.762-415.0.	



		Order No.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price
Disc brushes							
Disc brush	1	4.905-024.0	very soft	430 mm	white	1 piece(s)	
	2	4.905-023.0	soft	430 mm	natural	1 piece(s)	
	3	4.905-022.0	medium	430 mm	red	1 piece(s)	
	4	4.905-025.0	hard	430 mm	black	1 piece(s)	
	5	4.905-028.0	very soft	510 mm	white	1 piece(s)	
	6	4.905-027.0	soft	510 mm	natural	1 piece(s)	
	7	4.905-026.0	medium	510 mm	red	1 piece(s)	
	8	4.905-029.0	hard	510 mm	black	1 piece(s)	

KÄRCHER





2-3

13









11, 16





		Order No.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Crystallisation pad									1
Crystallisation pad	1	6.369-911.0	medium	432 mm	silver	5		for high sheen cyrstallisation	
	2	6.905-386.0	medium	432 mm	bronze	piece(s) 5		for basic cyrstallisation	-
						piece(s)			[
	3	6.371-270.0	medium	508 mm	bronze	5 piece(s)			[
	4	6.371-289.0	medium	508 mm	silver	5		-	
Microfibre pad						piece(s)			
Microfibre pad	5	6.371-271.0	Microfibre	508 mm	white	5			
	6	6.905-526.0	Microfibre	410 mm	white	piece(s) 5		Excellent cleaning newer Cleans even pares of fine sten	
	0	0.905-520.0	MICTOTIDIE	410 11111	white	piece(s)		Excellent cleaning power. Cleans even pores of fine ston- ware tiles.	C
Pads			1						
Pad	7	6.369-469.0	very soft	432 mm	white	5 piece(s)		5 polishing pads, very soft, white, without grit, 432 mm diameter. For polishing floors.	[
	8	6.371-149.0	soft	432 mm	beige /	5			
	9	6.371-081.0	soft	432 mm	natural beige	piece(s) 5		Soft, with slight grain, for polishing.	+
		0.571 001.0	5010		beige	piece(s)			
	10	6.369-470.0	medium-soft	432 mm	red	5 piece(s)		5 pads, medium-soft, red, 432 mm diameter. For cleaning al floors.	
	11	6.369-472.0	medium-hard	432 mm	green	5		5 pads, medium-hard, green, 432 mm diameter. For remov-	
	12	6.369-473.0	hard	432 mm	black	piece(s)		ing stubborn dirt and basic cleaning. 5 pads, hard, black, 432 mm diameter. For removing stub-	
	12	0.505 475.0	TIGLU	432 1111	DIACK	piece(s)		born dirt and basic cleaning.	
	13	6.371-146.0	soft	500 mm	beige / natural	5 piece(s)			
	14	6.369-468.0	soft	508 mm	beige	5		-	
	15	6.369-079.0	medium-soft	508 mm	red	piece(s) 5		Medium soft, for wet-cleaning of all surfaces and for spray	
	15	0.309-079.0	IIIeuluiii-sult	100 1001	reu	piece(s)		cleaning.	E
	16	6.369-078.0	medium-hard	508 mm	green	5 piece(s)		Medium hard, for cleaning stubborn soilings and for deep cleaning.	
	17	6.369-077.0	hard	508 mm	black	5		Hard, for persistent soilings and for deep cleaning.	
						piece(s)			
Pad drive board Pad drive board	18	4.762-533.0		403 mm		1			
	18	/02 JJJ.U				piece(s)			[
	19	4.762-534.0		479 mm		1			



		Order No.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Diamond pad									
Diamond pad	20	6.371-256.0	coarse	432 mm	white	5 piece(s)		White diamond pad (coarse) with a diameter of 432 mm for coarse cleaning and restoration. Removes small scratches, for a clean, silky matt surface.	
	21	6.371-260.0	coarse	508 mm	white	5 piece(s)			
	22	6.371-257.0	medium	432 mm	yellow	5 piece(s)		Yellow diamond pad (medium) with a diameter of 432 mm for coarse cleaning and restoration. Removes fine scratches and ensures a more homogeneous and shinier surface.	
	23	6.371-261.0	medium	508 mm	yellow	5 piece(s)			
	24	6.371-238.0	fine	432 mm	green	5 piece(s)		Green diamond pad (fine) with a diameter of 432 mm. For effortless polishing of laminated floors, terrazzo and natural stone surfaces.	
	25	6.371-240.0	fine	508 mm	green	5 piece(s)			



		Order No.	Length	Colour	Quanti- ty	Price	Description	
Squeegees for suction bars								
Suction lips	1	6.273-207.0	890 mm	transparent	2 -part		Standard, grooved, oil-resistant.	
	2	6.273-229.0	890 mm	transparent	2 -part		Slotted, oil-resistant, polyurethane, for sensitive floors.	
	3	6.273-213.0	890 mm	blue	2 -part		Fluted, standard, natural rubber.	
	4	6.273-290.0	890 mm	transparent	2 -part		Closed, oil-resistant, for structured floors.	
Rubber lip set corrugated oil re- sistant	5	6.273-023.0	1010 mm	transparent	2 -part			
Squeegee, complete								
Squeegee	6	4.777-001.0						
	7	4.777-006.0						
	8	4.777-011.0						
	9	4.777-016.0						
	10	4.777-079.0	900 mm	transparent	1			
					piece(s)			



		Order No.				Price	Description	
Brush heads		1	1	1	1			
Brush head R 45 C	1	2.763-020.0						
Brush head D 43	2	2.763-023.0						
Brush head R 55 C	3	2.763-013.0						
Brush head D 51	4	2.763-026.0						



		Order No.	Quantity	Battery volt- age	Battery capaci- ty	Battery type	Price	Description	
Batteries									
Battery kit	1	4.035-447.0	2 -part	24 V	76 Ah	Mainte- nance- free		Maintenance-free battery set consisting of 2x 12-V batteries and connecting cables.	
	2	4.035-450.0	2 -part	24 V	80 Ah	low mainte- nance			
	3	4.035-449.0	2 -part	24 V	105 Ah	Mainte- nance- free		-	
Battery and charger kits								1	
Quick charger set VI 24 V / 116 Ah	4	2.642-559.0	1 piece(s)	24 V	116 Ah	Mainte- nance- free		Battery set with maintenance-free batteries, connecting cable and charger. Designed for quick interim charges with a charging time of less than three hours. Ideal for multiple shift operation.	
Accessories for batteries									
Spacer	5	4.642-020.0	1 piece(s)						



		Order No.	Length	Diameter	Quanti- ty	Price	Description
Other attachment kits							
Suction hose accessories	1	4.444-015.0	3.25 m		1 piece(s)		c
Auto-Fill	2	4.035-345.0			1 piece(s)		



	Or	Order No.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container andHome Base adapter. For connecting Home Base Rail.	